

Volume 12, Issue 7, July 2023



Impact Factor: 8.423





6381 907 438







|e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal

||Volume 12, Issue 7, July 2023||

|DOI:10.15680/IJIRSET.2023.1207082|

Case Study on Solid and Liquid Waste Management for Kanhan City

Mr. Sanket Talewar¹, Prof. Anurag K. Gahalod²

P.G. Student, Department of Civil Engineering, G. H. Raisoni University, Amravati, Maharashtra, India¹ Associate Professor, Department of Civil Engineering, G. H. Raisoni University, Amravati, Maharashtra, India²

ABSTRACT:Solid Waste and Liquid Waste has become a serious environmental problem inmajor cities all over world. The problem of Solid Waste and Liquid Waste is also influencing the urban environment of Kanhan City. The present study was undertaken to enlist the causes of solid waste generation and possibilities of associated problems.

A detailed study comprising the methods of practices associated withgenerated quantity of waste, collection, transportation, treatment and disposal of solidwaste and liquid waste in kanhan city was conducted.

Domestic Waste is waste, which is either solid or liquid generated inresidential areas, Commercial settings and institutions. Waste in general terms is defined as an unwanted as it is obviously undesirable. It is nevertheless an inevitable

and inherent product of social, economic and cultural life. The indiscriminate disposalof waste, both liquid and solid, adversely affects the immediate human environmentby degrading the natural phenomena hence, exerting health risk to exposed population. Health risks may be carried through different vehicles including flies, dogs, rodent and others that scavenge on the waste.

KEYWORDS: Scavenge, Solid and Liquid Waste

I. INTRODUCTION

Population is increasing day by day and with relevancy that the solid waste generation is to boot increasing bit by bit. The management of solid waste is that t the most significant issue for healthy life style and safer area. In several case of solid waste management its determined that there's public apathy and lack of co- ordination between completely different civic bodies.

Modern and unorganized life style is put nice pressure on natural resources. To cater the requirements of individuals completely different product are created. The specialized product created by industries demand careful handling and when treatment. Disposal of solid waste while not correct treatment imposes negative impact on soil, water, air, human health and aesthetic price.

Uncollected wastes accumulate on the streets, public areas, vacant heaps, so making outlawed open dumps. Residents may merely throw their wastes at the closet stream or burn them.


The course forms the basis for helping students understand solid waste management health theories, concepts and practices. It also equips the students with knowledge, skills and attitudes to enable them to conduct hazardous and electronic waste management.



|e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

||Volume 12, Issue 7, July 2023||

DOI:10.15680/IJIRSET.2023.1207082



II. LITERATURE REVIEW

Lester et.al., 1999

Reported the used of recycling process in national and statelevel and stated the failure of its application due to varying in population andbad management system. It is considered that the techniques used for recyclewere costly and was easy to dispose of in landfill. Finally, they concluded that proper awareness of waste minimization will ensure the reduction of waste thereby decreasing the problem faced by the locality. The MSW policies for recycling should be evaluated by seeing the cost of the community more generally.

Yusof et.al., 2002

Studied and carried out the determination of waste generation in Taman Perling, Johor Bahru, Malaysia. The roles of socioeconomic and cultural influences are discussed in their paper. The methods approaches are data collection, quantitative and qualitative analysis. They concluded by finding that the family size and the population are the root cause of the increase in the solid waste thereby creating the urban and rural area a bad place for development.

Sivapalan et.al., 2002

The chemical characteristics of the waste generated atkualalumpur city. The segregation helps in resorting the useful substances from the waste available. The approaches include analysis of the current and past data in order to compared the growth of solid waste management in the city of the particular area. They concluded by studying the effects cause by the presence of high amount of the heavy metals in the soil or the leachate of thevarious landfill situated on that area. They also cause serious concern over thehealth of the human as well as the environment.



|e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal

||Volume 12, Issue 7, July 2023||

DOI:10.15680/IJIRSET.2023.1207082

Sahasrabuddhe et.al., 2003

Urbanization and its impact towards the water bodies .Due to development many industries arises causing serious problem of solid waste, which improper management led to pollution of water bodies due to dumping of waste in the drainage system or sewage. The methods followed for analysis are field visiting of the studying area, surveying and case study of the past and present data of the Pune city. They finally come to the end that due to development the quality of soil and water deteriorate due to presence of harmful and untreated chemical which was present in the municipal solid waste.

III. METHODOLOGY

Collection of Data:

The data has been obtained from Municipal Corporation and other reliable sources, studied and correlated with the present investigation. The research work includes the efforts for waste characterization and the exploration of possibilities of energy recovery potential of solid waste. The results were analyzed in light of different aspects including the impact of solid waste on the health of ragpickers and workers and the surrounding environment.

Methods of liquid waste management:

Sedimentation.

Composting.

Incineration.

Root-Zone

Treatment.

Solidification

Disposal.

Providing required equipment to all the workers engaged in SWM.

A light weight noise less, Low weight, four Swiveling Wheeled hand cart.

Two light weight bins of minimum 60 liters and a maximum of 120 liters, DIN international standard HDPE, injection molded with lifting collar compatible with the standard comb lifters mounted, in hand cart.

Broom Long handed

Brush Long handle

Shovel

Scraper & lifter (compatible to work in upright position)

The cart body will be made of FRP or any other light weight non corrosive material and the frame work will be made from heavy duty pipe, epoxy coated. MS wheels with solid rubberized rim will be mounted on S-S axle as in the picture or four SS / Rubber swiveling wheels will also be mounted on base frame, for sturdy noise less application as mentioned above.

As per MSW Management Manual, 2016 recommendation brooms, brushed lifters, scrapers will have long handle to work in upright position.

Results: -

Government should adopt 4R's (Reduce, Reuse, Recyle and Resource Recovery) principle. Government should increase the number of composting and energy generation plant.



|e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal

||Volume 12, Issue 7, July 2023||

|DOI:10.15680/IJIRSET.2023.1207082|

IV. CONCLUSION

Some suggestions would be helpful in improving solid and liquid waste management system in Kanhan city these are as follows:

- 1. Open waste storage sites and other unhygienic street bins should not be allowed.
- 2. The placement of waste receptacles should be correct.
- 3. Door to door collection of waste must be made mandatory that will allow minimum of waste on roads and streets.
- 4. Land filling must be done properly after consideration of all the aspects of present and future of the city and its health.
- 5. Alternative and better options for proper waste disposal method must be adopted regularly based on the needs and situation of the area.
- 6. There must be total ban on stray animals who wander on the roads which include cows, dogs, goats, etc. and these animal must be regularly trapped without any political or community influences.

REFERENCES

- [1] John Deanne and Charles (1980): Appropriate Technology for water supply and sanitation: a sanitation field manual, the world Bank.
- [2] Gabre-Emanuel Teka (1984): Human Waste Disposal Ethiopia: A practical approach to environmental health, Addis Ababa, Ethiopia.
- [3] Franceys, Pickford Mac and Reed R.,(1992): A guide to the development of on-site sanitation, WHO, Geneva.
- [4] Mac Brockerhoff, and Brennam, (1998) :The Poverty of Cities in Developing Regions, Population and Development Review, Vol. 24, pp. 75-114.
- [5] Brockerhoff Mac. (1999): Urban Growth in Developing Countries: A Review of Projections and Predictions, Population and Development Review, Vol. 25, No. 4, pp.757-778.
- [6] SWMR (2000): State of Vermont Agency of natural resources Department of environmental conservation, Solid Waste Management Rules-2000.
- [7] SamntraSubramniam (2001): Environmental Science, New Central Book Agency, (P) Ltd. Kolkata-700 009.
- [8] Kebede Faries et. al, (2002): Human and other liquid waste management: lecture Note Series, faculty of public health, Jimma University.
- [9] Dev Asthana, Meera Asthana (2003): Environmental problems and solutions, S. Chand and company Ltd. New Delh, pp. 1-8.
- [10] Suraj Garg, Prasad Vats (2003): Plastic waste generation and recycling in Chandigarh. Indian J. Environ. Prot. Pp. 121–125.
- [11] Nayan Kumar and Sunil Gaikwad: (2004) Municipal Solid Waste Management in Indian Urban Centres: An Approach for Betterment, Urban Development Debates in the New Millennium, Edited by K.R. Gupta, Atlantic Publishers & Distributors, New Delhi, pp.100-111.
- [12] Kumar Mondal, Nayan Gaikwad, Soham Devotta, Rana Singh (2004): Qualitative Assessment of Methane Emission Inventory from Municipal Solid Waste Disposal Sites: A Case Study, Atmospheric Environment, pp. 4921-4929.





Impact Factor: 8.423







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







📵 9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

