



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 3, March 2024

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

[ijrset@gmail.com](mailto:ijrset@gmail.com)

[www.ijrset.com](http://www.ijrset.com)

# Android Speech to Text Home Automation Viable Connectivity

Mrs. B. Ranjani, M.E,(Ph.D), M. Adhithya, R. Arthi, R. Keerthika

Assistant Professor, Department of Computer Science Engineering, E.G.S. Pillay Engineering College, Nagapattinam,  
TamilNadu, India

U.G. Student, Department of Computer Science Engineering, E.G.S. Pillay Engineering College, Nagapattinam,  
TamilNadu, India

U.G. Student, Department of Computer Science Engineering, E.G.S. Pillay Engineering College, Nagapattinam,  
TamilNadu, India

U.G. Student, Department of Computer Science Engineering, E.G.S. Pillay Engineering College, Nagapattinam,  
TamilNadu, India

**ABSTRACT:** In an increasingly interconnected world, the demand for smart home systems has surged. This project proposes a Voice-Controlled Home Automation System to enhance convenience, efficiency, and accessibility within households. Leveraging the power of voice recognition technology, this system enables users to control various home appliances and devices through verbal commands. The system comprises several components, including a microphone for capturing voice commands, a processing unit for speech recognition, and a network interface for communication with smart devices. The core functionality lies in the integration of natural language processing algorithms to interpret user commands accurately and execute corresponding actions. By leveraging the power of voice commands, it empowers users to effortlessly manage their home environment according to their preferences and needs. Voice-Activated Home Assistant System (VAHAS) presents an innovative solution for enhancing home automation through intuitive voice commands. In today's fast-paced world, the demand for seamless integration of technology into daily life is ever-growing. VAHAS aims to address this need by offering a sophisticated yet user-friendly platform for controlling various aspects of the home environment.

**KEYWORDS:** Voice Recognition, Remote Access, Device Integration, Customizable Commands, Secure Communication. Voice Biometrics.

## I. INTRODUCTION

Voice-controlled home automation using IoT (Internet of Things) has revolutionized the way we interact with our living spaces. With the integration of smart devices and voice recognition technology, homeowners can now control various aspects of their homes simply by speaking commands.

This innovative system leverages IoT devices such as smart lights, thermostats, locks, cameras, and appliances, which are interconnected and accessible through the internet. By incorporating voice recognition technology, typically powered by virtual assistants like Amazon Alexa, Google Assistant, or Apple Siri, users can communicate their preferences and commands effortlessly.

The integration of voice control into home automation offers several benefits, including convenience, accessibility, and energy efficiency. Users can perform tasks such as adjusting lighting levels, setting the temperature, locking doors, checking security cameras, and even managing household appliances, all through natural language commands. Moreover, voice-controlled home automation enhances accessibility for individuals with disabilities or mobility issues, providing them with greater independence and control over their environments.

This paper aims to explore the implementation, benefits, challenges, and future prospects of voice-controlled home automation using IoT technology, offering insights into how this innovative solution is transforming modern living spaces.

## II. RELATED WORK

Arduino-based systems: These projects use Arduino microcontrollers as the central hub for controlling appliances. Voice commands are typically processed through a smartphone app with Bluetooth connectivity to the Arduino. This is

a popular approach for hobbyists due to the relative ease of use and availability of resources online [1]. You can find tutorials and circuit diagrams to build your own system [2, 3] Academic Research: Focus on accessibility: There's research into voice-controlled home automation designed to assist people with disabilities or the elderly. These systems prioritize ease of use and might involve recognition of simpler voice commands. Commercial Systems: Smart Speaker Integration: Existing smart speakers like Amazon Echo and Google Home can be leveraged to control compatible smart home devices through voice commands. This offers a user-friendly approach without needing to build a system from scratch [5].

### III. PROPOSED SYSTEM

IOT is an upcoming technology that makes use of internet to voice control/monitor electronic/mechanical devices, automobiles and other physical devices connected to the internet. Home Automation is a term used to describe the working together of all household amenities and appliances.

In our proposed voice-controlled home automation system, users will be able to seamlessly control various aspects of their home environment using natural language commands. Leveraging advanced speech recognition technology, the system will interpret spoken instructions and execute corresponding actions, such as adjusting lighting, temperature, security settings, and even managing entertainment systems. Through integration with smart devices and IoT technology, users will experience enhanced convenience and efficiency, transforming their homes into intuitive and responsive environments tailored to their preferences. With a focus on user-friendly interfaces and reliable performance, our system aims to redefine the modern home living experience.

### IV. EXISTING SYSTEM

A friendly interface allows user to easily voice control these home appliances through the internet. The micro controller is interfaced with a WIFI modem to get user commands over the internet. After receiving user commands over the internet, microcontroller processes these instructions to operate these loads accordingly and display the system status on an LCD display. Thus this system allows for efficient home automation over the internet. The existing voice-controlled home automation system allows users to effortlessly control various aspects of their home environment using voice commands. By simply speaking commands, users can adjust lighting, temperature, security systems, and even entertainment devices.

### V. ALGORITHM IMPLEMENTATION

Integrating natural language processing (NLP) into a voice-controlled home automation system project using IoT involves several steps:

**Choose NLP Framework:** Select an NLP framework or service that suits your project needs.

**Integrate IoT Devices:** Connect your IoT devices (e.g., smart lights, smart thermostat) to your home automation system.

**Develop Voice Interface:** Create a voice interface that captures user commands and sends them to the NLP model for processing.

**Process Voice Commands:** Use the NLP model to process incoming voice commands. The model should extract the user intent and any relevant parameters (e.g., device name, action) from the spoken input.

**Control IoT Devices:** Based on the recognized intent and parameters, send appropriate commands to the IoT devices to execute the desired actions (e.g., turning on/off lights, adjusting temperature).

**Testing and Iteration:** Test the system extensively to ensure it works reliably in different environments and with various accents. Iterate on the design and fine-tune the NLP model based on user feedback and performance metrics.

**Security Considerations:** Implement security measures to protect the system from unauthorized access or malicious commands, especially since it controls physical devices in the home.


### VI. WORKFLOW PRINCIPLE

When we send a voice command through the App, then the Bluetooth module receives that command and passes it to the Arduino. Now Arduino compares this command with the predefine Commands (which are defined in Arduino

code). If this command matches then Arduino sends a command to operate the relay module. We can see the Device status (on or off) on the 16x2 LCD Display Module.

For example, when we send the “turn on light” voice command through the app. Then the Arduino gets this command through the Bluetooth module. Then the Arduino sends **Low (0)** input voltage to the **Input-1 (IN1)** pin of the relay module. Now the relay is in **On mode**. So the device (light) will also **turn on**, which is connected to the relay-1 of the relay module. At the same time, the “**D1 (Device 1) is ON**” status print on the 16x2 LCD Display Module.

When we send the “turn off light” voice command through the app. Again the Arduino gets this command through the Bluetooth module. This time the Arduino sends a **High (5v)** input voltage to the **Input-1 (IN1)** pin of the relay module. Now the relay is in **Off mode**. So the device (light) will also **turn off**, which is connected to the relay-1 of the relay module. At the same time, the “**D1 (Device 1) is OFF**” status print on the 16x2 LCD Display Module.



## VII. METHODOLOGY

Designing a voice-controlled home automation system typically involves several Methodologies:

**Requirement Analysis:** Identify the specific tasks or devices you want to control via voice commands in your home.

**Hardware Selection:** Choose the necessary hardware components.

**Software Development:** Develop the software to integrate the hardware components and enable voice recognition and control.

**Voice Recognition Integration:** Integrate a voice recognition system

**Device Control Logic:** Implement the logic to interpret voice commands and control the connected devices accordingly.

**User Interface Development:** Design and implement a user interface for interacting with the system.

**Testing and Debugging:** Thoroughly test the system to ensure proper functionality and reliability.

**Deployment and Maintenance:** Deploy the system in your home environment and ensure it operates as expected.

## VIII. DESIGN AND IMPLEMENTATION

### Planning and Requirements Gathering:

Identify the specific areas of your home that you want to automate and the devices you want to control..



**Hardware Setup:**

Install IoT devices such as smart lights, thermostats, locks, cameras, and appliances throughout your home. Ensure that these devices are connected to your home Wi-Fi network and are accessible over the internet.

**Software Configuration:**

Install and configure the accompanying mobile apps.

**Integration with Voice Recognition Technology:**

Choose a voice recognition platform such as Amazon Alexa, Google Assistant,

**Voice Command Setup:**

Train the voice recognition platform to recognize your voice and understand specific commands.

**Testing and Troubleshooting:**

Test the voice-controlled home automation system to ensure that voice commands are accurately recognized and executed by the IoT devices.

**User Training and Adoption:**

Provide training to household members on how to use the voice-controlled home automation system effectively.

**Continuous Monitoring and Maintenance:**

Regularly monitor the performance of your voice-controlled home automation

**User Interface:**

Optionally, create a user interface (like a mobile app or web interface) to control devices manually or monitor their status.

**IX. HARDWARE COMPONENT**

**HC- 05 BLE module**

Once the voice commands are recognized the command will be converted to text using the same app, this text data will then send to the Arduino nano using Bluetooth.

**Relay 4 channel**

This device can control the on/off function of your home appliances. One relay can control up to 4 low power devices or can be used to control one high power device.

**Arduinio mega**

In home automation system we have a wireless switch to control different devices. But in this project we can control devices over our voice.




**Power adopter 12 v**

An adapter of 12V output power supply is used as an input to the Voice controlled Arduino system.

**Lcd display**

The LCD module is used to display the current status of the system and any relevant information.

### X. FLOW CHART




### XI. EXPERIMENTAL RESULTS

STEP 1:  
Download and install the app.  
Give microphone permission and enable Bluetooth.  
Start your project and Pair your device with HC-05.



STEP 2:  
Switch to voice mode in the app.



STEP 3:

Power on your project with the uploaded code

Open the app and pair your BT module.

Start sending the voice commands used in your code to control the appliances.



## XII. CONCLUSION

Voice-controlled home automation using IoT represents a significant advancement in modern living, offering unparalleled convenience, accessibility, and efficiency. Through the integration of voice recognition technology and interconnected IoT devices, users can effortlessly control various aspects of their homes using natural language commands. This innovative solution has transformed the way we interact with our living spaces, making mundane tasks easier and enhancing the overall user experience, by leveraging voice-controlled home automation, users can remotely adjust lighting, regulate temperature, manage security systems, and control household appliances with a simple voice command. This not only streamlines daily routines but also promotes energy efficiency and enhances home security. Furthermore, voice-controlled home automation fosters inclusivity by providing greater accessibility for individuals with disabilities or mobility limitations. The hands-free nature of voice commands enables users to interact with their environment more easily, promoting independence and autonomy.

## REFERENCES

1. Ravi Kishore Kodali, Vishal Jain, Suva deep Bose and Lakshmi Boppana (2016), "IoT Based Smart Security and Home Automation System." International Conference on Computing, Communication and Automation, 1286–1289.
2. Lalit Mohan Satapathy, Samir Kumar Bastia, Nihar Mohanty "Arduino based home automation using Internet of things (IoT)" International Journal of Pure and Applied Mathematics, Volume 118 No, 17 (2018), pp. 769-778
3. A.S. Biradar, S.B. Dhage, V.V. Jamadar, H.S. Kasar, Javed Shaikh, Javed Shaikh "Smart Home Automation System" International Journal of Advanced Research in Computer Engineering & Technology, 5 (4) (2016), pp. 1220-1223
4. Shweta Singh, Kishore Kumar Ray, "Home Automation System Using Internet of Things", International Journal of Computer Engineering and Applications, Special Edition, 1-9.
5. Surendra V. Salve Smrithi Srinivas, Vidya Kesav M R Naveen "Voice Enabled Home Automation Using Amazon Echo" International Research Journal of Engineering Technology, 04 (08) (2017), pp. 682-684





6. Timothy Malch Priti Maheshvari, “Internet of Things (IoT) for building smart home system” 2017 International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC), DOI: 10.1109/I-SMAC.2017.8058258
7. Ahmad Ashari, Zaied Shoran “Internet of Things (IoT) of Smart Home: Privacy and Security” International Journal of Computer Applications (2019)
8. Akram Khan, Abdullah Al-Zahrani, Safwan Al-Harbi, Iqbal A. Khan “Design of an IoT smart home system” 2018 15th Learning and Technology Conference (L&T)
9. Majid Al-Kuwari, Abdulrhman Ramadan, Yousef Ismael, Majid Al-Kuwari “Smart-home automation using IoT-based sensing and monitoring platform” 2018 IEEE 12th International Conference on Compatibility, Power Electronics and Power Engineering (CPE-POWERENG 2018) 10.1109/CPE.2018.8372548



INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details