



# Artificial Intelligence for the Prediction of Safe Work Behavior in Construction

Shrihari Shrikant Utpat, Prof. Swati Babasaheb Kshirsagar

PG Students, Department of Construction Management, RMD Sinhgad School of Engineering, Pune, India

Assistant Professor, Department of Construction Management, RMD Sinhgad School of Engineering, Pune, India

**ABSTRACT:** A prototypical has stayed established employing an artificial neural network (ANN) to expect the benign work performance of personnel using 10 security environment concepts determined finished literature analysis. The typical utilizes protection climate concepts (determinants) as ideas and safe work performance as an productivity. A three-layer feed-forward back-propagation neural link (12-12-1) was appropriate in building this model which has been trained, validated, and tested with sufficient data sets. The classical foresees the safe exertion behavior of workers reasonably well. In calculation, a sympathy scrutiny was carried out to homework the effect of each construct on the safe work compartment of employees. As a effect, security climate paradigms like controlling environment, work pressure, employees' involvement, personal appreciation of risk, and supportive environment were significantly linked with the safe work conduct of employees. This classical has great latent in aiding independents and customers in promoting safe work performance and the efficient management of the protection of employees in construction projects.

**KEYWORDS:** Behavior; Neural system; Prediction; Protection climate; Hard work and people issues.

## I. INTRODUCTION

Safety of construction workers is a major issue at construction sites all over the world. The cultivation of security culture is essential for any organization to prevent accident at a construction site. A positive safety culture can increase safety presentation in projects because it is directly correlated to safety performance. Safety climate is used as an display of safety presentation and insecure or safe work performance can be forecast by reviewing it. Prediction of protection climate may be accommodating in categorizing the faintness in safety temperature and curative measures may be taken prior to an accident occurrence. This will lead to manage safety issues effectively and unremitting progress strategies can be evolved at construction sites. Thus, the objective set for this study is to develop a model to guess well-being climate on innovative construction projects based on an artificial neural network (ANN) model.

## II. LITERATURE SURVEY

According Rafiq, M.Choudhry; Dongping.Fang, Sherif .Mohamed in (2007) presents a powerful reasonable model that has its foundations immovably dug in related scholastic and connected writing. This review uncovered a calculated model that perceives human, specialized, situational, and hierarchical components and also their communications. The model is moored in three essential calculated classifications, in particular wellbeing atmosphere, conduct based security, and wellbeing framework. The consequences of this review plainly demonstrate that the model fills in as the consistent reason for figuring out what and how to investigate and evaluate the diverse parts of development security culture. It offers the chance to embrace an objective setting worldview by seeking after different sub objectives. This gave them the conclusion that Employee recognitions, security practices, and ecological or situational elements could be gotten to through wellbeing atmosphere studies, peer perceptions, and frameworks reviews/examinations.

Keith.R.Molenaar; Jeong-Il.Park; Simon.Washington in (2009) presents the consequences of an auxiliary condition show SEM that portrays and evaluates the connections between corporate culture and wellbeing execution. The SEM and the idle factors depict to constitute an intense structure for characterizing, measuring, and enhancing corporate security culture. The SEM is assessed utilizing 196 individual survey reactions from three organizations with superior to anything normal

security records. Examination of information from the 54 quantifiable attributes uncovered that 19 could be utilized to depict a last arrangement of five inert factors This gave them the outcome and conclusion that these five idle factors can be considered qualities of corporate wellbeing society and might be utilized as markers of security execution as measured through EMR. In light of the discoveries from the restricted specimen of three organizations, creator proposes a rundown of practices that organizations may consider to enhance corporate security culture and wellbeing execution.

T. Subramani1; R. Lordsonmillar in (2014) examine the safety management in the construction industry. The review will gathers information from general temporary workers, who are included in significant sorts of development. Gathered information incorporate data in regards to hierarchical wellbeing approach, security preparing, wellbeing gatherings, wellbeing gear, wellbeing examinations, security motivating forces and punishments, specialists' state of mind towards wellbeing, work turnover rates and consistence with security enactment. This gave them the conclusion that the workplaces in development exercises are for the most part more perilous, than different enterprises because of the utilization of overwhelming hardware, risky apparatuses, and dangerous materials, all of which increment the potential for genuine mishaps and wounds. In this way, it is clear that an engaged commitment inwards wellbeing is required from development at all levels. It can be surmised from the study information that security supervisors have the chance to impact and upgrade the feeling of wellbeing and the nature of the workplace. Subsequently the paper will close by giving an arrangement of proposals and systems to contractual workers for enhancing their wellbeing execution.

Rafiq. M. Choudhry; Dongping .Fang; Helen. Lingard in (2009) determine safety climate that would improve security culture and decidedly affect saw wellbeing execution on development ventures. A wellbeing atmosphere poll review was directed on the development destinations of a main development organization and its subcontractors. Around, 1,500 printed version surveys were conveyed and the reaction rate was amazing, bringing about 1,120 legitimate polls being gathered from 22 development ventures. From FA, two main segments were set up, administration responsibility, representative contribution and improper security methodology and work hones. These elements have been relapsed with the apparent wellbeing execution scores to set up the causal connection between security atmosphere and saw security execution. This at long last made them to arrive at the conclusion that the two-calculate arrangement clarified an aggregate of 43.9% of the change, with component 1 contributing 27.62% and element 2 contributing 16.28%. Amid the different relapse investigation, the two basic components were utilized as free factors in assessing the association with saw security execution. The review presumed that administration might be cautioned of potential security framework disappointments by measuring wellbeing atmosphere and can evaluate how security is working in development site conditions. The outcomes recommend that security atmosphere can be utilized as a compelling measure of surveying and enhancing site wellbeing for activities under construction.

Aviad.Shapira; F.Asce, BenyLyachin in (2009) presents the results of a study that identified the major factors affecting safety in tower-crane situations and assessed how much each element impacts progressing security on location. This review displayed a rundown of 21 variables with a progressing nearness that influences security in tower-crane conditions. The rundown was created and combined in light of the experience and aptitude of 19 senior security chiefs and gear administrators from the main ten development organizations, which among them possess and utilize about 300 tower cranes. With a view to evaluating hazard figures, the specialists additionally surveyed the impact of each of the elements, in this way making it conceivable to recognize components that apply a solid impact and those that apply a direct impact nearby security. General we get the opportunity to think about in this paper ,with the restricted assets accessible for wellbeing change and mishap counteractive action, more noteworthy consideration must be paid by all gatherings included e.g.construction firms, administrative and authorization specialists to those components assessed as exceptionally influencing site security because of tower-crane work. The review revealed in this paper constitutes the primary period of a more extensive research arrange for that expects to create quantitative files that unbiasedly and sensibly ponder wellbeing levels development locales because of the operation of tower cranes.

According to D. A. Patel and K. N. Jhaat. al. in (2014) they proposed A model has been developed employing an artificial neural network (ANN) to predict the safe work behavior of employees using 10 safety climate constructs determined through literature review. This paper developed a model based on an ANN to predict safe work behavior of employees, using 10 constructs of safety climate at construction projects which were determined through literature review. These qualitative constructs were transformed into construction indices. These construction indices were used as inputs and safe work behavior of workers was used as output in development of the model. The relationship between safety climate constructs and safe work behavior of employees is nonlinear and complex. So, a multilayered feed forward network with

BP was used to train and validate the network. The closed form formula is used as a decision support system to calculate the safe work behavior of employees at construction projects. Managers can input information pertinent to the constructs of safety climate after getting feedback from employees of the project and this model can estimate the safe work behavior of employees on a 0–100% scale as a part of the safety performance evaluation of the project. The model has been validated and is reliable in predicting the safe work behavior of employees at construction sites.

**Objectives and Scope**


- To increase safety climate at construction site.
- To study of Artificial intelligence for safety of building.
- To identify the safety parameters at construction site.
- To study how to calculate safety parameters with the help of artificial neural network tool.
- To minimize the construction risk

**III. RESEARCH METHODOLOGY**

**3.1 Artificial Neural Network (ANN)**

An Artificial Neural Network (ANN) is an information-processing system that has been established as overviews of calculated representations created on hominoid neural biology. An ANN is serene of nodes related by directed links. Each link has a numeric weight as shown in Figure 1.

ANNs have many advantages over traditional methods for modeling due to their distinct features. ANNs determine complicated relationship among a set of data and where the relationship between data is highly unknown. ANNs are data obsessed and self-adaptive devices because they can seizure subtle purposeful contacts among the figures uniform if the causal affiliation is hard and complex. They can automatically adjust their weights to optimize their behavior unlike mathematical and statistical models .ANNs are bright to detain complex nonlinear relationship with better accuracy.



**Figure 1. Configuration of the developed neural network (12-12-1)**

ANN based models generate better prediction outcome than those obtained from regression models. Some existing surveys has been defined, it is not necessary that data should follow a specific statistical distribution. Also, there is no requirement as such to training the inter relationship among inputs and outputs before developing an ANN based model. ANNs consume been castoff for cataloguing, collecting, vector quantification, control, decoration suggestion, estimate, occupation calculation, and optimization. Due to its useful features, ANN is a popular research tool even in construction management. The connection among safety environment and their constructs is nonlinear and complex. Nevertheless, ANNs have the capability to expect shelter environment of a construction project.



For this survey we have collected around 10 parameters data from each site. These are below

- (1) Commitment
- (2) Communication
- (3) Safety rules and procedures
- (4) Supportive environment
- (5) Supervisory environment
- (6) Workers' involvement
- (7) Personal appreciation of risk
- (8) Appraisal of physical work environment and work hazards
- (9) Work pressure
- (10) Competence
- (11) Working Hours
- (12) Life cover

#### IV. RESULTS AND DISCUSSIONS

The ANN ideal had been established grounded on provender forward back propagation algorithm to expect security climate. As a rule of thumb, the numbers of hidden layer neurons vary between the sum of input layer neurons and twice of them (Berry and Linoff 1997). Therefore, for the exercise, some trials were showed with changed numbers of neurons in the secreted layer starting from 10 (equal to number of input neurons) and increasing up to 20 (twice input neurons) beside checking the mean square error (MSE), root mean square error (RMSE), mean absolute percentage error (MAPE), average absolute deviation (AAD), correlation coefficient ( $R^2$ ), and coefficient of variation (COV) of exercise, authentication, and challenging data sets shown in Table 2.

Figure 1 shows an artificial neural network with 10 input neurons (determinants), one output neuron (safety climate), and in-between 12 hidden neurons and 1 output neurons. The interconnect weights of input-hidden layers and hidden-output layers as well as biases are generated and presented. The closed-form method can be presented which predicts the safety environment. It requires the values of weights and biases.

Table 1 shows the evaluation of the actual and predicted performance for the model. The absolute percentage deviation (APD) remains in the permitted range, and so the model expects practically well. Thus, security officer, project manager, and project executive can use it to evaluate and expect safety environment on construction spots and thereby managing safety effectively.

**Table 1. Comparison of Actual and Predicted Performance of Safe Climate**

Sample No.	Actual safety climate	Predicted safety climate
1	0.59	0.68
2	0.72	0.75
3	0.66	0.69
4	0.65	0.68
5	0.80	0.75
6	0.70	0.69
7	0.75	0.75
8	0.67	0.71
9	0.78	0.72
10	0.70	0.71
11	0.71	0.72
12	0.70	0.68

## V. CONCLUSIONS

This research developed a robust model based on ANN to foresee and gauge the safety work on creation projects considering ten constructs of safety climate. By making use of the model, this research found that promise, managerial environment, people thankfulness of risk and competence had significant roles on safety climate. Contrary to the expectations, this study found that safety rules and procedures, appraisal of physical work and work hazard, and work pressure had negative influence on safety climate. The rest of constructs: communication, supportive environment and workers' involvement were found unbiased in development of security climate. Therefore, the findings from this research desire project executives to focus on positive constructs of safety climate instead of all ten constructs. These positive constructs are more suitable to learning the protection climate in Indian construction industry. The main implication of this study is that practitioners can evaluate the protection environment of the particular project and compare with another projects or organizations easily. Researchers can use this model to quantify protection environment and study its impact on other factors like safety budget, safety outcomes etc.

## REFERENCES

- [1]Rafiq.M.Choudhry;Dongping.Fang,Sherif.Mohamed; "Developing a Model of Construction Safety Culture", Journal of Management in engineering © ASCE, pp: 207- 212; October 2007.
- [2]Keith.R.Molenaar;JeongIl.Park;Simon.Washington; "Framework for Measuring Corporate Safety Culture and its Impact on Construction Safety Performance", Journal of Construction Engineering and Management, Vol. 135, No. 6, pp: 488–496; June 1, 2009.
- [3]T. 11Subramani1; R. Lordsonmillar; "Safety Management Analysis in Construction Industry"; Journal of Engineering Research and Applications; Vol. 4; Issue 6(Version 5); pp.117-120 ;June 2014..
- [4]Rafiq. M. Choudhry; Dongping .Fang; Helen. Lingard; "Measuring Safety Climate of a Construction Company"; Journal of Construction Engineering and Management;Vol.- 135, Issue- 9; pp : 890-899; September 1, 2009.
- [5]Aviad.Shapira; F.Asce, BenyLyachin; "Identification And Analysis Of Factors Affecting Safety On Construction Sites With Tower Cranes"; Journal of Construction Engineering And Management; Vol.- 135; Issue 1; pp:24- 33;January 1;2009.
- [6] D. A. Patel1 and K. N. Jha proposed Neural Network Model for the Prediction of Safe Work Behavior in Construction Projects July 15, 2014.

Appendix I.

---

<b>Factors</b>	
<b>Sr. No.</b>	<b>Questionnaire</b>
<hr/>	
<b>1</b>	<b>Commitment</b>
1.1	Management clearly considers safety to be equally as important as production
1.2	Management expresses concern if safety procedures are not adhered to
1.3	Management acts decisively when a safety concern is raised
1.4	Management acts quickly to correct safety problems
1.5	Management acts only after accidents have occurred
<b>2</b>	<b>Communication</b>
2.1	Management clearly communicates safety issues to all levels within the organization
2.2	Management continues to bring safety information to site employees' attention
2.3	Management operates an open-door policy on safety issues
2.4	Management encourages feedback from site employees on safety issues
<b>3</b>	<b>Safety rules and procedures</b>
3.1	Current safety rules and procedures are made available to protect us from accidents
3.2	Current safety rules and procedures are adequate sources of information on safety
3.3	Current safety rules and procedures should be consulted only by new recruits
<b>4</b>	<b>Supportive environment</b>
4.1	As a group, we adopt a no-blame approach to highlight unsafe work behavior
4.2	As a group, we often remind each other on how to work safely
4.3	As a group, we believe it is our business to maintain a safe workplace environment
4.4	As a group, we always offer help when needed to perform the job safely
<b>5</b>	<b>Supervisory environment</b>
5.1	My safety manager has positive safety behavior
5.2	My safety manager believes safety is very important

- 5.3 My safety manager usually engages in regular safety talks
- 5.5 My safety manager is a good resource for solving safety problems

## **6 Workers' involvement**

- 6.1 Everyone aims to achieve high levels of safety performance
- 6.2 Everyone plays an active role in identifying site hazards
- 6.3 Everyone reports accidents, incidents, and potentially hazardous situations
- 6.4 Everyone participates in safety planning, according to our safety policy if being asked
- 6.5 Everyone has the responsibility to reflect on safety practice

## **7 Personal appreciation of risk**

- 7.1 I am sure that it is only a matter of time before I am involved in an accident
- 7.2 I am sure I can influence the level of safety performance
- 7.3 I am clear about what my responsibilities are for safety
- 7.4 I am aware that safety is the number one priority in my mind while working

## **8 Appraisal of physical work environment and work hazards**

- 8.1 In our work environment, safety is a primary consideration when determining site layout
- 8.2 In our work environment, poor site layout planning is an accepted feature of the industry
- 8.3 In our work environment, the chances of being involved in a site accident are quite large

## **9 Work pressure**

- 9.1 Under pressure, I work under a great deal of tension.
- 9.2 Under pressure, I am not given enough time to get the job done safely
- 9.3 Under pressure, it is necessary for me to depart from safety requirements for production's sake

## **10 Competence**

- 10.1 I received adequate training to perform my job safely
- 10.2 I am aware, through training, of relevant safety procedures
- 10.3 I do fully understand current, relevant legislation
- 10.4 I am skilled at avoiding the dangers of workplace hazards



**11 working hours**

- 11.1 The working hours are feasible for male as well as female candidates
- 11.2 Flexible time of work
- 11.3 Allowing the workers to work at night

**12 Life Cover**

- 12.1 The organization provide any health care policy to all employees
- 12.2 Company provide any life cover, if employee has death during the working hours
- 12.3 Company should provides any additional riders if employee becomes a permanent disable with any body part???