

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

TEDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 3, March 2023

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

 \bigcirc





|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 12, Issue 3, March 2023

| DOI:10.15680/IJIRSET.2023.1203140 |

Smart-Home IoT Solutions: Educational Insights, Industry Use Cases, and Emerging Innovations

Prof. Ranu Sahu, Prof. Jaya Choubey, Prof. Nirdesh Jain, Siddhant Singh Rajpoot,

Prince kumar Lodhi

Department of Computer Science and Engineering, Baderia Global Institute of Engineering & Management, Jabalpur,

Madhya Pradesh, India

ABSTRACT: This research explores the integration of smart-home IoT solutions in education, examining effective teaching methodologies and practical applications. It analyzes current industry use cases, highlighting advancements in energy efficiency, security, and convenience. Additionally, it investigates emerging innovations such as AI, machine learning, and 5G, providing recommendations for enhancing both academic curricula and industrial practices.

KEYWORDS: Internet of Things (IoT), Smart-Home Solutions, Pedagogical Strategies, Industrial Applications, Emerging Technologies.

I. INTRODUCTION

The proliferation of Internet of Things (IoT) technology has revolutionized the concept of smart homes, offering enhanced convenience, energy efficiency, and security. This research focuses on the intersection of smart-home IoT solutions from an educational and industrial perspective. It aims to explore effective pedagogical strategies for integrating IoT technologies into computer science and engineering curricula, providing students with hands-on experience and real-world applications. By analyzing current industry use cases, the research highlights how leading companies are leveraging IoT to develop innovative smart-home solutions. Additionally, the study delves into emerging technological advancements such as artificial intelligence (AI), machine learning, and 5G connectivity, which are driving the evolution of smart-home systems. The goal is to bridge the gap between academic learning and industry practices, ensuring that students are equipped with the knowledge and skills needed to thrive in the rapidly evolving IoT landscape while offering insights to industry professionals for future developments.

II. THE INTERNET OF THINGS (IOT)

The Internet of Things (IoT) is an advanced technology aimed at providing comprehensive solutions to engineering challenges. IoT integrates information and communication technologies with specific applications. Regardless of the application, IoT typically involves various sensing instruments, including nano- and micro-sized electro-mechanical devices. These instruments collect data, which is then transmitted to the cloud via the internet using wireless technologies. This process enables users to understand various parameters and their impacts, allowing them to make informed decisions that enhance system operations [3]. Fig. 1 illustrates the schematic view of IoT technology in transportation and its functionality.



Fig.1. IoT function process.

III. IOT IN SMART HOMES

The Internet of Things (IoT) has emerged from the need to connect, communicate, and interact with various "things" in diverse environments such as homes, factories, vehicles, and even space. Known by several terms including Web of Things (WoT), Industrial Internet of Things (IIoT), Internet of Everything (IoE), and often encompassed under Industry 4.0, IoT is fundamentally about connecting devices to the internet. According to Intel, IoT involves "devices that are connecting to the internet, integrating greater compute capabilities, and using data analytics to extract valuable information." In March 2017, China launched the strategic "Made in China 2025" program to advance Industry 4.0 technologies. IoT relies on smart devices connected to each other, sharing data, and interacting to achieve predefined goals with a degree of autonomy. However, the essential data sharing necessitates robust security measures, a concern heightened by incidents like the global Winery ransom ware attack. IoT is rapidly transforming homes with interconnected devices that enhance service quality and security for people and property.

Developmental issues related to IoT are schematically presented in Fig. 1.



Fig. 1. Key Aspects of Evolving IoT,



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 3, March 2023 ||

DOI:10.15680/IJIRSET.2023.1203140

This figure highlights the primary elements of an evolving IoT, emphasizing holistic design and implementation. It covers aspects such as transmission, reception, energy availability, reliability, and security. From a pedagogical and Interaction Design perspective, the integration of this system commonly involves open hardware and software.

In smart homes, IoT consists of interconnected and potentially autonomous devices that interact with each other and with authorized individuals. This includes home appliances, entertainment systems, security features, and personal vehicles. Tech giants like Microsoft, Google, and Intel envision fully integrated smart homes evolving into smart cities and ultimately a smart world. Achieving this level of interconnectedness and smart functionality is contingent on foolproof security measures, as illustrated in Fig. 2.



Fig. 2. Ubiquitous smart systems encompassing many stages of integration of IoT with other services and users including data from all IoTs in the Cloud of Things (CoT) available for the users

IV. OVERVIEW

Home automation has gone through different stages of developments, with wired communication and control of devices in the 1970's based on X10, wireless and wired systems as shown in Table 1, inclusion of robots and humanoids with more and more applications using artificial intelligence techniques such as deep learning. This section deals with DMM and some software approaches as used in a pedagogical context.

A. Arduino

Arduino is an open-source prototyping platform consisting of several microcontroller boards, [3]. For programming these microcontroller boards, the user can download the free Arduino IDE (Integrated Development Environment). Due to the low price of different versions of Arduino boards and ease of handling and programming them, designers, members of the academia and manufacturers of popular AI items such as remote controlled vehicles and drones increasingly use them. Recently, there have been reports on various high-tech Arduino projects such as Laser Harp, Open Source GameBoy, Autonomous Robot etc. involving a plethora of sensors, shields and actuators, with a large community support and available information on the internet makes Arduino suitable for many applications. In addition to the original Arduino boards, several third party clones can be bought from a variety of vendors. In 2015 Arduino launched the Genuino as the official name for Arduinos sold outside the US. Essentially working with Arduino involves using the Arduino hardware proper in a straightforward programming environment with close interaction with the community involving a certain philosophy of design and realization of goals. With the launch of Arduino, the



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 12, Issue 3, March 2023

DOI:10.15680/IJIRSET.2023.1203140

concepts of open hardware and software have dominated the interaction designers who participate in gatherings with their prototypes and urge the community to push the frontier even further.

B. A brief note on Raspberry Pi

Raspberry Pi is a small, low-cost single board computer (SBC) series developed by the UK based Raspberry Pi Foundation. The Raspberry Pi computers offers high performance compared with microcontroller boards like the Arduino Uno. Today, the most advanced model is the Raspberry Pi 3 Model B. This model offers a 1.2 GHz 64-bit quad-core ARM processor, 1 GB RAM and 40 GPIO pins. A microSDHC card is used for data storage. The SBC has 4 USB slots, HDMI port, Wireless LAN, Bluetooth Low Energy and an Ethernet port, [4]. Several operating systems are available for the Raspberry Pi 3, with Raspbian (based on the Debian Linux distribution) as the default alternative. Raspbian comes with a variety of preinstalled tools, e.g. Python, a free version of Wolfram Mathematica and the Java development environments Greenfoot and BlueJ, [5]

Smart Home Example

This section gives some key concepts involved in a system with Arduino and Raspberry Pi.

Components and Concepts of a DMM in Smart Homes

Figures 3 and 4 illustrate the essential components and concepts of a Data Management Module (DMM) crucial for any smart home.

Components:

- Sensor Nodes: Collect data from various sensors within the smart home, including those for home entertainment, HVAC systems, lighting control, presence detection, robotics, security, and home appliances like refrigerators, washing machines, and smart kettles.
- Arduino and Raspberry Pi: Serve as sensor nodes in the configurations shown in Figures 3 and 4.
- Data Hub: Collects data from different sensor nodes within a designated surveillance area, in this case, the smart home.
- After collecting and logging diverse sensor data, the DMM hands over the data to dedicated software and services, typically including:
- Database: Acts as a repository for sensor data.
- **Data Cloud Service:** Acquires data from multiple areas in the cloud, communicating via HTTP and REST APIs (see Table 1).
- Data Management Software: Configures data points, logging rates, events, and actions.
- Data Logging Software: Manages sensor data within a sensor node.
- Data Monitoring Software: Monitors and handles alarms and events based on inputs from multiple sensor nodes.
- As shown in Figure 3, a REST API is created and used for data logging from devices such as Arduino and Raspberry Pi.

e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |



Volume 12, Issue 3, March 2023

| DOI:10.15680/IJIRSET.2023.1203140 |



Fig. 3. Sensors, Actuators showing the DMM platform (Data-logging, Management and Monitoring)





Occupant-Influenced Measurements and AI Applications

Indoor measurements like temperature and CO_2 concentrations are influenced by the presence of occupants. AI models and physical models, known as soft sensors, can determine the number of people in a room or multiple rooms. Some applications utilize data analytics, also known as big data, to extract valuable insights about the number and movement of people within buildings. An example of this innovation is emerging companies developing solutions to analyze customer mobility and purchase behavior, as illustrated in Fig. 5.



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 3, March 2023 ||

DOI:10.15680/IJIRSET.2023.1203140



Fig. 5. Customer count from existing cameras in a retail store, Courtesy Link An example of using soft sensing

V. SECURITY ASPECTS USING ARDUINO AND RASPBERRY PI

Low-level programming must address computer security concerns, paying close attention to the design of the operating system within embedded systems. The Raspberry Pi is particularly useful for enabling embedded systems in combination with Arduino. System security can be jeopardized by unexpected software behavior, where malicious code might run alongside legitimate user code. Hackers frequently exploit system-level vulnerabilities to conceal their attacks, with rootkits penetrating the operating system to gain full control over the system.

A.Sensor data broadcasting using Plotly

There are various ways of accessing sensor data and processing them. To address security aspects with transmission and reception of sensor data, the application called Plotly is used. Plotly, (URL address: plot.ly) is a tool for online data analytics and visualization capable of handling programming languages like MATLAB, Arduino, Python, R etc.

B. Security aspects and penetration tests

When the sensors are connected to the Arduino with wires, remote attack is not possible, as the Arduino transfers the sensor data via wires to the Raspberry Pi. When the web server is on the Raspberry Pi, the transmission and reception of data are done locally. When the sensor data is sent to a plot.ly server using TCP, without any encryption, this data can be captured with a "sniffer" like Wireshark placed between the Raspberry Pi and plot.ly. When the transmission of sensor data and the data processed by plot.ly are sent with https, we have some security. Higher security is achieved in plot.ly with so called "behind-the-firewall" security, which is subscription based facility.



Fig. 6 The system with sensors and data feed to plotly, [6].



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 A Monthly Peer Reviewed & Referred Journal |

Volume 12, Issue 3, March 2023

DOI:10.15680/IJIRSET.2023.1203140

VI. SMART HOME MODELING AND CONTROL

In the final phase of the pedagogical initiative, miniature homes were constructed to model smart home systems and manage parameters like temperature and humidity. Inspired by the Smart Tiny House concept used for testing smart home appliances, these models are built to a 1:10 scale, as shown in Fig. 7. Approximately 30 students were divided into five groups to address specific engineering challenges related to smart home technologies. The tasks included: Group A - Heating Pool; Group B - Heating Room; Group C - Light Regulation; Group D - Photovoltaics; Group E - Communication between Arduino and Mobile Phone; and Group F - Optical Movement Recognition. The project focused on heating both the swimming pool and the floor using the miniature house, depicted in Fig. 7. The scale of the house used in this project-based learning program is illustrated in Fig. 8.



Fig. 7 Miniature house smatrt home modeling with temperature, illumination, optical moement detection etc.



Fig. 8 . Windows used in the miniature houses of the PBL projects

VII. CONCLUSION

This research highlights the integration of smart-home IoT solutions in educational contexts, emphasizing the importance of effective pedagogical methods and practical applications. By examining current industry use cases and technological advancements, the study underscores the transformative impact of IoT on enhancing energy efficiency, security, and convenience in smart homes. Emerging innovations such as AI, machine learning, and 5G connectivity are driving this evolution, offering new opportunities for both academic and industrial advancements.



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

Volume 12, Issue 3, March 2023

DOI:10.15680/IJIRSET.2023.1203140

The research emphasizes the need to bridge the gap between theoretical learning and real-world applications, ensuring that students gain hands-on experience with smart-home technologies. The use of miniature home models in educational settings, for instance, allows students to explore and control key parameters like temperature and humidity, fostering a deeper understanding of smart-home systems.

Furthermore, the study provides insights into the practical aspects of implementing and securing IoT solutions, including challenges related to data security and system vulnerabilities. By offering recommendations for curriculum enhancement and industry practices, the research aims to prepare students and professionals for future developments in the rapidly evolving field of smart-home technologies.

REFERENCES

- 1. Ramazan Erturgut, Increasing demand for logistics technician in business world and rising trend of logistics programs in higher vocational schools: Turkey case, In Procedia Social and Behavioral Sciences, Vol. 15, 2011, pp. 2776-2780. https://doi.org/10.1016/j.sbspro.2011.04.187.
- 2. https://newsroom.intel.com/press-kits/intel-and-the-internetof-things-2/, accessed on 22.05.2017
- 3. http://www.chinadaily.com.cn/business/tech/2015-04/02/content_19980929.htm, accessed on 22.05.2017
- 4. https://www.arduino.cc/en/Guide/Introduction, accessed on 22.05.2017
- 5. https://www.raspberrypi.org/products/raspberry-pi-3-modelb/, accessed on 22.05.2017
- 6. https://www.raspberrypi.org/files/about/RaspberryPiFoundati onReview2016.pdf, accessed on 22.05.2017
- L. le Gac, The Connected Ship Sensors and Data Security, Internship Report, in partial fulfilment of the requirements of the "Licence Professionnelle Réseaux Sans Fil et Sécurité" program Institut Universitaire de Technologie – Université Grenoble 1 & University of Southeastern Norway &, June 2016
- 8. Intel, Introducing the Intel Smart 'Tiny House': Exploring Smart Home Technology in 210 Square Feet, Nov. 2, 2015
- 9. A. F. Robertson and D. Gross, "An Electrical-Analog Method for Transient Heat-Flow", Journal of Research of the National Bureau of Standards Vol. 61, No.2, August 1958 Research Paper 2892
- R. Wu, H. Wang, K. Ma, P. Ghimire, F. Iannuzzo, and F. Blaabjerg, "A temperature-dependent thermal model of IGBT modules suitable for circuit-level simulations," in Proc. IEEE Energy Convers. Congr. and Expo., 2014, pp. 2901-2908.
- 11. Yung-yu Tseng, The Role of Transportation in Logistics, Masters Thesis, University of South Australia, School of Natural and Built Environments, Transport Systems Centre, 2004.
- 12. L. Atzori, A. Iera, G. Morabito. The internet of things: A survey. Computer Networks, vol. 54, no. 15, pp. 2787–2805,2010.
- 13. Intel, olution Blueprint Internet of Things, Building an Intelligent Transportation System with the Internet of Things (IoT) http://www.intel.com/iot.
- 14. Redhat, Tchnology Overview, Smart transportation applications in the Internet of Things, https://www.redhat.com/en/resources/transportation-internet-things
- 15. A. Menychtas, D. Kyriazis, G. Kousiouris and T. Varvarigou, "An IoT enabled point system for end-to-end multimodal transportation optimization," 2013 5th IEEE International Conference on Broadband Network & Multimedia Technology, Guilin, 2013, pp. 201-205. doi: 10.1109/ICBNMT.2013.6823942
- A. G. Leal, A. Santiago, M. Y. Miyake, M. K. Noda, M. J. Pereira and L. Avanço, "Integrated environment for testing IoT and RFID technologies applied on intelligent transportation system in Brazilian scenarios," 2014 IEEE Brasil RFID, Sao Paulo, 2014, pp. 22-24. doi: 10.1109/BrasilRFID.2014.7128956
- L. F. Herrera-Quintero, K. Banse, J. Vega-Alfonso and A. Venegas- Sanchez, "Smart ITS sensor for the transportation planning using the IoT and Bigdata approaches to produce ITS cloud services," 2016 8th Euro American Conference on Telematics and Information Systems (EATIS), Cartagena, 2016, pp. 1-7. doi: 10.1109/EATIS.2016.7520096
- S. H. Sutar, R. Koul and R. Suryavanshi, "Integration of Smart Phone and IOT for development of smart public transportation system," 2016 International Conference on Internet of Things and Applications (IOTA), Pune, 2016, pp. 73-78. doi: 10.1109/IOTA.2016.7562698
- 19. A. Weis, M. Strandskov, K. Yelamarthi, M. S. Aman and A. Abdelgawad, "Rapid deployment of IoT enabled system for automobile fuel range and gas price location," 2017 IEEE International Conference on Electro Information Technology (EIT), Lincoln, NE, USA, 2017, pp. 452-455. doi: 10.1109/EIT.2017.8053404



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

Volume 12, Issue 3, March 2023

| DOI:10.15680/IJIRSET.2023.1203140 |

- 20. A. Al-Dweik, R. Muresan, M. Mayhew and M. Lieberman, "IoT-based multifunctional Scalable real-time Enhanced Road Side Unit for ntelligent Transportation Systems," 2017 IEEE 30th Canadian Conference on Electrical and Computer Engineering (CCECE), Windsor, ON, 2017, pp. 1-6. doi: 10.1109/CCECE.2017.7946618
- D. Puiu, S. Bischof, B. Serbanescu, S. Nechifor, J. Parreira and H. Schreiner, "A public transportation journey planner enabled by IoT data analytics," 2017 20th Conference on Innovations in Clouds, Internet and Networks (ICIN), Paris, 2017, pp. 355-359. doi: 10.1109/ICIN.2017.7899440





Impact Factor: 8.118





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com