

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 8, August 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.524

9940 572 462

6381 907 438

🖂 ijirset@gmail.com





www.ijirset.com |A Monthly, Peer Reviewed & Referred Journal| e-ISSN: 2319-8753; p-ISSN: 2347-6710|

Volume 13, Issue 8, August 2024 |DOI: 10.15680/IJIRSET.2024.1308135|

Ethnomedicinal Plant Diversity of Gondpipari Tehsil of Chandrapur District, Maharashtra, India

Sanjay Kumar

Department of Botany, Chintamani College of Arts and Science, Gondpipari, Chandrapur. (MS), India

ABSTRACT: The present paper is an attempt to record the available figure of ethnomedicinal plants of Gondpipari tehsil of Chandrapur district Maharashtra, India. Therefore, a qualitative survey was carried out during January 2023 to December 2023 to enlist and document the different ethnomedicinal plant use by the peoples of Gondpipari with their traditional knowledge from several years. Gondpipari is blessed with nature and it is covered with dense forest biodiversity of the plant, But Due to over exploitation and deforestation, there may be chance to extinct several valuable ethnomedicinal plant. In India and world there are several examples of civilization and cultural society where medicinal plants were used for the treatment of several human diseases. Numbers of the plants enlisted in this paper are used for medicinal treatments like *Adhatoda vasica, Andrographis paniculata, Tridax procumbence, Tinospora cordifolia, Terminalia Billerica, Vitex negundo, Bahunia racemosa, Butea monosperma* and many more. In the present study of total 51 ethnomedicinal plants were enlisted which are traditionally use by Gondpipari tribal people to cure numbers of disease from several years. Out of the total 51 plants enlisted belongs from different family like Acanthaceae, Asteraceae, Fabaceae, Liliaceae, Cucurbitaceae, Poaceae, Solanaceae, Moraceae, Myrtaceae and others. Basic aim of this study is to provide data of ethnomedicinal plants of the Gondpipari region.

KEYWORDS: Ethnomedicinal plants, Biodiversity, Gondpipari, medicinal uses.

I. INTRODUCTION

Ethnobotany includes the studies of the biological, economic and the cultural interrelationships between human beings and plants, specifically, it is concerned with knowledge about plants and their use by tribal people to cure their health problem (Allen A.C. 2000)[1]. From the prehistoric time, ethnobotany has more and more been recognized discipline which is important which can play a very essential role in the advancement of many aspects of scientific, sociological, and historical studies. Generally, In the locality of tribal people there are generally not more than two or three vaidu which are local practitioners of the traditional medicine are present (M.M. Patel 2016)[18], they are also term as bhagat these local practitioners with their traditional knowledge cure number of diseases by using medicinal plant. In India such practitioner uses 2500 different ethnomedicinal plant for the treatment of several disease, (Pie 2001)[21]. The process include collection, identification, and documentation of ethnomedicinal plants data on biological resources are inevitable steps for bioprospecting and it is very significant in revealing locally available medicinal plant species basically for the identification of medicinal property of crude drugs. From the prehistoric time, the study of traditional knowledge on the ethnomedicinal uses of plants, has revealed many today's important drugs. (Teklehaymanot et.al.,2007)[27]. Worldwide it is observed that about 85% of the traditional ethnomedicines used during the primary symptoms of disease. In India, 2500 plant species belong to 1000 genera are being used in traditional, indigenous systems of medicine of which majority of these plants belongs to higher angiospermic flowering plants of 159 different families. Gondpipari is a Taluka place located in Chandrapur district of Maharashtra State, India. It belongs to Vidarbha region and Nagpur Division. It is located 52 KM towards East from District headquarters Chandrapur. consist of 156 Villages of which Fulora is the smallest Village and Gondpipari is the biggest Village where Numbers of tribals and rural communities live which depend upon traditionally available medicinal plants of their local area for the treatment of their various disease. The knowledge and practice of such type of treatment is transmitted from generation to generation since Vedic time. The present study was carried out to collect precious knowledge of indigenous ethnomedical plant used by trible people, ethnic group mankind of Gondpipari tehsil.

II. METHODOLOGY

Gondpipari is a taluka place of Chandrapur district of Maharashtra state. It belongs to Vidarbha region and Nagpur division. Rajura, Mul, Kagaznagar and Chandrapur is the nearest cities to Gondpipari. The district Chandrapur is





www.ijirset.com |A Monthly, Peer Reviewed & Referred Journal| e-ISSN: 2319-8753; p-ISSN: 2347-6710|

Volume 13, Issue 8, August 2024

|DOI: 10.15680/IJIRSET.2024.1308135|

located in the eastern edge of Maharashtra, bounded by Nagpur, Wardha and Bhandara on the northern side, Yawatmal on the wester, Gadchiroli on the eastern and Adilabad of Andhra Pradesh on the southern side. Total area of district is 11.442 sq.km which is 3.73% of total area of state, eastern and western boundaries are well define by Wainganga and Wardha river. Gondpipari tehsil lies in Chandrapur district located in the eastern edge of Chandrapur, having total area 749.55 sq.km. it is situated near the bank of Pranhita 22.3km apart southeast and Andhari river 11.2km apart northeast. The Gondpipari is situated about 193 metre (646 feet) above sea level, that is elevation is 193 meter or 646 feet and is at 19.67345 North latitude and 79.676 East longitude. Out of total population 89.36% people leave in urban area whereas 10.64% leave in rural area with population density 106 per sq.km. The traditional knowledge of Trible peoples of ethnomedicinal plants for treating the various diseases was collected from the peoples especially traditional healers called vaidu and villager also from medicinal practitioners. The present survey was done at the Gondpipari region with the regular field visit and group discussion with local peoples from January 2023 to December 2023. Monthly visit and meeting of local and tribals people of villages were carried out for gathering the information about ethnomedicinal plants and documents their knowledge for future generation. The data on ethnobotany has been identified and confirm with the help of regional flora and relevant scientific literature (Cooke,T. 1903[3],1907[4],1908[5]), Hooke, R.A.1872-1977[7]), Kumar, et.al. 2007[13], Naik, V.N. 1998[15], Sharma, et. al. 1996[23], Singh, N.P. and Karthikeyan, S. 2001[24], 2002[25].

III. RESULTS AND DISCUSSION

In the present survey an effort has been taken to collect the data of ethnomedicinal plants by the field work which includes field visit and discussion with the local tribal people and villagers of Gondpipari region of Chandrapur district and also documentation of the medicinal plant used by these people for the treatment of various disease and suffering, which reveled 51 different ethnomedicinal plant belong to 29 families out of which dominant family includes Fabaceae followed by Apocynaceae, Moraceae, Asteraceae, Poaceae and Asclepiadaceae. The enlisted ethnomedicinal plants were used by the villagers and medical practitioner of the village called vaidu from their prehistoric time and the knowledge was transferred from generation to generation about the method of treatment and plant parts to be used to cure various diseases and others suffering includes cut and wound healing. Vaidu uses the plant as whole part or used only leaves or root, some time they use it in the different combination with other plants too. The other family includes Acanthaceae, Asteraceae, Asclepiadaceae, solanaceae, Anacardiaceae, Solanaceae, Sapotaceae, Zingiberaceae, Trapaceae, Verbenaceae, Malvaceae, Lamiaceae, Cucurbitaceae, Oleaceae, Rutaceae, Phyllanthaceae and others. The ethnomedicinal plant recorded during the study were mostly herbaceous spaces some are tree, shrubs, twiners and few are climbers. In the grass family include Cymbopogon citrates which are used in cough and cold. Species like Andrographis paniculata, Tinospora cordifolia, Curcuma longa, Ocimum sanctum and others are very effective in fever like malaria and Typhoid. Ethnomedical plant like Momordica charantia, Syzygium cumini, Catharanthus roseus , are found to be very effective in the serious disease of urban people like diabetes. The plant like *Tridax procumbens*, Withania somenifera, Psidium guajava, Annona squamosa, Aloe vera, Trapa natans, Murraya koenigii are very effective in digestion issue and weight loos. Withania somnifera also have potential to cure problems like impotency and seminal debility diseases and is effective for the treatment of the same (Kambale et. al. 2010[10]; Jagtap et.al. 2020[9]). whereas plant like Plumbago zeylanica and Pergularia daemia are useful in menstrual disorder, asthma, blood pressure related problem and also are found to be as antidots against scorpion and snake bites (Marathe and Deshmukh 2020)[14]. Tribal people of Gondpipari region and the nearby places are depend upon the forest product for their livelihood they collect plant product like fruit, honey, gum food product, wood for burning and medicinal plant for treatment of disease, from prehistoric time local tribal people collect knowledge from their ancestors about the forest environment and nature, they have more advanced and accurate knowledge about the nature, forest ecosystem, ethnomedicinal plant sepsis and its sustainable utilisation as compared to urban people or literate person of city. There are many researchers who published their research work on ethnomedicinal plant used by tribal people of different region district of Maharashtra as well as in other states of India and world tribal resident places of forest area. The researchers like Prasad (2009) [22], Iqbal et. al., (2010) [8], Ahieinr et. al. (2011) [2], Halberstein, R.A. 2005[6], Zingare (2012)[30], Zingare et.al., (2013)[31], Wadekar et.al.,(2013)[26],Khonde et.al.,(2012)[11], Kumar,N. et.al 2012[12], Patil, H.S. and Yadav, S.R. 1991 [16], Parrotta J.A. 2001[17], Parveen et. al. 2007[19], Parada et. al. 2009[20], Yadav, et.al.2006[28] and Yadav, S.R. and Sardesai, M.M. 2002[29] investigated and worked on ethnomedicinal plants at different district of Maharashtra and other states of India and World





www.ijirset.com |A Monthly, Peer Reviewed & Referred Journal| e-ISSN: 2319-8753; p-ISSN: 2347-6710

Volume 13, Issue 8, August 2024

|DOI: 10.15680/IJIRSET.2024.1308135|

TABLE-1: List of the plants with their botanical name, families, local name, and name of Disease/ medicinal uses.

Sr.	Botanical Name of	Family	Local Name	Medicinal use/ Diseases
no.	plant			
1	Azadiracta indica	Meliaceae	Kadu limb	Antibacterial, Dental disorder, skin
				diseases.
2	Hemidesmus Indicus	Apocynaceae	Kawalichya	Typhoid. Blood purifier
			mulya	
3	Murraya koenigii	Rutaceae	Godlimb	Stimulant, Digestive
4	Cynodon dactylon	Poaceae	Harari	Astringent
5	Michelia champaca	Magnoliaceae	Champa	Expectorant
6	Pithecellobium dulce	Fabaceae	Vilayati chinch	Antioxidant
7	Pergularia daemia	Asclepiadaceae	utarand	Uterine and menstrual trouble,
8	Plumbago zeylanica	Plumbaginaceae	Chitrak	Blood pressure, Digestion,
				Diarrhea.
9	Nyctanthes arbor- tristis	Oleaceae	Parijat	Rheumatism
10	Bauhinia racemosa	Fabaceae	Sona tree	Wound healer
11	Feronia limonia	Rutaceae	Kawath	Uterine problem
12	Cymbopogan citratus	Poaceae	Gawati Chaha	Cough and cold
13	Trapa natans	Trapaceae	Singhada	Dysentery, Diarrhea
14	Diospyros melanoxylon	Ebenaceae	Tembhurni	Cough, Asthma
15	Abrus precatorius	Fabaceae	Gunja	Skin problem, Scorpion bite
16	Annona squamosa	Annonaceae	Sitafal	Weight loss
17	Pongamia pinnata	Fabaceae	Karanj	Healing cuts and wounds
18	Dendrocalamus	Poaceae	Bambo	Tuberculosis, Cough
	strictus			
19	Momordica Charantia	Cucurbitaceae	Karela	Diabetes, Blood purifier
20	Zizyphus sp.	Rhamnaceae	Bor	Digestive, Source of Vit. B
21	Terminalia bellirica	Combretaceae	Baheda	Vomiting
22	Aloe vera	Liliaceae	Korphad	Stomach disorder, skin problem
23	Acacia nilotica	Fabaceae	Babul	Dental issue, toothache
24	Allium sativum	Liliaceae	lasan	Cough cold, anti -inflammatory
25	Ocimum sanctum	Lamiaceae	Tulasi	Fever, cough cold
26	Hibiscus cannabinus	Malvaceae	Ambadi	Sunstroke
27	Vitex negundo	Verbenaceae	Nirgudi	Bone fractur, anti-inflammatory
28	Alstonia scholaris	Apocynaceae	Saptparni	Insect bites and sneak bite
29	Adhatoda vasica	Acanthaceae	Adulsa	Cough cold
30	Andrographis paniculata	Acanthaceae	Bhuinem	Fever, typhoid, malaria
21	Tinospora cordifolia	Manisparmacaaa	Gilov	Faver liver disorder
32	Cassia tora	Fabaceae	Tarota	Diabetes constinution
33	Tamarindus indica	Fabaceae	chinch	Source of vit B C Digestive
34	Manoifera indica	Anacardiaceae	Amba	Diarrhea Dysentery
35	Withania somnifera	Solanaceae	Ashwagandha	Constinution nervous breakdown
36	Calotronis procera	Anocynaceae	Rui	Dysentery skin problem
37	Nerium indicum	Anocynaceae	Kaner	Leprosy snake hite ring worm
38	Catharanthus roseus	Anocynaceae	Sadafuli	Diabetes Cardio tonic stomachic
39	Tridax procumbence	Asteraceae	Kambhar modi	Dysentery leucorrhea
40	Spilanthes paniculata	Asteraceae	Akkarkara	Toothache, headache throat
	~r			problem





www.ijirset.com |A Monthly, Peer Reviewed & Referred Journal| e-ISSN: 2319-8753; p-ISSN: 2347-6710|

Volume 13, Issue 8, August 2024

|DOI: 10.15680/IJIRSET.2024.1308135|

41	Syzygium cumini	Myrtaceae	Jambul	Diabetes
42	Terminalia arjuna	Combretaceae	Arjun	Urinogenital disorder, cardio tonic
43	Psidium guajava	Myrtaceae	jam	Digestive, mouth problem
44	Tectona grandis	Lamiaceae	Sagwan	Snake bite
45	Ficus religiosa	Moraceae	pipal	Skin diseases
46	Ficus bengalensis	Moraceae	wad	Wound healing, Antidiabetic
47	Mimosa pudica	Fabaceae	lajadu	Stimulant, digestive
48	Butea monosperma	Fabaceae	Palas	Diabetes . stomach ulcer
49	Curcuma longa	Zingiberaceae	Haldi	Antibacterial, skin problem, wound
				healing
50	Phyllanthus emblica	Phyllanthaceae	Awala	Source of Vit C, digestive, skin
				and hair tonic
51	Madhuca indica	Sapotaceae	Moha	Wound healing







www.ijirset.com |A Monthly, Peer Reviewed & Referred Journal| e-ISSN: 2319-8753; p-ISSN: 2347-6710|

Volume 13, Issue 8, August 2024

|DOI: 10.15680/IJIRSET.2024.1308135|

IV. CONCLUSION

The conservation and protection of ethnomedicinal plant are very much essential since numbers of plant species are became under treat and endangered due to over exploitation, commercially harvesting deforestation, overgrazing and urbanisation. Their for the study in the field of ethnobotany is important to make available data of medicinal plant for future generation. The knowledge of ethnomedicinal plant and the traditional method of treatment is significance sinch knowledge and the culture of tribal people are eroding day by day, only few communities and some nongovernmental organisations are taking an effort to conserve it. Hence, the present study was carried out basically to collect data and documentation of medicinal plants which will be beneficial to pharmaceutical industries, medicinal practitioner, ayurvedic medicine industries, researchers, taxonomist, and other people related with plant study. No such study has been carried out at the region of Gondpipari of Chandrapur district and also many places of remote area are untouched in ethnomedical research work where the peoples still use medicinal plants to cure various ailment, disease and different suffering related with health, there for the study was carried out for the documentation of ethnomedicinal plant used by of medicinal practitioner of remote area and information will defiantly going to be beneficial to people of India and world.

REFFERENCES

- 1. Allen A.C. (2000), "Ethanobotanical testimony on the ancestors of cassava (Manihot esculenta Crantz, subsp. Esculenta)," Plant Genetic Resources Newsletter, vol. 123, pp. 19-22, 2000.
- Ahir, R., Pokale, S. and Wagh, S.(2011). Studies on biodiversity of certain medicinal plants of Ahmadnagar region, M.S., India. ISRJ., 1(6): 1-4.
- 3. Cooke, T. (1903). The Flora of The Presidency of Bombay Volume 1. Taylor and Francis, London. 645
- 4. Cooke T (1967) (Rpr.). The Flora of Presidency of Bombay Vol. II. Botanical Survey of India. Calcutta.
- 5. Cooke, T. (1908). The Flora of The Presidency of Bombay Volume 2. Taylor and Francis, London. 1083
- 6. Halberstein, R.A. (2005). "Medicinal plants: historical and cross-cultural usage patterns,' Annals of Epideminology, vol. 15. No. 9 pp. 686-699.
- 7. Hookers JD (1872-1977). The Flora of British India. Vol. I VII. London.
- 8. Iqbal, M.S., Suradhar, S.S. and Bhadange, D.G.(2010). Some traditional herbals remedies of tribals and rural peoples form the western canopy of Melghat forest area. The Botanique. 14(2): 14-17.
- Jagtap, D.K. Jakhi, P.S. and Kashid, L.M. (2020). Ethno-medicinal study of some plants from Baramati and nearby villages of Pune district, Maharashtra state. International Journal of Agriculture Science and Research. 10 (1): 23-32.
- 10. Kamble, S.Y., Patil, S.R., Sawant, P.S., Sawant, S., Pawar, S.G. and Singh, E.V.(2010): Studies on plants used in traditional medicine by Bhilla tribe of Maharashtra. Indian Journal of Traditional Knowledge. 9 (3): 591-598.
- 11. Khonde, V.S., Kale, M.C. and Badere, R.S. (2012). Ethnomedicinal plants used by Gond/Madia tribes of Aheri tahsil, District Gadchiroli. J.Sci. Infor., 3: 174-177.
- 12. Kumar, N., and Ghoyal, R. (2012). Ethnobotanical notes on some plants of Hamirpur district of Himachal Pradesh used in the treatment of arthritis, rheumatism and other inflammatory disorder. Indian Journal of Plant Science 1.2.& 3 (2012): 1-8.
- 13. Kumar, P., Jalal, J.S. and Rawat, G.S. (2007). Orchidaceae, Chotanagpur, stae of Jharkhand, India. Check List 3(4):297-304.
- 14. Marathe Vishal R and Deshmukh Muzammil M (2020). Ethnoveterinary medicinal plants species of Hadgaon Taluka, Nanded district, Maharashtra, India. Int. J. of Life Sciences. 8(2): 404-410.
- 15. Naik, V.N.(1998) Flora of Marathwada. Vol.I & II, Amurt Prakashan, Aurangabad.
- 16. Patil, H.S. and Yadav S.R. (1991) Preliminary Survey of Khatav Tahsil, M.Phil. Theses, Shivaji Uni. Kolhapur.
- 17. Parrotta Jhon A(2001) Healing Plants of Peninsular India. CABI Publishing USA.
- 18. Patel, M.M.(2016). Folk herbal medicines used by the Tribals of Bayad taluka in Aravalli District, Gujarat, India. Annals of Plant Science 5.2 (2016): 1272-1275.
- 19. Parveen, Upadhyay, B., Roy, S., Kumar, S.(2007). Traditional uses of Medicinal Plants among the rural communities of Churu district in the Thar Desert, India. Journal Ethnopharmacology 113.3 (2007): 387-399.
- 20. Parada, M. Carrio, M.A., Bonet, and Valles, J.(2009). "Ethnobotany of the Alt Emporda region (Catalonia, Iberian Peninsula): planta used in human tradion medicine," Journal of Ethnopharmacology, vol.124, no. 3, pp. 609-618.
- 21. Pie, S.J. (2001). Ethnomedicinal approaches of traditional medicine studies: some experience form Asia. Pharmaceutical Biology. 39: 74-79.





www.ijirset.com |A Monthly, Peer Reviewed & Referred Journal| e-ISSN: 2319-8753; p-ISSN: 2347-6710|

Volume 13, Issue 8, August 2024

|DOI: 10.15680/IJIRSET.2024.1308135|

- 22. Prasad. (2009). Ethnomedicinal plant of Birgunj, Nepal. Int. J. Mendel, 26(1-4): 11-12.
- 23. Sharma, B.D., Karthikeyan, S. and Singh, N.P. (1996). Flora of Maharashtra State (Flora of India Series 2): Monocotyledones. Calcutta: Botanical Survey of India. 789.
- 24. Singh, N.P. and Karthikeyan, S. (2001) Flora of Maharashtra state (Flora of India Series 2): Dicotyledones, volume 1. Calcutta: Botanical Survey of India. 882.
- 25. Singh N.P. and Karthikeyan S. (2000) Flora of Maharashtra state Vol. 1-3. Botanical Survey of India. Calcutta.
- 26. Wadekar, M.B., Tondare, M.J. and Rangari, N.U.(2013). Ethnomedicinal plant wealth used for the treatment of the Jaundice by the tribal communities of Chandrapur District (MS). J. Sci. Infor. 6: 159-164.
- 27. Teklehaymanot, T. and Giday, M. (2007). Ethnobotanical study of medicinal plants used by people in Zegie Peninsula, Northwestern Ethiopia, Journal of Ethnobiology and Ethnomedicine 3.12 (2007): 1-12.
- 28. Yadav J.P., Kumar, S. Siwach, P. (2006). "Folk medicine used in gynecological and other related problems by rural population of Haryana." Indian J. Tradit. Know., 5:323-326.
- 29. Yadav, S.R.and Sardesai, M.M.(2002). Flora of Kolhapur District Shivaji University Press, Kolhapur.
- 30. Zingare ,A.K.(2012). Ethnomedicinal use of Plants among the Halba tribe of Gondia District of Maharashtra, India. Bionana Frontier. Special Issue, pp. 121-125.
- 31. Zingare, A.k., Borkar, K.M. and Jagiya, A.A.(2013). Ethnoveterinary Use of Medicinal Plants from Sakoli Taluka of Bhandra District, M.S. ISRJ. Pp. 22-24.

INTERNATIONAL Standard Serial Number India







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com