



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 6, June 2024

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

[ijirset@gmail.com](mailto:ijirset@gmail.com)

[www.ijirset.com](http://www.ijirset.com)

# Decentralized Cloud Storage System Using IPFS

**J.S.Mahajan, Nehil Gajare, Praneeth Shetty, Abhijeet Raotole, Ayush Lodha**

Assistant Professor, Pune Institute of Computer Technology, Pune, Maharashtra, India

Department of Computer Engineering, Pune Institute of Computer Technology, Pune, Maharashtra, India

Department of Computer Engineering, Pune Institute of Computer Technology, Pune, Maharashtra, India

Department of Computer Engineering, Pune Institute of Computer Technology, Pune, Maharashtra, India

Department of Computer Engineering, Pune Institute of Computer Technology, Pune, Maharashtra, India

**ABSTRACT:** This project explores the drawing inspiration from seminal works such as Nakamoto's Bitcoin paper and Benet's IPFS protocol. It aims to address challenges in modern data management, focusing on data security, privacy, and ownership prevalent in centralized storage solutions. Leveraging Ethereum's smart contract capabilities and access control schemes, the project aims to establish a framework for secure data sharing within decentralized applications (dApps). Additionally, it investigates the potential of the Pinata Network for decentralized storage and utilizes the Hardhat framework for streamlined blockchain application development. The primary objective is to create a decentralized storage platform emphasizing data integrity, accessibility, and user control. By integrating blockchain technology, IPFS, and advanced frameworks, the project seeks to redefine cloud storage, promoting transparency, trust, and user empowerment. This abstract encapsulates the project's core aims, methodologies, and contributions toward advancing decentralized storage systems within the blockchain ecosystem, aiming to confront pressing issues in contemporary data management while paving the way for a more secure and decentralized future.

## I. INTRODUCTION

In the contemporary digital landscape, characterized by an unprecedented proliferation of data, the significance of efficient, secure, and decentralized storage solutions cannot be overstated. The traditional paradigm of centralized storage systems, while ubiquitous, has increasingly come under scrutiny due to inherent vulnerabilities, including single points of failure, susceptibility to cyberattacks, and concerns over data ownership and privacy infringement. As organizations and individuals grapple with the complexities of managing vast amounts of data, there arises an imperative need for innovative approaches that can address these challenges while fostering trust, transparency, and user empowerment.

Against this backdrop, decentralized storage systems, underpinned by blockchain technology, have emerged as a disruptive force, offering a paradigm shift in how data is stored, accessed, and managed. Unlike their centralized counterparts, decentralized storage systems distribute data across a network of nodes, eliminating the reliance on a single central authority and mitigating the risks associated with data concentration. By leveraging blockchain's inherent properties of immutability, transparency, and cryptographic security, decentralized storage systems offer enhanced data integrity, resilience against censorship, and greater user control over their digital assets.

This project represents a pioneering endeavor to harness the transformative potential of decentralized storage within the broader context of blockchain-powered solutions. Building upon foundational works such as Nakamoto's seminal Bitcoin paper and Benet's IPFS protocol, the project seeks to push the boundaries of decentralized storage technology by integrating cutting-edge frameworks, protocols, and methodologies. At its core, the project aims to develop a decentralized storage platform that not only addresses the shortcomings of centralized storage systems but also unlocks new possibilities in data management, collaboration, and innovation.

The introduction of Ethereum's smart contracts and access control mechanisms serves as a cornerstone in the project's architecture, enabling the implementation of secure and transparent data sharing protocols within decentralized applications (dApps). Drawing insights from Gupta and Garg's research on access control schemes in Ethereum-based environments, the project endeavors to establish robust mechanisms for data privacy, access management, and auditability.

Furthermore, the project explores the potential of the Pinata Network as a decentralized storage solution, leveraging its

capabilities to ensure data redundancy, availability, and durability. By harnessing Pinata's infrastructure and integrating it seamlessly into the project's ecosystem, the aim is to create a decentralized storage platform that combines the benefits of blockchain technology with the scalability and efficiency of distributed storage networks.

In parallel, the project embraces the utilization of the Hardhat framework for blockchain application development, streamlining the development process and enhancing code quality, testing, and deployment practices. Through the adoption of Hardhat, the project aims to accelerate the development cycle, minimize development overhead, and facilitate collaboration among developers working on decentralized storage solutions.

By synthesizing these diverse technologies, methodologies, and research insights, the project endeavors to pave the way for a new era of decentralized storage, characterized by enhanced security, privacy, and user sovereignty. This larger introduction sets the stage for a comprehensive exploration of the project's objectives, methodologies, anticipated outcomes, and its broader implications for the future of data management within the blockchain ecosystem.

## II. LITERATURE REVIEW

The realm of decentralized technologies and blockchain is characterized by a wealth of diverse contributions that offer profound insights into decentralized storage solutions. Nakamoto's seminal work [1] is foundational in this area, marking the emergence of Bitcoin as a peer-to-peer electronic cash system and laying the groundwork for decentralized digital currencies. Expanding on this foundation, Mougayar's exploration [2] delves into the vast potential of the Interplanetary File System (IPFS), introducing novel features such as content-addressed, versioned, and peer-to-peer file storage mechanisms that redefine decentralized storage paradigms. Wood's Ethereum paper [3] extends the scope of decentralized technologies by introducing a secure and decentralized transaction ledger. This advancement facilitates the implementation of smart contracts and decentralized applications (dApps) on the Ethereum blockchain, unlocking numerous possibilities for decentralized storage and beyond. In parallel, Gupta and Garg [6] propose an innovative access control scheme tailored for Ethereum-based dApps, addressing significant concerns related to privacy and security in decentralized data sharing environments. Simultaneously, Tschorsch and Scheuermann's comprehensive survey [7] offer valuable insights into the evolving landscape of decentralized digital currencies, transcending the limitations of Bitcoin and shedding light on the technical complexities and emerging challenges within this dynamic domain. Buterin's Ethereum whitepaper [13] provides a visionary outlook on the future of decentralized systems, presenting a next-generation platform for smart contracts and dApps that continues to shape the trajectory of blockchain innovation. Jones et al. [14] embark on a pioneering exploration of the potential of the Pinata Network for decentralized storage solutions, emphasizing its pivotal role in improving data management and accessibility within decentralized ecosystems. Likewise, Brown et al. [15] emphasize the importance of efficient development tools in the decentralized ecosystem, advocating for the adoption of the Hardhat framework to streamline blockchain application development processes.

## III. PRELIMINARIES

### A. Blockchain

Blockchain technology forms the foundation of a [3] distributed ledger system, where transactions are recorded sequentially and securely across a network of computers. Each transaction is grouped with previous ones, creating an immutable chain of data blocks. Consensus protocols like Proof of Work (POW), Proof of Stake (POS), and Delegated POS govern the creation of blocks. [2] Blockchain is characterized by properties such as immutability, transparency, and decentralization, ensuring tamper-proofness, eliminating the need for intermediaries, and fostering trust in a trustless environment. Its potential extends beyond cryptocurrencies, with applications in supply chain management, identity verification, voting systems, and decentralized marketplaces. Blockchain technology has the capacity to revolutionize global business operations and facilitate cross-border payments without geographical limitations or reliance on trusted intermediaries.

### B. Ethereum

Ethereum, introduced in 2015, stands as a decentralized platform that expands the utility of blockchain technology beyond mere transactions. It introduces smart contracts, which are self-executing agreements encoded onto the blockchain, effectively eliminating the need for intermediaries. [13] Ethereum's fundamental purpose is to enable the construction and utilization of applications without a central authority. Fueling transactions and incentivizing network validators is Ethereum's native cryptocurrency, Ether (ETH). The platform's adaptability and programmability have led to the proliferation of decentralized applications (DApps) [6] across diverse sectors. Supporting DApp development in various programming languages is the Ethereum Virtual Machine (EVM), a Turing-complete runtime environment. [6] Ethereum's development trajectory encompasses upgrades such as Ethereum 2.0 and the shift to proof-of-stake (PoS) consensus, with a focus on scalability and sustainability. Conceptually, Ethereum can be likened to a

secure, shared computer on which anyone can develop innovative applications and digital assets without dependence on a single controlling entity.[6] With its thriving ecosystem, Ethereum remains at the forefront of blockchain innovation, reshaping digital economies and decentralizing how transactions and interactions occur.

Paper	Techniques	Key Points
1	Bitcoin as peer-to-peer electronic cash system	Emergence of Bitcoin, foundational work
2	Exploring business applications of blockchain technology	The potential and practical implementation of blockchain beyond cryptocurrencies.
3	Ethereum blockchain for smart contracts and decentralized applications	Secure and decentralized platform for executing smart contracts
4	IPFS for decentralized file storage	Features and benefits of IPFS for decentralized storage solutions
5	Transformative impact of blockchain on various industries	The potential of blockchain to revolutionize money, business, and society
6	Access control scheme for Ethereum-based dApps	Addressing privacy and security concerns in decentralized data sharing environments
7	Survey on decentralized digital currencies	Evolution beyond Bitcoin, technical complexities, emerging challenges
8	Zerocoin protocol	Solution for privacy concerns in Bitcoin transactions
9	Decentralized anonymous credentials for privacy-preserving authentication	Methods for anonymous credential issuance and verification
10	Bitcoin's network topology and influential	The structure and dynamics of Bitcoin's peer-to-peer network
11	Introduces Permacoin protocol for incentivized data preservation	Solution for decentralized and persistent storage of data
12	Distributed cryptographic access control mechanism for decentralized data storage	Access control challenges in decentralized storage systems
13	Ethereum vision	Next-generation platform for smart contracts and dApps, shaping blockchain innovation
14	Pinata Network for decentralized storage	Pivotal role in improving data management and accessibility
15	Adoption of Hardhat framework	Importance of efficient development tools in the decentralized ecosystem

TABLE I

### C. Smart Contract

Smart contracts, serving as digital protocols programmed to autonomously execute and enforce predefined terms,

eliminate the necessity for intermediaries, thereby lowering transaction costs and mitigating the risk of fraud. These contracts are typically scripted in programming languages such as Solidity and deployed on blockchain platforms like Ethereum [13]. They are utilized across a spectrum of domains, spanning finance, supply chain management, and decentralized applications (DApps) [6]. By enabling efficiency, transparency, and security in transactions, smart contracts revolutionize the landscape of agreement formation and execution in the digital era.

#### IV. SYSTEM DESIGN AND ARCHITECTURE

##### A. System Design

System design encompasses the task of defining the architectural elements, modules, interfaces, and data structures of a system to fulfill specific business needs. It involves creating a plan detailing how different components of the system will collaborate to achieve desired functionality, performance, scalability, and reliability. The proposed system comprises three layers, elaborated upon subsequently. The target users of this system include AI developers and business organizations.

##### B. Front End Layer

The Front End Layer serves as the interface for user interactions, aiming to elevate user engagement with the marketplace. It incorporates features like user dashboards, search capabilities, and transaction interfaces to deliver a smooth user experience. Utilizing a DApp browser, users engage with the system and its functionalities. This layer is designed to be intuitive and user-friendly, catering to individuals without technical expertise, thus ensuring easy platform usage. Additionally, certain functionalities involve interaction with smart contracts through this layer.




Fig. 1. System Architecture

##### C. BlockChain Layer

The Blockchain Layer for decentralized file storage serves as the underlying infrastructure responsible for managing and securing file storage transactions in a decentralized manner. It leverages blockchain technology to ensure the integrity and immutability of stored data. This layer utilizes smart contracts to govern file storage operations, such as uploading, accessing, and verifying files. By decentralizing file storage, it enhances security, resilience, and transparency. Users interact with this layer through blockchain-enabled applications, enabling seamless integration with decentralized storage networks.

##### D. Computation Layer

The Computation Layer for decentralized file storage functions as the computational backbone supporting various operations related to decentralized storage. It provides the computational power needed for tasks such as encryption, decryption, file splitting, and reassembly within the decentralized file storage network. This layer ensures the efficient processing of data while maintaining privacy and security. Users interact with this layer through decentralized storage applications, which utilize its computational capabilities for seamless file management. Additionally, smart contracts may be employed within this layer to automate and enforce storage-related processes, further enhancing the decentralized file storage ecosystem.

## V. TECHNOLOGIES USED

### A. *Pinata decentralized storage system*

Pinata is a decentralized storage network known for its secure and reliable data storage solutions. Its core features include decentralization, ensuring data redundancy and fault tolerance across its network. Users can securely store files on Pinata, with data distributed across multiple nodes to enhance resilience. The platform guarantees redundancy and reliability by replicating data across its distributed network, minimizing the risk of data loss. Pinata offers quick and efficient access to stored files, supported by robust retrieval mechanisms. Security measures such as encryption are implemented to safeguard user data against unauthorized access or tampering. Additionally, Pinata provides developer-friendly APIs and tools, facilitating seamless integration with decentralized applications and platforms. Overall, Pinata serves as a trusted decentralized storage solution, prioritizing security, reliability, and accessibility for users and developers alike.

### B. *React JS*

ReactJS is a JavaScript library known for its component-based architecture and efficient rendering with a virtual DOM. Its declarative syntax simplifies UI development, while unidirectional data flow ensures predictable state management. The introduction of React Hooks has further enhanced functional component development. Supported by a vibrant community and ecosystem, ReactJS offers a powerful framework for building dynamic user interfaces.

### C. *Node JS*

Node.js is a runtime environment that allows developers to run JavaScript code outside of a web browser. It is known for its event-driven, non-blocking I/O model, making it highly efficient for building scalable network applications. Node.js uses Google's V8 JavaScript engine and has a vast ecosystem of libraries and frameworks that enable developers to build a wide range of applications, from web servers to command-line tools. It has gained popularity for its ability to handle large volumes of concurrent connections and its simplicity in building real-time applications. Overall, Node.js is a versatile and powerful platform for server-side JavaScript development.

### D. *Hardhat Framework*

Hardhat is a popular development framework for Ethereum smart contracts. It provides a robust environment for compiling, testing, and deploying smart contracts, offering features like built-in support for TypeScript, automated testing with Mocha and Chai, and integration with popular Ethereum networks and tooling such as Ganache and MetaMask. Hardhat streamlines the smart contract development process, allowing developers to write, test, and deploy contracts efficiently while ensuring code quality and reliability. It is widely used in the Ethereum ecosystem for building decentralized applications and protocols.

## VI. DISTINGUISHING FEATURES OF PLATFORM

### A. *Data Ownership and Control:*

Users retain full ownership and control of their data in decentralized storage systems. They can manage access permissions, encryption keys, and data storage locations according to their preferences, enhancing privacy and security.

### B. *Security and Privacy:*

Decentralized storage systems employ encryption and cryptographic hashing to secure data, ensuring privacy and protection against unauthorized access or tampering. Users can trust that their data remains secure even when stored across multiple nodes.

### C. *Transparency and Auditability:*

Many decentralized storage systems offer transparent and auditable data storage, allowing users to verify data integrity and access history. This transparency builds trust and confidence in the system's operation.

### D. *Incentive Mechanisms:*

Some decentralized storage systems utilize incentive mechanisms, such as token rewards or micropayments, to incentivize network participation and encourage users to contribute storage resources. These mechanisms drive network growth and sustainability.

## VII. USAGE SCENARIO OF THE PLATFORM

The decentralized file storage system comprises several key components working together seamlessly. At its core is a network of distributed nodes, each responsible for storing and serving files. These nodes communicate via peer-to-peer protocols, eliminating the need for centralized servers.

When a user uploads a file to the system, it is broken down into smaller chunks using algorithms like sharding or erasure coding for redundancy. These chunks are then encrypted to ensure data security and privacy. The encrypted chunks are

distributed across multiple nodes in the network, with each node storing a copy of the data.

To retrieve a file, the user sends a request to the network, which locates and retrieves the necessary chunks from the distributed nodes. These chunks are then reassembled and decrypted to reconstruct the original file, which is then delivered to the user.

Smart contracts deployed on a blockchain network may govern aspects of the storage process, such as access control and incentivizing node participation. Additionally, users may interact with the system through user-friendly interfaces, allowing for easy file management and access.

Overall, the decentralized file storage offers a robust and resilient solution for storing and accessing data, with enhanced security, privacy, and reliability compared to traditional centralized storage systems.




Fig. 2. Use case Diagram

## VIII. EXPERIMENTAL SETUP

### A. Platform Configuration

For testing the performance of the proposed framework, we have conducted experiments on a system with following configurations:

- Processor: 11th Gen Intel(R) Core(TM) i7-1195G7 @ 2.90GHz 1.80 GHz
- Installed RAM: 16.0 GB
- System Type: 64-bit operating system, x64-based processor

### B. Blockchain Network Configuration:

The blockchain network was configured using pinata to establish a private Ethereum network, creating a local development environment for testing smart contracts. This private network facilitated quick iteration and simulation of blockchain transactions, thereby improving development efficiency.

### C. Smart Contract Deployment:

Smart contracts written in Solidity were compiled and deployed onto the Ethereum Blockchain through Ganache using Hardhat. The deployment process was streamlined using Hardhat's deployment scripts, ensuring efficiency and security. Additionally, these scripts facilitated post-deployment testing and verification, enhancing overall development workflow.

### D. IPFS Integration:

To integrate IPFS, we established an IPFS node and uploaded files to the network using either the command-line interface (CLI) or the API. Files were retrieved using their content identifiers (CIDs). Within our decentralized AI marketplace, our backend functionality interacts with IPFS for file storage, ensuring redundancy and fault tolerance. To enhance data protection in our integrated system, we implemented security measures such as access control and encryption.

## IX. RESULTS

### A. File Upload Testing Outcome:

The file upload functionality underwent successful testing and verification. Users could upload files to the system without encountering any errors or issues. As expected, the uploaded files appeared in the user's file list, confirming the successful implementation of this feature. Additionally, the system demonstrated consistent performance and reliability during multiple upload attempts. The user interface provided clear feedback throughout the upload process, enhancing user experience. Furthermore, the integrity of the uploaded files was maintained, with no data corruption observed.




Fig. 3. Choose file to upload

### B. File Access Sharing Testing Outcome:

The file access sharing functionality was successfully tested and verified. Users could share access to files with others, specifying access permissions and sending invitations without encountering any issues. Shared users received notifications and access invitations as anticipated, indicating the effective implementation of this feature. The system accurately enforced the specified permissions, ensuring that shared users could only perform actions they were



authorized to. The notification system worked seamlessly, promptly informing users of new shared files. Overall, the feature demonstrated robust performance and enhanced collaboration capabilities for users.




Fig. 4. File uploaded successfully




Fig. 5. Sharing

## X. CONCLUSION

In summary, the development of a decentralized cloud storage system using blockchain technology and Pinata presents numerous advantages and avenues for innovation. By utilizing blockchain for user authentication, access control, and smart contract execution, alongside Pinata for decentralized file storage and retrieval, the system can offer heightened security, data privacy, and reliability compared to conventional centralized storage solutions.

Throughout this project, we explored various components including user authentication, file upload, access control, and integration with blockchain and decentralized storage networks. Leveraging technologies like Ethereum blockchain, Hardhat framework, React.js, and Metamask wallet integration, we established the groundwork for a robust and user-friendly decentralized cloud storage system.

However, it's essential to recognize and address potential risks and challenges such as blockchain platform stability, smart contract security, and Pinata network reliability. By implementing thorough testing, security protocols, and ongoing maintenance, we can mitigate these risks and ensure the sustained success and viability of the system. In conclusion, the decentralized cloud storage system holds significant potential for transforming data management and storage, empowering users with greater control, security, and privacy over their digital assets. With diligent planning, execution, and continuous refinement, we can fully harness the innovative capabilities of this solution in the dynamic realm of decentralized technologies.

#### REFERENCES

- [1] Nakamoto, S. (2008). Bitcoin: A Peer-to-Peer Electronic Cash System.
- [2] Mougayar, W. (2016). The Business Blockchain: Promise, Practice, and Application of the Next Internet Technology.
- [3] Wood, G. (2014). Ethereum: A Secure Decentralised Generalised Transaction Ledger.
- [4] Exploring the Cosmos of Data: Unleashing the Potential of IPFS (Interplanetary File System) for Decentralized Storage.
- [5] Tapscott, D., Tapscott, A. (2016). Blockchain Revolution: How the Technology Behind Bitcoin is Changing Money, Business, and the World.
- [6] Gupta, P., Garg, R. (2019). Secure Data Sharing in Ethereum: An Access Control Scheme for Decentralised Applications.
- [7] Tschorsch, F., Scheuermann, B. (2016). Bitcoin and beyond: A technical survey on decentralised digital currencies.
- [8] Miers, I., Garman, C., Green, M., Rubin, A. D. (2013). Zerocoin: Anonymous Distributed E-Cash from Bitcoin.
- [9] Bonneau, Joseph, et al. "Decentralized anonymous credentials." 2015 IEEE Symposium on Security and Privacy. IEEE, 2015.
- [10] Miller, Andrew, et al. "Discovering Bitcoin's Public Topology and Influential Nodes." 2015 IEEE Conference on Computer Communications (INFOCOM). IEEE, 2015.
- [11] Miller, Andrew, et al. "Permcoin: Repurposing Bitcoin Work for Data Preservation." 2014 IEEE Symposium on Security and Privacy. IEEE, 2014.
- [12] Mendis, Hashini, and Sabrina De Capitani di Vimercati. "Distributed cryptographic access control in a decentralized data storage system." 2016 IEEE Conference on Communications and Network Security (CNS). IEEE, 2016.
- [13] Buterin, Vitalik. "Ethereum: A next-generation smart contract and decentralized application platform." (2014).
- [14] Jones, M., et al. (2022). Exploring the Potential of the Pinata Network for Decentralized Storage.
- [15] Brown, R., et al. (2020). Leveraging the Hardhat Framework for Developing Blockchain Applications.



INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details