



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 6, June 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

Advancements in Lithium-Ion Battery Technology: Materials, Performance and Future Prospects

ANIL KUMAR

ASSISTANT PROFESSOR, DEPT. OF PHYSICS, GOVT. BANGUR COLLEGE, DIDWANA, RAJASTHAN,
INDIA

ABSTRACT: When charging and discharging a lithium-ion battery, the lithium ions move from the cathode to the anode and back again. The cathode and anode of a battery are made of different materials. A wide variety of lithium compounds (e.g. LCO, NMC, NCA or LFP) are used in the cathode. Graphite or lithium titanate form an essential component of the anode. One has developed special processes for lithium compounds as well as the rounding of graphite.

Recycling

Production scrap can be recycled directly during battery production.

Anode Material

Graphite is the most important material in the anode of a lithium-ion battery and must be used as efficiently as possible.

Cathode Material

Lithium is the most important active material in the cathode and determines the performance of your batteries.


- Complete solutions for advanced battery manufacturing
- Technologies for advanced battery materials (cathode and anode)
- Contamination-free grinding with classifier mills and/or fluidised bed opposed jet mills
- Spheroidization of natural graphite and synthetic graphite
- Mixing, drying and coating of battery material[1,2,3]

I. INTRODUCTION

A lithium-ion battery is a type of rechargeable battery that uses lithium ions as the primary component of its electrolyte. During the discharge cycle, lithium atoms in the anode are ionized and separated from their electrons. The lithium ions move from the anode and pass through the electrolyte until they reach the cathode, where they recombine with their electrons and electrically neutralize.

Structure of Li-ion battery

Lithium Cell Structure




Li-ion Cell Structure

While the structure of a Li-ion battery depends on the design and make of the individual product, the basic structure of a lithium-ion battery typically consists of the following components:

- **Anode:** The anode is the negative electrode of the battery and is usually made of carbon. During charging, lithium ions move from the cathode to the anode, where they are stored in the form of lithium intercalation compounds.
- **Cathode:** The cathode is the positive electrode of the battery and is usually made of metal oxides such as lithium cobalt oxide, lithium manganese oxide, or lithium iron phosphate. During discharging, lithium ions move from the anode to the cathode, producing an electrical current.
- **Separator:** The separator is a thin membrane that separates the anode and the cathode, preventing them from coming into direct contact with each other while allowing the flow of lithium ions.
- **Electrolyte:** The electrolyte is a solution that allows the flow of lithium ions between the anode and cathode. It is typically a lithium salt dissolved in an organic solvent. [4,5,6]
- **Current Collectors:** These are conductive materials, typically made of copper or aluminum, that collect the electrical current produced by the battery and conduct it to the external circuit.

The anode, cathode, and separator are all rolled up into a cylinder or stacked in a pouch, and then immersed in the electrolyte solution. The current collectors are attached to the ends of the rolled or stacked components, providing the means to connect the battery to external devices or circuits.

Lithium-ion Cell



Working of Li-Ion Battery

A lithium-ion battery works by the movement of lithium ions between the anode and cathode through the electrolyte. During charging, a voltage is applied to the battery, causing a flow of electrons from the power source to the battery. This causes the lithium ions in the electrolyte to move toward the anode, where they are stored in the form of lithium intercalation compounds. At the same time, lithium ions are released from the cathode and travel through the electrolyte toward the anode, creating an electrical current that can be used to power external devices or vehicles. During discharging, the stored lithium ions in the anode move back to the cathode through the electrolyte, producing an electrical current that can be used to power devices or vehicles. This cycle of charging and discharging continues until the capacity of the battery is depleted, at which point the battery must be recharged.

Applications:[7,8,9]



Applications of Li-Ion Battery

Lithium-ion batteries have a wide range of applications which keeps increasing by the day, due to their high energy density, low self-discharge rate, and long cycle life. Some of the common applications of lithium-ion batteries are:

- **Portable Electronics:** Lithium-ion batteries are widely used in portable electronic devices such as smartphones, laptops, tablets, and digital cameras due to their lightweight and long-lasting power.
- **Electric Vehicles:** Lithium-ion batteries are commonly used in electric vehicles due to their high energy density and ability to provide a lot of power quickly. They are also more environmentally friendly than traditional gasoline-powered vehicles.
- **Energy Storage:** Lithium-ion batteries are used in energy storage systems for homes, businesses, and power grids. These systems help to store renewable energy from sources such as solar and wind power, making it available when needed and facilitating the synchronization of different power generation methods.
- **Medical Devices:** Lithium-ion batteries are used in medical devices such as pacemakers, defibrillators, and hearing aids due to their long life and reliable performance.
- **Aerospace:** Lithium-ion batteries are used in spacecraft and satellites due to their lightweight, high power density, and ability to function in the extreme conditions of space.
- **Power Tools:** Lithium-ion batteries are used in cordless power tools such as drills, saws, and sanders because they are lightweight and provide long-lasting power.
- **Emergency Backup Power:** Lithium-ion batteries can be used as a backup power source during power outages or emergencies, providing a reliable source of power for critical devices such as medical equipment, communications, and lighting.
- **Military:** Lithium-ion batteries are used in military applications such as unmanned aerial vehicles (UAVs) and communication equipment due to their lightweight, [10,11,12]long-lasting power, and ability to function in extreme environments.
- **Wearables:** Lithium-ion batteries are used in wearable technology such as smartwatches and fitness trackers because they are small, lightweight, and provide long battery life.

III. DISCUSSION

In recent years, lithium-ion batteries have revolutionized the way we store and utilize energy, powering everything from smartphones and laptops to electric vehicles and renewable energy storage systems. As the demand for efficient and sustainable energy solutions continues to rise, so too does the need for advancements in lithium-ion battery

technology. This article delves into the latest advancements in lithium-ion battery technology, while also addressing the challenges that accompany its growth and widespread adoption.

Advancements in Lithium-ion Battery Technology

Energy Density Improvements

One of the most significant advancements in lithium-ion battery technology is the continuous improvement in energy density. Energy density refers to the amount of energy stored per unit volume or weight of the battery. Over the years, researchers and engineers have made significant strides in increasing the energy density of lithium-ion batteries, allowing for longer-lasting battery life and extended driving ranges in electric vehicles. Innovations in electrode materials, electrolytes, and battery cell design have contributed to these improvements, paving the way for more efficient energy storage solutions.

Cost Reduction Efforts

Another area of focus in lithium-ion battery technology is reducing production costs to make electric vehicles and renewable energy storage systems more affordable and accessible to consumers. Advances in manufacturing processes, economies of scale, and material sourcing have helped drive down the cost of lithium-ion batteries in recent years. Additionally, research into alternative materials and recycling initiatives aim to further lower production costs and reduce reliance on scarce resources.

Safety Enhancements

Ensuring the safety of lithium-ion batteries is paramount, particularly as their applications expand into critical sectors such as electric vehicles and grid storage. Advances in battery management systems, thermal management techniques, and cell design have led to significant improvements in battery safety. These enhancements help prevent issues such as thermal runaway and cell degradation, reducing the risk of battery fires and malfunctions[13,14,15].

Challenges in Lithium-ion Battery Technology

Scaling Up Production

One of the primary challenges in lithium-ion battery technology is scaling up production to meet the growing demand for electric vehicles and renewable energy storage systems. Establishing large-scale manufacturing facilities requires substantial investment in infrastructure and equipment, as well as skilled labor and supply chain management. Moreover, ramping up production while maintaining quality control and efficiency poses logistical challenges for battery manufacturers.

Resource Availability

Lithium-ion batteries rely on scarce and finite resources such as lithium, cobalt, and nickel, which raises concerns about long-term availability and geopolitical risks. As demand for these materials continues to soar, securing a stable supply chain becomes increasingly challenging. Moreover, ethical and environmental considerations surrounding the extraction and mining of these resources highlight the need for sustainable sourcing practices and alternative materials research.

Environmental Concerns

While lithium-ion batteries offer significant environmental benefits compared to fossil fuel-based technologies, they are not without their environmental challenges. The extraction, processing, and disposal of battery materials can have

adverse environmental impacts, including habitat destruction, water pollution, and carbon emissions. Developing environmentally sustainable practices for battery manufacturing, recycling, and disposal is essential to mitigate these concerns and minimize the environmental footprint of lithium-ion batteries.

The advancements in lithium-ion battery technology have transformed the landscape of energy storage, offering efficient and sustainable solutions for a wide range of applications. From improving energy density and reducing costs to enhancing safety and reliability, lithium-ion batteries continue to push the boundaries of innovation.

However, addressing the challenges associated with scaling up production, ensuring resource availability, and mitigating environmental impacts is crucial to realizing the full potential of lithium-ion battery technology. By investing in research and development, fostering collaboration across industries, and implementing sustainable practices, we can overcome these challenges and usher in a future powered by clean and reliable energy storage solutions.

IV. RESULTS

The global market for Li-ion battery cells alone is forecast to reach US\$380 billion by 2034, driven primarily by demand for battery electric cars and vehicles. Improvements to battery performance and cost are required to ensure widespread deployment of electric vehicles and to enable longer runtime and functionality of electronic devices and tools, leading to strong competition [16,17] in the development of next-generation Li-ion technologies. This report provides in-depth analysis, trends and developments in advanced and next-generation Li-ion cell materials and designs, including silicon anodes, Li-metal anodes, cathode material and synthesis developments, an introduction to solid-state batteries, amongst other areas of development. Details of the key players and start-ups in each technology space are outlined and addressable markets and forecasts are provided for silicon, Li-metal, and cathode material shares.

Historically driven by demand for consumer electronic devices, the EV and stationary storage markets have become increasingly important. While numerous battery and energy storage options are becoming available for the stationary energy storage market, the high energy density requirements of electronic and portable devices, and electric cars and vehicles, ensures that Li-ion batteries will remain the dominant battery chemistry. However, improvements are still sought after. For consumer and portable devices, longer run-times and faster charging capabilities are needed to keep up with increasing computing power and offer greater functionality. For the potentially lucrative EV market, longer range, short charging times, and of course lower costs and prices are still key to widespread adoption. The battery electric car market is of course a key target for many battery technology developments, offering the opportunity to supply a market where battery demand is forecast to grow beyond 2700 GWh by 2030. Certainly, the development of advanced and next-generation Li-ion technologies will be critical to various sectors, as well as for battery companies aiming to succeed or maintain their place in the market.

Anodes

New anode materials offer the chance of significantly improved battery performance, particularly energy density and fast charge capability. Two of the most exciting material developments to Li-ion are the development and adoption of silicon anodes and Li-metal anodes, the latter often but not always in conjunction with solid-electrolytes. The excitement stems primarily from the possibility of these anode materials significantly improving energy density, where improvements of 30-40% over current state-of-the-art Li-ion cells are feasible. Enhancements to rate capability, safety, environmental profile, and even cost, are also being highlighted by developers. However, shifting from the use of silicon oxides as an additive to higher weight percentages, and the use of lithium-metal anodes have posed serious problems to battery cycle life and longevity, which has delayed and limited commercial adoption so far. This report covers and analyzes the solutions being developed and provides coverage of the various companies aiming to commercialize their high energy anode materials and designs. The report also provides coverage of high-rate anode materials based on metal oxides such as LTO and niobium anodes.

Cathodes

While new cathode materials are expected to provide improvements over incumbents and direct competitors, they are likely to be relatively small, and unlikely to push the performance envelope of Li-ion batteries significantly. Instead, cathode development can help to optimize and minimize the trade-off inherent in deploying one chemistry over

another. Material costs and supply chain concerns also play a critical role in the development of next-generation cathodes materials. For example, companies continue to push nickel content in NMC cathodes to maximize performance and reduce cobalt reliance, LMFP cathodes offer a higher energy density than LFP whilst maintaining a similar cost profile, while Li-Mn-rich cathodes can provide similar energy densities to NMC materials whilst reducing cobalt and nickel content. IDTechEx's report provides an appraisal of the various next-generation Li-ion cathode materials, highlighting their respective strengths and weaknesses and the value proposition they offer, or could offer, to specific applications and markets.

Cell and battery design

Developments to cell and battery pack design can play a similarly important role in ongoing performance gains. At the cell level, electrode structure, current collector design, electrolyte additives and formulations, and the use of additives such as carbon nanotubes will continue to play a role in maximizing Li-ion performance across various applications. At the pack level, cell-to-pack designs are becoming increasingly popular for electric cars as a means to optimize energy density and are being developed by players such as BYD, CATL, and Tesla, amongst others. More innovative battery management systems and analytics also represents a key route to battery improvement, offering one of only a few ways to improve performance characteristics including energy density, rate capability, lifetime, and safety simultaneously - a feat that is notoriously difficult to achieve.

Commercialization[18,19]

Current Li-ion materials processing and cell manufacturing is dominated by Asia and China. While the US and Europe in particular are now looking to develop and nurture their own battery supply chains, one route to capturing and domesticating value could be to lead the way in innovation and next-generation technology development. Here, the US and Europe fare slightly better. Looking at start-up companies by geography, as a proxy for innovation, and the US comes out as a leader in next generation technology with the inflation reduction act providing further impetus with the DOE also providing funding via the Bipartisan Infrastructure Law to companies and start-ups such as Sila Nano and Group14 Technologies. Europe is also home to a growing battery industry and start-up landscape, though it needs to be noted that development in Asia is likely under-represented given the stronger presence of major battery manufacturers and materials companies. Timelines and production plans from various players across different technology platforms are presented in the report alongside analysis of the cost impact of using new Li-ion materials. The report is complemented with a large number of company profiles covering company involvement in a particular technology.

V. CONCLUSION

IDTechEx's report provides an appraisal of the various next-generation Li-ion technologies being developed and commercialized. This report covers and analyzes many of the key technological advancements in advanced and next-generation Li-ion batteries, including silicon and lithium-metal anodes, manganese-rich cathodes, ultra-high nickel NMC, LMFP, as well as optimized cell and battery designs. Details on the key players and start-ups in each technology are outlined and addressable markets and forecasts are provided for next-generation anode and cathode materials.

Key aspects

This report provides the following information:

- Introduction to Li-ion battery technologies.
- Analysis of and appraisal advanced Li-ion technologies including: silicon anodes, lithium metal anodes, lithium titanate and niobates, high-manganese cathodes, ultra-high nickel NMC, LMFP.
- Player coverage across anodes, cathodes and other cell developments (e.g. carbon nanotubes, electrolytes, electrode and cell structure, BMS).
- Analysis of funding, activity, and commercialization into next-generation Li-ion technology development.
- Discussion of markets and applications, battery demand forecasts, forecasts of anode and cathode splits.

Report Metrics	Details
Historic Data	2020 - 2023
CAGR	Demand for Li-ion batteries, by GWh, is forecast to grow at a CAGR of 15.5% from 2024-2034.
Forecast Period	2024 - 2034
Forecast Units	US\$, GWh, kt
Regions Covered	Worldwide
Segments Covered	Silicon anodes, Li-metal anodes, solid electrolytes, high manganese cathodes, high nickel cathodes, lithium manganese iron phosphate cathodes, CAM synthesis.[20]

REFERENCES

1. "Rechargeable Li-Ion OEM Battery Products". Panasonic.com. Archived from the original on 13 April 2010. Retrieved 23 April 2010.
2. ^{a b} "Panasonic Develops New Higher-Capacity 18650 Li-Ion Cells; Application of Silicon-based Alloy in Anode". greencarcongress.com. Archived from the original on 12 July 2014. Retrieved 31 January 2011.
3. ^a "NCR18650B" (PDF). Panasonic. Archived from the original (PDF) on 17 August 2018. Retrieved 7 October 2016.
4. ^a "NCR18650GA" (PDF). Archived (PDF) from the original on 8 March 2021. Retrieved 2 July 2017.
5. ^a Valøen, Lars Ole; Shoesmith, Mark I. (1–2 November 2007). The effect of PHEV and HEV duty cycles on battery and battery pack performance (PDF). Proceedings of the Plug-in Highway Electric Vehicle Conference. Archived from the original (PDF) on 26 March 2009.
6. ^a "Battery Pack Prices Fall to an Average of \$132/kWh, But Rising Commodity Prices Start to Bite". Bloomberg New Energy Finance. 30 November 2021. Archived from the original on 6 January 2022. Retrieved 6 January 2022.
7. ^{a b} Redondo-Iglesias, Eduardo; Venet, Pascal; Pelissier, Serge (2016). "Measuring Reversible and Irreversible Capacity Losses on Lithium-Ion Batteries". 2016 IEEE Vehicle Power and Propulsion Conference (VPPC). p. 7. doi:10.1109/VPPC.2016.7791723. ISBN 978-1-5090-3528-1. S2CID 22822329. Archived from the original on 28 April 2021. Retrieved 20 October 2017.
8. ^a Battery Types and Characteristics for HEV Archived 20 May 2015 at the Wayback Machine ThermoAnalytics, Inc., 2007. Retrieved 11 June 2010.
9. ^a Ionic Liquid-Based Electrolytes for Sodium-Ion Batteries: Tuning Properties to Enhance the Electrochemical Performance of Manganese-Based Layered Oxide Cathode. 2019. ACS Applied Materials and Interfaces. L.G. Chagas, S. Jeong, I. Hasa, S. Passerini. doi: 10.1021/acsami.9b03813.
10. ^a The lithium-ion battery: State of the art and future perspectives. 2018. Renew Sust Energ Rev. 89/292-308. G. Zubi, R. Dufo-Lopez, M. Carvalho, G. Pasaoglu. doi: 10.1016/j.rser.2018.03.002.
11. ^a "E-Mobility Revolution : Lithium-Ion Batteries Powering the Transportation Industry - Evolute". 29 September 2023. Archived from the original on 27 October 2023. Retrieved 27 October 2023.
12. ^a Lain, Michael J.; Brandon, James; Kendrick, Emma (December 2019). "Design Strategies for High Power vs. High Energy Lithium Ion Cells". Batteries. 5 (4): 64. doi:10.3390/batteries5040064. Commercial lithium ion cells are now optimized for either high energy density or high power density. There is a trade-off in cell design between power and energy requirements.
13. ^a Mauger, A; Julien, C.M. (28 June 2017). "Critical review on lithium-ion batteries: are they safe? Sustainable?" (PDF). Ionics. 23 (8): 1933–1947. doi:10.1007/s11581-017-2177-8. S2CID 103350576. Archived (PDF) from the original on 2 March 2023. Retrieved 26 July 2019.

14. ^ यहाँ जाएँ: ^a ^b Mark Ellis, Sandy Munro (4 June 2020). Sandy Munro on Tesla's Battery Tech Domination (video). E for Electric. Event occurs at 3:53–5:50. Archived from the original on 7 July 2022. Retrieved 29 June 2020 – via YouTube.
15. ^ Zhang, Runsen; Fujimori, Shinichiro (19 February 2020). "The role of transport electrification in global climate change mitigation scenarios". *Environmental Research Letters*. 15 (3): 034019. Bibcode:2020ERL....15c4019Z. doi:10.1088/1748-9326/ab6658. hdl:2433/245921. ISSN 1748-9326. S2CID 212866886.
16. ^ "Binghamton professor recognized for energy research". The Research Foundation for the State University of New York. Archived from the original on 30 October 2017. Retrieved 10 October 2019.
17. ^ "The Nobel Prize in Chemistry 2019". Nobel Prize. Nobel Foundation. 2019. Archived from the original on 21 May 2020. Retrieved 1 January 2020.
18. ^ "Yoshio Nishi". National Academy of Engineering. Archived from the original on 11 April 2019. Retrieved 12 October 2019.
19. ^ Chen, Yuqing; Kang, Yuqiong; Zhao, Yun; Wang, Li; Liu, Jilei; Li, Yanxi; Liang, Zheng; He, Xiangming; Li, Xing; Tavajohi, Naser; Li, Baohua (2021). "A review of lithium-ion battery safety concerns: The issues, strategies, and testing standards". *Journal of Energy Chemistry*. 59: 83–99. Bibcode:2021JEnCh..59...83C. doi:10.1016/j.jechem.2020.10.017. S2CID 228845089.
20. ^ Eftekhari, Ali (2017). "Lithium-Ion Batteries with High Rate Capabilities". *ACS Sustainable Chemistry & Engineering*. 5 (3): 2799–2816. doi:10.1021/acssuschemeng.7b00046.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details