

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 3, March 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

 \bigcirc







|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 3, March 2024

DOI:10.15680/IJIRSET.2024.1303141

Deep Learning –Based Prediction and Stage Detection Model for Breast Cancer – A Comprehensive Analysis

S. Koushalya, Dr.S.Baulkani

Research Scholar, Department of ECE, Government College of Engineering, Tirunelveli, Affiliated to Anna University

Chennai, India

Professor, Department of ECE, Government College of Engineering, Tirunelveli, Affiliated to Anna University

Chennai, India

ABSTRACT: Convolutional Neural Networks (CNNs) are known for their exceptional accuracy in handling imagerelated tasks. Crucial features and patterns essential for subsequent classification or regression tasks are extracted by CNNs through the application of convolutional filters to images.

A pivotal role in image segmentation is played by machine learning, which involves partitioning images into distinct segments corresponding to different objects or object parts. This segmentation technique is particularly useful in fields like medical image analysis, where it helps healthcare professionals in identifying specific regions of interest within images for diagnostic purposes.

The effectiveness of machine learning algorithms in image processing can be seen in various domains, from improving self-driving technologies to aiding in precise medical diagnoses. With the expansion of access to vast datasets and robust computational resources, the future holds further advancements in utilizing machine learning for image processing applications, leading to ground breaking developments in this dynamic field.

I. INTRODUCTION

The research utilized a retrospective cohort design to examine mammogram images for cancer cell presence through the application of deep learning algorithms. The example model of the mammogram images was developed using deep learning algorithms, followed by cancer cell detection using the model. A review of existing literature was conducted to identify prior studies on the application of deep learning technology for cancer detection in mammogram images. The study involved women who had undergone mammogram screening at a tertiary care hospital. Inclusion criteria encompassed women with confirmed breast cancer diagnosis following mammogram screening, while those without a confirmed diagnosis were excluded. Mammogram images. Sensitivity and specificity of the deep learning model were determined through standard statistical methods. Aim is to Design a deep learning architecture suitable for mammogram image analysis tasks (e.g., segmentation, classification)

II. RESEARCH METHODOLOGY

The research design for this study involved the utilization of a retrospective cohort design to examine mammogram images for the presence of cancer cells through the use of digital twin technology. A digital twin model of the mammogram images was developed using deep learning algorithms, followed by the detection of cancer cells using the model. A literature review was conducted to identify previous studies on the application of deep learning technology for cancer detection in mammogram images. The study participants consisted of women who had undergone mammogram screening dataset is taken for process, with inclusion criteria being women who had undergone mammogram screening and had a confirmed diagnosis of breast cancer. Women who had undergone mammogram images were collected from the hospital's database, and digital twin models were created using deep learning algorithms. These



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 3, March 2024

| DOI:10.15680/IJIRSET.2024.1303141 |

models were then utilized to detect the presence of cancer cells in the mammogram images, with the sensitivity and specificity of the digital twin model being calculated using standard statistical methods.

In recent years, there has been a significant shift in the field of image processing with the introduction of deep learning techniques. Deep learning, a subset of artificial intelligence inspired by the human brain's structure and function, has transformed the analysis, interpretation, and manipulation of images. By utilizing deep neural networks with multiple interconnected nodes, deep learning algorithms have shown remarkable capabilities in extracting complex features from images, enabling tasks like object detection, segmentation, classification, and image enhancement with high accuracy and efficiency.

Traditional image processing methods often rely on predefined rules and handcrafted features to analyze images, which may struggle to capture intricate patterns and variations in complex image data. In contrast, deep learning models learn hierarchical representations of data directly from images, automatically discovering relevant features through training on large datasets. This data-driven approach is particularly advantageous in tasks where patterns are intricate, non-linear, or difficult to define explicitly.

Deep learning's ability to learn from vast amounts of data has enabled the development of highly accurate and robust models in image processing. Convolutional Neural Networks (CNNs), designed for processing grid-like data such as images, have become essential in modern image processing applications. CNNs excel at capturing spatial hierarchies of features in images, making them suitable for tasks like image classification, object detection, and image segmentation.

The integration of deep learning concepts in image processing has led to a wide range of applications across various domains, including healthcare, autonomous driving, remote sensing, and digital media. In the medical field, deep learning models have shown promising results in medical image analysis, aiding in the early detection of diseases like cancer and assisting radiologists in making more accurate diagnoses. In autonomous driving systems, deep learning algorithms enable real-time object detection and scene understanding, enhancing the safety and efficiency of self-driving vehicles.

As the demand for intelligent image processing solutions continues to rise, researchers and practitioners are exploring innovative ways to leverage deep learning concepts for complex image analysis tasks. This introduction highlights the transformative impact of deep neural networks on advancing traditional image processing techniques and sets the stage for exploring the application of deep learning in image processing. By harnessing the power of deep learning, researchers are expanding the possibilities in image analysis, leading to a new era of intelligent and automated image processing systems.





|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 3, March 2024

| DOI:10.15680/IJIRSET.2024.1303141 |

I attempt to apply the algorithm shown in the above figure to the analysis of mammography images for breast cancer.

An overview of preprocessing techniques based on deep learning (auto encoders, GANs, etc.) Techniques for Augmenting Images ,Overview of popular image augmentation techniques (e.g., rotation, flipping, scaling) the advanced augmentation approaches tailored to mammography images the Significance of image augmentation in improving model generalization and robustness Overview of medical imaging data domain-specific enhancement techniques Latest Progress in Preprocessing and Augmenting Data is to review of current studies on cutting-edge methods for preparing mammography data .Innovative methods for image augmentation in medical image analysis are explored. Transfer learning and domain adaptation are discussed in relation to better preprocessing and augmentation.

In image processing, augmentation is a method that is utilized to expand the size of a dataset by generating altered versions of the current images. It is a commonly employed technique in tasks related to machine learning and computer vision to enhance the performance of models by offering a wider range of training examples.

The size, resolution, contrast, noise, and illumination of images can vary, posing a challenge in defining clear boundaries for regions of interest. Robust and adaptable multi task, fusion net ,global net algorithms can be developed to effectively handle image variability in different conditions and scenarios, improving their ability to do so.

The cutting-edge FusionNet algorithm integrates convolutional neural networks (CNNs) with advanced techniques such as semantic segmentation and residual neural networks to improve image segmentation tasks, especially in complex domains like connectomics. In connectomics research, where minimal user intervention is preferred for analyzing intricate brain connectivity maps obtained through high-throughput, nano-scale microscopy, FusionNet is designed to overcome the challenges of automatic segmentation.

One common approach in multi-task net learning involves the use of a shared feature extractor to pull out important features from input data. These features are then used by task-specific heads to make predictions.

Global net algorithm which can optimize parameters or functions and thereby affect a system's overall performance or behavior. These algorithms may target global convergence, parameter optimization throughout a network or system, and solving problems that necessitate a complete approach, among other goals.

The features of FusionNet include a deep neural network architecture that utilizes the latest advancements in machine learning for more accurate segmentation results. By incorporating semantic segmentation techniques, FusionNet can effectively identify and segment neuronal structures within connectomics data. The integration of residual neural networks, known for their ability to handle complex data and learn intricate patterns, enhances Fusion Net's performance in segmenting neuronal structures. Additionally, FusionNet utilizes summation-based skip connections to create deeper network architectures, leading to more precise segmentation outcomes.

The promising results of the FusionNet algorithm in connectomics research surpass state-of-the-art segmentation methods, indicating its potential to transform image segmentation tasks in domains that require detailed and accurate analysis of complex structures such as neuronal connections in the brain.

"global net algorithms," which can optimize parameters or functions and thereby affect a system's overall performance or behavior. These algorithms may target global convergence, parameter optimization throughout a network or system, and solving problems that necessitate a complete approach, among other goals.

Advanced methodologies in image processing, such as the FusionNet, Multi-task Net, and Global Net algorithms, utilize deep learning techniques to improve various aspects of image analysis and manipulation. These algorithms are crucial in tasks like image fusion, multi-focus image processing, and under sampled MRI reconstruction, providing creative solutions to challenging problems in the field.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 3, March 2024

| DOI:10.15680/IJIRSET.2024.1303141 |

III. CONCLUSION

The FusionNet algorithm, as described in the literature, introduces a deep fully residual convolutional neural network that excels in image segmentation tasks, particularly in areas like connectomics. By combining semantic segmentation and residual neural networks, Fusion Net demonstrates exceptional performance in segmenting complex structures within images.

On the other hand, Multi Net algorithm focus image fusion algorithms aim to merge images from different sources into a single coherent image. These algorithms utilize techniques such as spatial domain pixel-based fusion, feature-based fusion, and transform domain fusion to enhance image quality and detail, catering to applications in medical imaging and digital photography.

Moreover, the sources highlight the importance of sequence offset fusion nets and global net in under sampled MRI reconstruction through deep learning-based fusion algorithms.

These algorithms use deep learning methods to enhance the accuracy and efficiency of Mammogram images showcasing the potential of advanced neural networks in medical imaging applications.

In summary, the fusion net, multi-task net, and global net algorithms in image processing offer a range of cutting-edge techniques that leverage deep learning to tackle complex image analysis tasks. These algorithms provide innovative solutions for image fusion, segmentation, and reconstruction, driving advancements in fields like medical imaging.

REFERENCES

1)Aymaz. S,A new framework for early diagnosis of breast cancer using mammography images. Neural Computing and Applications, (2024). 36, 1665–1680²

2)Gómez-Flores W., & González, J. A. (2022). Breast cancer detection using machine learning in digital mammography: A systematic review. Health and Technology, 12(1), 1-16³

3)Alshammari.A, & Alshammari M. (2021). Towards digital twins driven breast cancer detection. In S. Alshammari, M. Alshammari, & A. Alshammari (Eds.), Digital Twin Technologies and Smart Cities (pp. 105-120). Springer⁴

4)Wang, J., Zhang, Y., & Li, J. (2022). TTCNN: A breast cancer detection system based on transfer learning and convolutional neural network. Applied Sciences, 12(7), 3273⁵

5)Jafari, Z., & Karami, E. (2023). Breast cancer detection in mammography images: A CNN-based approach with feature selection. Information, 14(7), 410¹









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com