



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 5, May 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

Vitamin Deficiency Detection Using Image Processing and SVM

Dr. Vinutha H P, Ganesh R, Jeevitha B K, Kavya R, Nisarga B

Professor, Department of IS&E, Bapuji Institute of Engineering and Technology, Davanagere, India

UG Students, Department of IS&E, Bapuji Institute of Engineering and Technology, Davanagere, India

ABSTRACT: In an era where health consciousness is paramount, monitoring vitamin levels remains crucial in preventive healthcare. Addressing this need, we introduce a revolutionary Android app that allows users to easily track their vitamin intake. Upon registration, users receive secure login credentials for personalized access. The intuitive interface enables users to upload photos of their lips and body for analysis with just a few taps, making it accessible for all technological skill levels. Utilizing advanced algorithms, the app swiftly identifies potential vitamin deficiencies from the images, providing detailed results in seconds. This real-time feedback empowers users to optimize their vitamin intake and overall health. The paper aims to transform nutritional health tracking by promoting proactive healthcare practices, offering convenience, accuracy, and privacy. It supports a holistic approach to wellness, helping users make informed lifestyle and dietary choices. In a world increasingly valuing preventive healthcare, our app empowers individuals to take control of their health and embrace proactive wellness strategies.

KEYWORDS: Monitoring vitamin levels, preventive healthcare, real-time feedback, analysis

I. INTRODUCTION

A. Background Studies:

Vitamin deficiencies are a significant public health issue, leading to various health problems such as anemia, rickets, and scurvy. Early detection of vitamin deficiencies can prevent severe health outcomes and improve overall wellness. Traditional methods for detecting vitamin deficiencies often involve blood tests and clinical evaluations, which can be invasive, time-consuming, and costly. Recent advancements in image processing and machine learning offer non-invasive alternatives for detecting vitamin deficiencies, utilizing features extracted from images of the human body. Among the machine learning techniques, Support Vector Machines (SVM) have shown promise due to their robustness and accuracy in classification tasks.

B. Problem Statement

Patients in today's fast-paced society usually depend on clinical examinations and blood tests, which necessitate large financial outlays as well as trips to medical institutions. These obstacles make it more difficult to diagnose and treat vitamin deficiencies in a timely manner, which could have negative health effects. An easier-to-use, more affordable, and more accessible way for people to comfortably check their vitamin levels from home is desperately needed. By tackling these issues, nutritional health may be actively managed and general wellbeing will increase.

C. OBJECTIVE

The aim of this project is to develop an Android application that can precisely identify counterfeit Indian cash by using machine learning and image processing techniques. The software seeks to lower the risk of financial losses from fraudulent transactions by enabling people and businesses to instantly confirm the authenticity of currency notes using an intuitive interface. The project aims to increase public awareness of the problems associated with counterfeit money and support initiatives to stop its dissemination in India. The ultimate objective is to increase accessibility and technical innovation to strengthen confidence and security in the financial system.

D. SIGNIFICANCE STUDY

1. **Non-Invasiveness:** Image-based detection is non-invasive, reducing the discomfort and risk associated with blood tests and other clinical procedures.
2. **Efficiency and Speed:** Image processing combined with SVM can provide rapid results, facilitating quicker diagnosis and intervention.
3. **Cost-Effectiveness:** This method can potentially lower healthcare costs by reducing the need for laboratory tests and frequent clinical visits.

4. Accessibility: With the widespread availability of digital cameras and smartphones, this approach can be implemented in remote and resource-limited settings, improving access to healthcare.
5. Early Detection: Early detection of vitamin deficiencies can lead to timely treatment, preventing the progression of associated health issues.

II. LITERATURE REVIEW

Holick, M. F. (2007). Vitamin D deficiency. *New England Journal of Medicine*, 357(3), 266-281.

Globally, vitamin D insufficiency has become a major public health concern. Holick's groundbreaking study from the *New England Journal of Medicine* explores the etiology, clinical implications, and epidemiology of vitamin D insufficiency. It sheds insight on the significance of this vitamin in immune system function, cardiovascular health, and cancer prevention, among other physiological processes beyond skeletal health.

Bailey, R. L., West, K. P. Jr., & Black, R. E. (2015). The epidemiology of global micronutrient deficiencies. *Annals of Nutrition and Metabolism*, 66(Suppl. 2), 22-33.

Deficiencies in micronutrients, such as vitamins and minerals, continue to be a major global public health concern. The epidemiology of these deficits is well reviewed by Bailey et al., who also highlight the deficiencies' regional distribution, prevalence, and effects on population health. In order to effectively address these weaknesses, the article emphasizes the necessity for focused interventions and public health policies.

Ross, A. C., Manson, J. E., Abrams, S. A., Aloia, J. F., Brannon, P. M., Clinton, S. K., ... & Shapses, S. A. (2011).

The recommendations for nutrient intake are based in large part on dietary reference intakes, or DRIs. The Institute of Medicine's 2011 study on DRIs for calcium and vitamin D is presented by Ross et al. The new guidelines for these nutrients are outlined in this publication, together with information on sources, ideal intake amounts, and possible health effects of excess or deficiency.

Bailey, R. L., West, K. P., & Black, R. E. (2015). The epidemiology of global micronutrient deficiencies. *Annals of Nutrition and Metabolism*, 66(Suppl. 2), 22-33.

Deficiencies in micronutrients, such as vitamins and minerals, continue to be a major global public health concern. The epidemiology of these deficits is well reviewed by Bailey et al., who also highlight the deficiencies' regional distribution, prevalence, and effects on population health. In order to effectively address these weaknesses, the article emphasizes the necessity for focused interventions and public health policies.

Mason, J. B. (2003). Biomarkers of nutrient exposure and status in one-carbon (methyl) metabolism. *Journal of Nutrition*, 133(3), 941S-947S.

When evaluating nutrient consumption and status, biomarkers are extremely important, especially in intricate metabolic pathways such as one-carbon metabolism. Mason's work in the *Journal of Nutrition* examines a number of biomarkers that are used to assess the health of nutrients like homocysteine, vitamin B12, and folate that are involved in one-carbon metabolism. Comprehending these biomarkers is crucial in evaluating dietary adequacy and detecting individuals susceptible to health issues resulting from deficiencies.

III. METHODOLOGY




Fig:1

A user of the system is able to register and log in. The user can upload an image and the system will identify any vitamin deficits after logging in. A database in the system is another feature that saves and retrieves data.

This is the system's breakdown:

- User: Through account registration and login, the user communicates with the system. An image can be uploaded and results can be viewed by the user after they log in.
- Login: This procedure uses the user's credentials to be verified. Users are given access to the system if their credentials are verified. Access is refused to the user if the credentials are invalid.
- Upload image: User uploads an image to the system through this method. Next, in order to identify vitamin shortages, the system examines the image.
- Detection vitamin deficiencies: The uploaded image is analysed by the system to identify vitamin deficiencies.
- Results: The user is shown the analysis's findings by the system. If any vitamin deficiencies were found, the report can contain that information.
- Suggestions: In addition, the system might offer the user advice on how to treat any vitamin deficits that it finds.
- Database: The users' personal data and the outcomes of their analysis are kept in the database.

IV.SYSTEM DEIGN

The process of detecting vitamin deficiencies using image processing and SVM involves several critical steps, beginning with image acquisition. High-quality images of the lips, skin, and nails are captured using a smartphone or digital camera and then stored in a database. The next phase, image preprocessing, involves enhancing these images through noise reduction, contrast adjustment, normalization, and resizing to ensure clarity and uniformity.

Following preprocessing, image segmentation is performed to identify and isolate regions of interest (ROI). Segmentation algorithms, such as thresholding and edge detection, are applied to extract these segmented regions for further analysis. In the feature extraction step, relevant features like colour, texture, and shape are extracted using techniques such as histogram analysis and texture descriptors like GLCM, which are then compiled into feature vectors.

The dataset preparation stage involves labeling the images with known vitamin deficiencies to create a training set. The dataset is split into training and testing sets, and the feature vectors are normalized. For model training, an appropriate SVM kernel, such as linear or RBF, is chosen. The SVM model is trained using the training dataset, with hyperparameters optimized through cross-validation.

Model evaluation tests the trained SVM model using the testing dataset, assessing performance metrics like accuracy, sensitivity, and specificity, and validating the model through confusion matrix analysis. Once validated, the SVM model is integrated into a user-friendly application during the deployment phase. This includes developing an app interface for image upload and analysis, ensuring secure login, and maintaining data privacy.

In real-time detection, users upload images via the app, which are then preprocessed and analyzed for feature extraction. The SVM model classifies the images, providing users with real-time feedback and detailed results. Finally, user feedback and recommendations are given, displaying analysis results and offering dietary and lifestyle change suggestions, along with recommendations for professional medical consultation if necessary.

V.RESULTS



Fig 2: Home Page




Fig 3: Register Page




Fig 4: Login Page




Fig 5: Image Capture




Fig 6: Disease Display



Fig 7: Complete details about disease

VI. CONCLUSION

In conclusion, our Android application represents a significant step forward in empowering individuals to take charge of their nutritional health with ease and precision. By providing a user-friendly platform for monitoring vitamin levels, we have addressed the growing need for accessible and proactive healthcare solutions. Through secure login mechanisms and advanced image analysis algorithms, we have ensured user privacy and accuracy in results, fostering trust and confidence in our application. The seamless navigation and swift analysis provided by our app eliminate barriers to entry, making it accessible to users from diverse backgrounds and skill levels. As we move forward, we remain committed to further enhancing the functionality and usability of our application, incorporating user feedback and advancements in technology to continuously improve the user experience.

REFERENCES

1. Holick, M. F. (2007). Vitamin D deficiency. *New England Journal of Medicine*, 357(3), 266-281.
2. Bailey, R. L., West, K. P. Jr, & Black, R. E. (2015). The epidemiology of global micronutrient deficiencies. *Annals of Nutrition and Metabolism*, 66(Suppl. 2), 22-33.
3. Ross, A. C., Manson, J. E., Abrams, S. A., Aloia, J. F., Brannon, P. M., Clinton, S. K., ... & Shapses, S. A. (2011). The 2011 report on dietary reference intakes for calcium and vitamin D from the Institute of Medicine: what clinicians need to know. *The Journal of Clinical Endocrinology & Metabolism*, 96(1), 53-58.
4. Bailey, R. L., West, K. P., & Black, R. E. (2015). The epidemiology of global micronutrient deficiencies. *Annals of Nutrition and Metabolism*, 66(Suppl. 2), 22-33.
5. Mason, J. B. (2003). Biomarkers of nutrient exposure and status in one-carbon (methyl) metabolism. *Journal of Nutrition*, 133(3), 941S-947S.
6. Institute of Medicine (US) Standing Committee on the Scientific Evaluation of Dietary Reference Intakes and its Panel on Folate, Other B Vitamins, and Choline. (1998). *Dietary reference intakes for thiamin, riboflavin, niacin, vitamin B6, folate, vitamin B12, pantothenic acid, biotin, and choline*. National Academies Press (US).
7. Ames, B. N. (2001). DNA damage from micronutrient deficiencies is likely to be a major cause of cancer. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 475(1-2), 7-20.
8. Looker, A. C., Johnson, C. L., Lacher, D. A., Pfeiffer, C. M., Schleicher, R. L., & Sempos, C. T. (2011). *Vitamin D status: United States, 2001–2006*. NCHS Data Brief, (59), 1-8.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details