

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 5, May 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

🖂 ijirset@gmail.com

|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305551

Wireless Remote-Controlled Fork Lift

Anil Kumar P¹, Arun Kumar T S², Dhanraj G³ Prashantha⁴, G Raghavendra Setty⁵

U. G Students, Department of Mechanical Engineering, Ballari Institute of Technology and Management, Ballari,

Karnataka, India^{1,2,3,4}

Assistant Professor, Department of Mechanical Engineering, Ballari Institute of Technology and Management, Ballari,

Karnataka, India⁵

ABSTRACT: The development of a wireless remote-controlled forklift system integrates advanced wireless communication technologies with traditional forklift machinery to optimize material handling processes. This system enables operators to maneuver forklifts from a distance, reducing the need for direct manual operation and enhancing safety in hazardous environments. The core components include a robust wireless communication module, a microcontroller unit (MCU) to process control signals, and an intuitive user interface for the operator. The wireless module ensures reliable data transmission between the remote-control unit and the forklift, while the MCU interprets these signals to execute precise movements and operations. This technology is particularly beneficial in industries where space constraints, hazardous conditions, or precision tasks are prevalent. The implementation of wireless remote control in forklifts not only improves operational efficiency and safety but also allows for better resource allocation and labor optimization. Future advancements may focus on integrating artificial intelligence (AI) and machine learning algorithms to further enhance the autonomous capabilities and operational efficiency of these forklifts.

KEYWORDS: Fork lift, remote, DC Motor, wheels, battery.

I. INTRODUCTION

The fast-paced world of industrial logistics, efficiency and safety are paramount. Forklifts, the workhorses of warehouses and manufacturing facilities, have undergone significant advancements in recent years, with wireless control emerging as a transformative technology. Wireless-controlled forklifts represent a paradigm shift in material handling, offering enhanced maneuverability, productivity, and safety.

Traditional forklifts, operated by skilled drivers, have long been the backbone of material handling operations. However, they are not without limitations. The need for physical presence in the driver's seat poses inherent risks, especially in busy environments with restricted visibility. Additionally, conventional forklifts often struggle with tight spaces and intricate maneuvers. Enter wireless-controlled forklifts, equipped with cutting-edge technology that allows operators to remotely control these machines with precision and ease. By eliminating the need for an on-board operator, wireless-controlled forklifts offer several key advantages:

Nature of problem: When you're working with forklifts, any problem can be serious trouble. You need to know how to recognize the faults, and assess the risks, both in terms of onsite safety and downtime caused by mechanical or other failures. Regular forklift maintenance reduces the risks enormously, but be aware that problems will occur, sooner or later.

In general, the forklift can be defined as a tool capable of lifting hundreds of kilograms of weight. A forklift is a vehicle similar to a small truck that has two metal forks on the front used to lift cargo. The forklift operator drives the forklift forward until the forks push under the cargo, and can then lift the cargo several feet in the air by operating the forks. The forks, also known as blades or tines, are usually made out of steel and can lift up to a few tons.

Enhanced Safety: Removing the operator from the driver's seat minimizes the risk of accidents caused by human error, fatigue, or distractions. Operators can now oversee operations from a safe vantage point, away from potential hazards.

1. Improved Maneuverability: Wireless-controlled forklifts are designed for maximum agility, making them ideal for navigating narrow aisles, congested spaces, and intricate layouts. Advanced sensors and real-time feedback systems further enhance maneuverability, allowing for precise positioning of loads.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

| DOI:10.15680/IJIRSET.2024.1305551 |

- 2. Increased Productivity: With wireless control, operators can seamlessly coordinate multiple forklifts, optimizing workflow efficiency and reducing idle time. Tasks such as inventory management, pallet movement, and loading/unloading can be executed swiftly and seamlessly.
- 3. Adaptability: Wireless-controlled forklifts are highly adaptable to diverse operational requirements. They can be integrated with existing warehouse management systems (WMS) and automated guided vehicle (AGV) networks, enabling seamless communication and coordination within the broader logistical ecosystem.
- 4. Operator Comfort and Ergonomics: By eliminating the need for prolonged periods of physical operation, wirelesscontrolled forklifts prioritize operator comfort and ergonomics. Remote operators can monitor operations from ergonomic control stations, reducing fatigue and enhancing overall well-being.

In this paper, we will delve deeper into the technological innovations driving the evolution of wireless-controlled forklifts. We will explore the key components of these systems, including remote control interfaces, communication protocols, onboard sensors, and safety features. Furthermore, we will examine real-world applications and case studies showcasing the tangible benefits of adopting wireless-controlled forklifts in various industrial settings. By embracing wireless-controlled forklift technology, businesses can unlock new levels of efficiency, safety, and operational agility, positioning themselves at the forefront of the fourth the industrial evolution.

Though it is remote operated not only the skilled labor but unskilled labor can also operate as it does not require any special training. This forklift will provide better visibility and thus reduces the number of accident and helps in safe transportation to the destination. An ARTICULATED FORKLIFT is a vehicle which has a permanent or semi-permanent pivot joint in its construction, allowing the vehicle to turn more sharply. The word articulated come from Latin articles: small joint. Construction of Battery-Operated Forklift aims at eco-friendly and fuel efficient and robust working with easy material handling and reducing the number of accidents as it is remote operated. We also focused on reducing the number of man power required during the loading and unloading operation of forklift. Though it is remote operated not only the skilled labor but unskilled labor can also operate as it does not require any special training.

II. LITERATURE REVIEW

Wireless-controlled operated forklifts represent a significant advancement in industrial logistics, offering enhanced safety, efficiency, and flexibility. This literature review aims to provide an overview of existing research and developments in the field of wireless-controlled forklifts, focusing on technological advancements, operational benefits, and challenges.

Technological Advancements:

Numerous studies have investigated the technological components and capabilities of wireless-controlled forklifts. Li et al. (2019) conducted a comprehensive review of wireless communication protocols and control systems used in autonomous forklifts, highlighting the importance of reliable communication for real-time control and monitoring. Similarly, Zhang et al. (2020) explored the integration of advanced sensors, such as LiDAR and ultrasonic sensors, for obstacle detection and navigation in wireless-controlled forklifts, emphasizing the role of sensor fusion techniques in enhancing perception capabilities.

III. OBJECTIVES

- 1. To Evaluate Operational Efficiency: The primary objective of this study is to assess the operational efficiency gains achieved through the adoption of wireless-controlled operated forklifts compared to traditional forklifts. This includes analyzing metrics such as throughput, cycle times, and resource utilization in real-world warehouse environments.
- 2. To Investigate Safety Implications: Another key objective is to examine the safety implications of wirelesscontrolled forklifts, particularly in terms of accident rates, near-miss incidents, and operator feedback. This will involve conducting comparative analyses between traditional and wireless-controlled forklift operations to identify any improvements or challenges related to safety.
- 3. To Assess Technological Performance: This study aims to evaluate the technological performance of wirelesscontrolled forklift systems, including communication reliability, sensor accuracy, and system responsiveness. By analyzing system performance metrics, such as latency, packet loss, and sensor fusion accuracy, the study will provide insights into the technical capabilities and limitations of wireless-controlled forklifts.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305551

- 4. To Explore User Experience: Additionally, the study seeks to explore the user experience aspects of operating wireless-controlled forklifts. This includes assessing operator satisfaction, workload perception, and usability of remote-control interfaces. By gathering qualitative feedback from
- 5. operators and stakeholders, the study aims to identify usability issues and opportunities for interface improvement.

V. REQUIREMENT OF COMPONETS

1. BATTERY: -The battery provides power to the robot, allowing it to operate without being tethered to a power source. Depending on the robot's power requirements and runtime needs, different types of batteries such as lithium-ion, nickel-metal hydride, or lead-acid batteries may be used.



Fig 4.1

2. DC MOTOR: - DC motors are commonly used in robotics for their simplicity, reliability, and controllability. They convert electrical energy into mechanical motion, enabling the movement of various parts of the robot such as wheels, arms, or grippers.



Fig 4.2 DC MOTOR

Spur gears are a type of gear with straight teeth that mesh together to transmit power and motion between shafts. In a pick and place robot, a spur gear drive mechanism may be used to transfer rotational

L SET

|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 || | DOI:10.15680/IJIRSET.2024.1305551 |



Wheels: Wheels are used for mobility in robots, allowing them to move across surfaces with ease. Depending on the application, different types of wheels such as omnidirectional wheels, caster wheels, or driven wheels may be used to achieve desired movement capabilities.




Integration with Other Systems: The remote controller may be designed for seamless integration with other systems, such as warehouse management systems (WMS) or fleet software. Integration enables operators to access relevant data, such as inventory information, task assignments, and operational status, directly from the remote controller interface, streamlining workflow management and decision-making processes.

Overall, the remote controller plays a pivotal role in enabling remote operation of forklifts, offering operators enhanced control, safety, and efficiency in material handling tasks. Continuous advancements in wireless communication and human-machine interface technologies will further refine the capabilities and usability of remote controllers for wireless-controlled operated forklifts.

よう IJIRSET |e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 || | DOI:10.15680/IJIRSET.2024.1305551 |



ASSEMBLE MODEL

Calculation:

Battery 12 volt, 9 amps Battery watts = volt x amps = 12 x 9 Battery watts = 108 watts Motor Speed = 30 rpm Voltage = 12 Volt Power = 18 Watt Torque of the Motor



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305551

Torque = $(p \times 60) / (2\pi N)$ Torque = $(P \times 60) / (2 \times 3.14 \times N)$ Torque = $(18 \times 60) / (2 \times 3.14 \times 30)$ Torque = 5.72 N-m Torque = 5.72×103 N-mm Maximum load, m is calculated as below T = Fr5.72 = Fx3F = 19.6 NWe Know that, Force, F = mg19.6=m 9.81 m= 1.90 Kg The maximum time the motor will run while not interruption =40Ah/1.4167= twenty-eight hours thirty-five minutes. Time taken by the battery to urge absolutely charged by electrical device (full intensity of sun at (90°)) =V*40Ah/100 = 2 hours

VI. CONCLUSION

In conclusion, the adoption of wireless-controlled operated forklifts presents a significant advancement in material handling technology with both advantages and considerations to weigh.

On the positive side, wireless-controlled forklifts offer enhanced safety by allowing operators to control the forklift from a distance, reducing the risk of accidents and injuries. They also improve efficiency and productivity by enabling precise maneuvering and multitasking, leading to faster task completion and resource optimization. Moreover, the flexibility provided by wireless control allows forklifts to operate in diverse environments and adapt to varying tasks with greater ease.

However, there are several considerations to address. The initial investment cost for wireless-controlled forklifts and associated technology can be substantial, requiring careful financial planning. Additionally, dependency on technology introduces the risk of signal interference, cyber security threats, and operational disruptions that must be mitigated through robust infrastructure and maintenance practices. Furthermore, operators require specialized training to use wireless-controlled forklifts effectively and safely, adding to the overall implementation complexity.

In summary, while wireless-controlled operated forklifts offer compelling benefits in terms of safety, efficiency, and flexibility, their successful deployment requires a comprehensive approach that addresses technological, operational, and human factors. By carefully considering these factors and leveraging advancements in wireless communication and automation, organizations can harness the full potential of wireless-controlled forklifts to optimize material handling processes and drive operational excellence in warehouse and industrial operations.

The main advantage of using this technology is to increase the safety of operator by operating the forklift from certain distance. This increases the efficiency of the productivity, because human errors due to the poor visibility can be minimized. The system is designed and developed successfully, for the demonstration purpose prototype module (mini module) is constructed & results are found to be satisfactorily.

After going through these collected data and statistics from various journals as well as research papers; we came to conclusion that remote controlled fork lift is the only way to stop such industrial issues like labor cost, hazardous material handling. Most of all human safety is a major concern by using a remote-controlled forklift. We can use our human brain but the hands and legs of a robot, and thereby nullifying the chances of accident.

REFERENCES

- 1. 3-d research on fork arm of forklift trucks by university of polytechnic of Bucharest.
- 2. Design, fee analysis and optimization of forklifts of automatic guided vehicle by shaileshbhanushali , sob engineering college, meshana, Gujarat India (IRJMEET)ISSN :2320



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305551

- 3. Dynamic analysis of forklift during load lifting using modeling and simulation by international journal of current engineering and technology (ISSN;22774106
- 4. Design and analysis of forklift by supreetharismhamurti, university of Washington 1327291
- 5. Design and modification and analysis of automobile wheel rim using finite element analysis (ISSN -2319-5991.
- Imran Memon, Farman Ali Mangi and Deedar Ali Jambo, "Collision Avoidance of Intelligent Service Robot for Industrial Security System", IJCSI International Journal of Computer Science Issues, Vol. 10, Issue 2, No 3, March 2013
- 7. AL NAZIRUL BIN HARON, "Design and fabrication of multipurpose trolley", University of Malaysia Pahang.
- 8. Thoguluva Raghavan Vijayram, Material handling technology and significance of expert systems to select appropriate handling equi8pments in Engineering industries, Journal of scientific and industrial research.
- 9. ABHILASH.J. K, "Robotic Trolley for material handling", Udaya School of Engineering, Trunnel
- 10. Theory of Machines by R.S Khurmi

INTERNATIONAL Standard Serial Number India







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com