

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Special Issue 1, April 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

🖂 ijirset@gmail.com



International Journal of Innovative Research in Science, Engineering and Technology An ISO 3297: 2007 Certified Organization 11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

Skin Disease Recognition Method Based on ImageColor and Texture Features

Mr. M.Venkatesan¹, V.Manikandan², M.Nishanthkumar³, G.Praveenkumar⁴, N.Dhanukumar⁵

Associate Professor, Department of Electronics and Communication Engineering, Adhiyamaan College of Engineering

[AUTONOMOUS], Hosur, Tamil Nadu, India¹

U.G Scholars, Department of Electronics and Communication Engineering, Adhiyamaan College of Engineering [AUTONOMOUS], Hosur, Tamil Nadu, India^{2, 3, 4,5}

ABSTRACT: In the present modernized world, Skin disease is one the most noteworthy regular infection among individualities. Skin sickness is uncommon development of skin cells on the outside of the body. A large portion of the skin affections are repairable at beginning times. So an early and quick recognition of skin sickness can spare the case's life. With the new invention, the position of skin sickness is conceivable at beginning stage. The once fashion for conclusion skin sickness recognition is Biopsy strategy. It's finished by expelling skin cells and that illustration goes to different exploration center testing. It's excruciating and tedious procedure. We've proposed skin sickness programmed discovery frame exercising open CV for the identification of skin infection. Skin conditions have a serious impact on people's life and health. Current exploration proposes an effective approach to identify singular type of skin conditions. It's necessary to develop automatic styles in order to increase the delicacy of opinion for multitype skin conditions. In this paper, three type skin conditions similar as herpes, dermatitis, and psoriasis skin complaint could be linked by a new recognition system. originally, skin images were preprocessed to remove noiseand inapplicable background by filtering and metamorphosis. also the system of slate- positionco-occurrence matrix(GLCM) was introduced to member images of skin complaint. The texture and color features of different skin complaint images could be attained directly. Eventually, by using the support vector machine(SVM) bracket system, three types of skin conditions were linked. The experimental results demonstrate the effectiveness and feasibility of the proposed system. It's precipitously worthwhile to cases. The dermatoscopy picture of skin infection is caught, picture upgrade and commotion expelling process through different pre-handling fashion. At that point Threshold fashion is employed to section the picture.

KEYWORDS: Skin Disease, Skin Cells, GLCM Methodology, Biopsy.

I. INTRODUCTION

Skin disease is a common and pervasive condition worldwide, affecting over 3.5 million cases annually. Carcinoma, including Melanoma, Squamous Cell, and Basal Cell Carcinoma, is the most common type of skin cancer. The detection of skin disease is crucial for recovery in the early stages, with a 94% survival rate in the early stages. However, this rate decreases as the disease progresses. Melanoma, for example, has a 15% survival rate in the final stage. To identify skin injuries, a dermatoscope is often used, but it is expensive and not widely available. Image processing techniques have advanced in medicine, with CT, DSA, and MRI being widely used. Researchers have developed methods for detecting skin diseases like varicella, herpes zoster, and psoriasis vulgaris. Some researchers have used partial differential equation (PDE) and reflectance confocal microscopy (RCM), computer vision techniques, and texture analysis.Automatic segmentation and classification of skin lesions have been proposed, including SVM and k-nearest neighbor classifiers. Other methods include optical confocal diagnosis, analytic systems for skin digital images, and pattern recognition. Some researchers have also explored skin cancer diagnosing methods using back propagation neural network classifiers, pattern recognition, and melanoma disease detection techniques.



ISSN (Online) : 2319 - 8753 ISSN (Print) : 2347 - 6710

International Journal of Innovative Research in Science, Engineering and Technology Volume 13, Special Issue 1, April 2024

An ISO 3297: 2007 Certified Organization

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

II. EXPERIMENTAL SETUP

Right now picture handling Face examination of skin sickness has been done. exercising traditional camera the filmland are recorded and subsequently created. It requires stacks of procedure for erecting upa picture. Now and also it might wound up withpoor snap catches or filmland taken accidentally. It also prompts also paining procedure.

III. PROPOSED SYSTEM

Right now videotape breaking down live procedure of a skin infection is deconstructed. exercising Integrated Webcam live videotape is recorded. It offers high pixel range and records excellent videotape tests. Asit comprised of implicit channels in it, obscure in filmland and undesirable clamorcan be expelled viably. Then EdgeDetection strategy is forced hereGaussian channels is employed, generally usd to obscure the filmland or to lessen noise. In this frame, we can change the acclimate values we can discover the part of sickness. The individualities can take claim drug from this procedure.

IV. WORKING OPERATION

Α. SEGMENTATION PROCESS

Division portions an image into irrefutable homes containing each pixel with near rates. It's useful for probing picture,



Figure 1: Skin disease

restatement and the areas ought to unequivocally identify with the delineated particulars or highlights of decoration. It's the starting advance from low- position picture handling move a grayscale or shadowing picture into at least one another filmland to elevated position picture definition as far as highlights, papers, and scenes. The picture can be deconstructed andit tends to be relies on responsibility of division, yet an ongoing procedure of a picture is generally a delicate issue. Divisionstrategies depends on applicable ornon-logical. The connections between highlights in a picture and gathering pixels together grounded on some worldwide quality, for illustration dim position or shading. Applicable strategies are abuse these connections. For illustration bunch together pixels with relative dark shading situations and close spatial areas.

In the wake of expelling the commotion and hair from the injury region, the sore needs to part from the skin, and in this way the investigation for determination is led simply utilizing the fundamental zone. There are great deal of division strategies feasible for this investigation.



ISSN (Online) : 2319 - 8753 ISSN (Print) : 2347 - 6710

International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization Volume 13, Special Issue 1, April 2024

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

B. THERSHOLDING

This fashion decides the limit and subsequently the pixels are separated into bunches dependent on that foundation. It incorporates bi-level and multi thresholding. The fashion incorporates Histogram and Adaptive procedure.

C. COLOUR BASED SEGMENTATION

computations Segmentation depends on shadowing separation. It was incorporate standard part change or round arrange change.

D. DISCONTINUITY-BASED SEGMENTATION

Discovery of sore edges exercising dynamic shapes or helical pursuit strategies or zero crossroad of Laplacian of Gaussian(LoG). It covers Active forms, Radial inquiry and LoG3.2.4 Region- grounded division, it's a fashion for parting the picture into littler pixels at that point consolidating sub filmland which are touching and relative in some sense. It incorporates Statistical area consolidating, multi scale quarter developing, and morphological flooding. It depends on the technical picture, for illustration, Split and union Statistical Region incorporatingMulti-Scale Morphological flooding

E. IMAGE ENHANCEMENT

Image Improvement is the one of the procedure used to fete the changing motorized picture. The issues are precipitously reasonable for show picture examination. For case, you can void commotion, hone or light up of motorized filmland, making easy to fete crucial element. ways

- Filtering with morphological exertion.
- Histogram balance.
- Noise expatriation.
- Linear separate revision Median siftingetc.

F. EDGE DETECTION TECHNIQUE

Edge discovery incorporates an multifariousness of numerical strategies that target feting focuses in an advanced picture at which the picture splendor changes pointedly or, all the more officially, has discontinuities. It works meetly in splendid zone. Channel is employed to obscure picture and expel commotion. It's employed for picture division and information birth procedure, for illustration, picture preparing, PC vision. Ringworm is honored stylish exercising edge position.

G. GRAY SCALE

Grayscale is a compass of monochromic conceals from dark to white shading. It contains just tones of dark shading and no shading. Grayscale values are spoken to as mated rates as 0's and 1's. Grayscale filmland are made out of pixels spoke to by different bits of data, naturally extend from 2 to 8 bits or further. Grayscale measures the power of the light reflected from a zone(spot) of aeroplane face and characterizes every pixel(picture element) as a byte. It's used to fete the each pixels image. This grayscale image having numerous tones of argentine in between pixels. It concentrate on the strongest quantum of light(black or white) or brilliance of the images. Grayscale image is substantially on brilliance not colour fastening. Pixles are comprised of red, green and blue blotches.



International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization Volume 13, Special Issue 1, April 2024

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

H. RGB MATRIX CLASSIFICATION



Figure 2: RGB Matrix

V. INTRODUCTION TO THE RGB MODEL

Right now, appreciation of tinges is a need. The way to having the option to contemplate and talk about tinges is a conventional system for quantizing their parcels. A concealing model is a advised logical model depicting the way in which tones can be addressed as tuples of figures, typically as three or four characteristics or concealing. The principle provocation behind the RGB shadowing model is for the detecting, depiction, and show of filmland in electronic fabrics, for illustration, TVs and PCs, still it has also been employed in ordinary photography. This post will present one the most mainstream models the RGB shadowing model. There are two kinds of shadowing models added substance and subtractive. Added substance shading models use light to show shading, while subtractive shading

models use publishing inks. The most extensively honored shadowing models that visual originators work with are the CMYK model for printing and the RGB model for PC show.

J.RGB COLOR MODEL

At the point when the force of every one of the three corridor is 0, the shading is dark. At the point when every one of the three are at 100 power the shading is white as the below figure represents. Whenever each of the three corridor are original, the posterior shading will be dim, the dimness of which will fall nearly near to high discrepancy contingent upon the power regard. Notwithstanding the three essential tones of the model, the realistic over outlines three other critical tinges the supplementary tinges, tinges shaped when two of the three parts are at 100 force and the third part is missing completely. The three voluntary tinges in the RGB model are unheroic, made by consolidating red and green, fuchsia, made by joining blue and red, and cyan, the mix of blue and green. Every voluntary shading is the supplement of an essential shading, explicitly the essential shading that's missing from itself. For unheroic, maroon, and cyan the relating essential tinges are blue, green, and red, collectively. At the point when the three parts do not have a analogous worth, the shading will have a tone that falls nearer to either red, green, or blue contingent upon which part has the biggest worth. Survey profile is known as a shadowing space.



ISSN (Online) : 2319 - 8753 ISSN (Print) : 2347 - 6710

Volume 13, Special Issue 1, April 2024

International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

K.HSV COLOUR SPACE:



Figure 3: RGB color Spaces

Shade, Achromatism, and Value(HSV) is a shading model that's constantly employed rather of the RGB shadowing model in designs and makeup programs. In exercising this shading model, a shading is determined at that point white or dark is added to painlessly make shading differences. HSV may likewise be called HSB(short for shade, absorption and splendor). Not at each like RGB and CMYK, which use essential tinges, HSV is nearer to how people see shadowing. It has three parts shade, absorption, and worth. This shading space portrays tinges(tone or shade) as far as their shade(absorption or measure of dark) and their splendor regard. Scientifically, the picture is a constant capacity(congruity) with the power of light in the field of two measures. So as to be handled with a motorized PC, a picture must be given numerically separate rates. depiction of a patient capacity into separate rates is called picture digitization. A motorized picture can be spoken to by a two dimensional grid f(x, y) comprising of M sections and N lines, where conjunctions among parts and columns are called pixels(picture element) or the lowest element of a picture



Figure 4: Picture Element



Volume 13, Special Issue 1, April 2024

International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

VI. SIMULATION OUTPUT



Figure 5: corpora detected

The skin is affected area is honor by the artificial intelligence using RGB colour rendering and grayscale coding. The image is scrutinized by the size and achromatism of the colour. This is the affair of the simulation and the drug are instruct to take for the complaint cure. This isn't accurate affair but we can honor the complaint which is affected. By streamlining the calibrating values we can identify numerous conditions and increase the delicacy rate of the conditions





VII. CONCLUSION

In this paper, the analysis system of perpendicular image segmentation is employed to identify three common skin conditions. A number of inapplicable variables can be reduced through image filtering, image gyration, and Euclidean distance metamorphosis applied in image preprocessing. also, the vertical line for each point on the main axis can be determined. And, the epithelium can be divided into ten perpendicular image regions. Grounded on this, the slate-positionco-occurrence matrix is espoused to prize the texture point, and the area pixel system is applied to prize the characteristics of the lesion area. Eventually, the support vector machine is employed to classify the data of three different skin conditions according to the features of the texture and the lesion area, achieving a more ideal delicacy of recognition. nonetheless, the paper concentrating on herpes, dermatitis, and psoriasis doesn't consider the different symptoms caused by the same kind of skin complaint. For case, eczema, herpes, and rubella all belong to the same series. thus, it'll be the focus of coming step to fete different types of skin conditions of the same kind of series by using image processing fashion.



Volume 13, Special Issue 1, April 2024

International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

REFERENCES

- 1. Z. Hu and C. S. Yu, "Functional research and development of skin barrier," Chinese Journal of Clinicians, vol. 7, no. 7, pp.3101–3103, 2013.
- 2. View at: Google Scholar
- 3. V. Vezhnevets, V. Sazonov, and A. Andreeva, "A survey on pixel-based skin color detection techniques," in Proceedings of Graphicon 2003, pp. 85–92, Moscow, Russia, September 2003.
- 4. View at: Google Scholar
- J. Oyola and V. Arroyo, "Detection of chickenpox vesicles in digital images of skin lesions," in Proceedings of 17th Iberoamerican Congress on Progress in Pattern Recognition, Image Analysis, Computer Vision, and Applications, pp. 583–590, Buenos Aires, Argentina, September 2012.
- 6. View at: Google Scholar
- 7. D. H. Chung and G. Sapiro, "Segmenting skin lesions with partial differential-equations-based image processing algorithms," IEEE Transactions on Medicine Image, vol. 19, no. 7, pp. 763–767, 2000.
- 8. View at: Publisher Site | Google Scholar
- 9. S. R. Yu, X. H. Zhao, and X. M. Pu, "Image characteristics of dermopathic herpesvirus disease under reflectance confocalmicroscope," China Journal of Leprosy and Skin Diseases, vol. 31, no. 2, pp. 85–88, 2015.
- 10. View at: Google Scholar
- 11. L. S. Zhong, X. Jin, and C. Quan, "Diagnostic applicability of confocal laser scanning microscopy in psoriasis vulgaris," Chinese Journal of Dermatovenereology, vol. 25, no. 8, pp. 607-608, 2011.
- 12. View at: Google Scholar
- 13. R. Sumithra, M. Suhilb, and D. S. Guruc, "Segmentation and classification of skin lesions for disease diagnosis," ProceediaComputer Science, vol. 45, pp. 76–85, 2015.
- 14. View at: Publisher Site | Google Scholar
- 15. R. Yasir, M. S. I. Nibir, and N. Ahmed, "A skin disease detection system for financially unstable people in developing countries," Global Science and Technology Journal, vol. 3, no. 1, pp. 77–93, 2015.
- 16. View at: Google Scholar
- S. Arivazhagan, R. N. Shebiah, K. Divya, and M. P. Subadevi, "Skin disease classification by extracting independent components," Journal of Emerging Trends in Computing and Information Sciences, vol. 3, no. 10, pp. 1379–1382, 2012. View at: Google Scholar
- 18. H. J. Niu, K. K. Shang, and Y. Liu, "Study of segmenting skin erythema images by reducing dimensions of colorspace," Computer Engineering and Applications, vol. 13, no. 3, pp. 219–221, 2006.
- 19. View at: Google Scholar
- 20. F. Liu and H. X. Guo, "Research progress of CT in skin diseases," Chinese Journal of Dermatovenerol Integrated Traditional Western Medicine, vol. 313, no. 3, pp. 189–191, 2014.
- 21. View at: Google Scholar
- 22. W. Luo, R. S. Meng, and R. K. Cai, "Application of CDIA system in measurement and research of vitiligo," ChineseMedical Journal, vol. 22, no. 12, pp. 1059-1060, 2011.
- 23. View at: Google Scholar
- 24. J. Lu, E. Kazmierczak, and H. Jonathan, "Automatic segmentation of scaling in 2-D psoriasis skin images," IEEETransaction on Medical Imaging, vol. 32, no. 4, pp. 719–730, 2013.
- 25. View at: Publisher Site | Google Scholar
- J. A. Jaleel, S. Salim, and R. B. Aswin, "Artificial neural network based detection of skin cancer," International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, vol. 1, no. 3, pp. 200– 205, 2012.
- 27. View at: Google Scholar
- S. Salimi, M. S. Nobarian, and S. Rajebi, "Skin disease images recognition based on classification methods," International Journal on Technical and Physical Problems of Engineering, vol. 22, no. 7, pp. 78–85, 2015.
- 29. View at: Google Scholar
- 30. M. Ganeshkumar and J. J. B. Vasanthi, "Skin disease identification using image segmentation," International Journal ofInnovative Research in Computer and Communication Engineering, vol. 5, no. 1, pp. 154–160, 2017.



International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization Volume 13, Special Issue 1, April 2024

11th National Conference on Frontiers in Communication & Signal Processing Systems (NCFCSPS '24)

25th - 26th April 2024

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

- 31. View at: Google Scholar
- 32. S. Kolkur, D. Kalbande, P. Shimpi, C. Bapat, and J. Jatakia, "Human skin detection using RGB, HSV and YCbCr Colormodels," Advances in Intelligent Systems Research, vol. 137, pp. 324–332, 2016.
- 33. View at: Google Scholar
- 34. E. S. Gindhi, A. Nausheen, A. Zoya, and S. Ruhin, "An innovative approach for skin disease detection using image processing and data mining," International Journal of Innovative Research in Computer and Communication Engineering, vol. 5, no. 4, pp. 8135-8141, 2017.
- 35. View at: Google Scholar
- 36. A. L. Kotian and K. Deepa, "Detection and classification of skin diseases by image analysis using MATLAB," International Journal of Emerging Research in Management and Technology, vol. 6, no. 5, pp. 779–784, 2017.
- 37. View at: Google Scholar
- 38. S. Kumar and A. Singh, "Image processing for recognition of skin diseases," International Journal of Computer Applications, vol. 149, no. 3, pp. 37-40, 2016.
- 39. View at: Publisher Site | Google Scholar
- 40. S. De, R. Joe Stanley, C. Lu et al., "A fusion-based approach for uterine cervical cancer histology image classification," Computerized Medical Imaging and Graphics, vol. 37, no. 8, pp. 475-487, 2013.
- 41. View at: Publisher Site | Google Scholar
- 42. H. Guo and H. T. Huo, "Research on the application of gray level co-occurrence matrix for skin texture detection," Journalof Image and Graphic, vol. 15, no. 7, pp. 1074–1078, 2010.
- 43. View at: Google Scholar

BIOGRAPHY

Mr. M. Venkatesan, Associate professor, Electronics and CommunicationEngineering Department, Adhiyamaan College of Engineering, Hosur.

Manikandan V, Electronics and CommunicationEngineering Department, Adhiyamaan College of Engineering, Hosur.

Nishanthkumar M. Electronics and CommunicationEngineering Department, Adhiyamaan College of Engineering, Hosur.

Praveenkumar G, Electronics and CommunicationEngineering Department, Adhiyamaan College of Engineering, Hosur.

Dhanukumar N, Electronics and CommunicationEngineering Department, Adhiyamaan College of Engineering, Hosur.











INTERNATIONAL Standard Serial Number India







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com