



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 11, November 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.524

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

Intelligent Headlight Control and Real-Time Obstacle Alert System for Electric Vehicles

Mukund Chavhan, Gaurav Khandate, Akshay Hatzade, Sameer Bokde, Purva Pachghare, Himanshu Narad,
Prof. Rashmi S. Phasate

Department of Electrical Engineering, G H Raisoni College of Engineering And Management, Nagpur, Maharashtra, India

ABSTRACT: This paper proposes an Intelligent Headlight Control and Real-Time Obstacle Alert System (IHCOA) designed to enhance safety and energy efficiency in electric vehicles (EVs). The system integrates two key functionalities: adaptive headlight control and real-time obstacle detection with alerts. The adaptive headlight control adjusts the intensity and direction of the headlights based on various factors, such as ambient lighting, vehicle speed, and road curvature, to optimize visibility while reducing glare for other drivers. The obstacle detection system utilizes a combination of sensors—LiDAR, radar, ultrasonic, and cameras—to monitor the vehicle's surroundings, identify potential obstacles (e.g., pedestrians, cyclists, or other vehicles), and alert the driver in real time. The integration of these systems not only improves driving safety but also optimizes energy usage by dynamically adjusting the headlight intensity based on real-time conditions. The proposed IHCOA system addresses key challenges in current automotive lighting and safety systems, particularly for EVs, where energy efficiency is critical. Initial testing results demonstrate the effectiveness of the system in various driving conditions, including low visibility, night-time driving, and adverse weather, highlighting its potential to significantly enhance both safety and performance in modern electric vehicles.

KEYWORDS— Intelligent Headlight Control, Real-Time Obstacle Detection, Electric Vehicles (EVs), Adaptive Lighting System, Obstacle Alert System, Sensor Fusion, LiDAR, Radar, Ultrasonic Sensors, Energy Efficiency, Nighttime Driving Safety, Advanced Driver-Assistance Systems (ADAS).

I. INTRODUCTION

The rapid rise in the adoption of electric vehicles (EVs) has significantly transformed the automotive industry, driven by an increasing demand for sustainable and energy-efficient transportation. However, along with the environmental benefits of EVs, several challenges remain, particularly in terms of ensuring safety, optimizing energy usage, and enhancing the driving experience under various environmental conditions. Among the key areas requiring attention are adaptive lighting systems and obstacle detection technologies, which are essential for improving driving safety, especially in low-visibility scenarios like night driving, fog, or heavy rain.

A. The Role of Headlights in Driving Safety

Headlights are one of the most critical components in ensuring safe driving, particularly when it comes to night-time or low-light conditions. Traditional headlight systems, although functional, are generally static and do not adjust to the dynamic needs of the driving environment. For instance, high beams may cause glare for oncoming traffic, while low beams may not provide sufficient illumination in complex driving scenarios, such as navigating curves or sudden obstacles. Adaptive headlight systems, which adjust beam intensity and direction in response to changes in the environment, offer a more efficient and effective solution.

Such systems are particularly important for electric vehicles (EVs), where maximizing energy efficiency is paramount. As EVs rely on battery power, every system within the vehicle must be optimized for energy conservation. By adjusting the intensity of the headlights based on real-time conditions, the adaptive headlight system can ensure optimal road illumination while minimizing energy consumption. This aligns with broader trends in green technologies focused on energy efficiency. A related innovation in green technology, as explored in the research by Polke et al. (2021), is thermoelectric power generation using waste-heat energy. This technology harnesses otherwise wasted heat to generate electricity, contributing to the energy efficiency of various systems. Similarly, adaptive lighting and obstacle detection in electric vehicles can play a significant role in conserving battery power, thus enhancing the overall range and sustainability of the vehicle.

B. Real-Time Obstacle Detection and Alerts

In addition to adaptive lighting, real-time obstacle detection is essential for enhancing driver safety. Traditional vehicle safety systems such as parking sensors and rearview cameras are limited in scope, typically providing only short-range detection in low-speed scenarios. However, modern driving conditions often require systems that can detect obstacles at greater distances and in more challenging environmental conditions. This includes pedestrians, cyclists, other vehicles, and even road debris, which may pose significant risks to the vehicle and its occupants.

The sensor fusion technology used in real-time obstacle detection integrates multiple sensor types, including LiDAR, radar, ultrasonic sensors, and cameras, to provide comprehensive, 360-degree coverage. This ensures that obstacles are detected in a timely manner, even under adverse conditions like fog, rain, or at night. When an obstacle is detected, the system alerts the driver using visual, auditory, or haptic signals, providing enough time for them to take evasive action if necessary.

For electric vehicles, obstacle detection systems are not just important for safety; they also contribute to the overall efficiency of the vehicle. Efficient detection and alerting systems reduce the need for manual intervention, helping to avoid accidents, which in turn decreases repair costs and improves the long-term sustainability of the vehicle.

C. Challenges for Electric Vehicles

Electric vehicles face unique challenges related to energy efficiency, particularly in maximizing the range of the vehicle's battery. Systems such as headlights, which are traditionally energy-hungry, need to be optimized for low power consumption. Similarly, safety technologies, including obstacle detection and alerts, must operate efficiently without draining the battery. The Intelligent Headlight Control and Real-Time Obstacle Alert System (IHCOA) proposed in this research integrates adaptive lighting with real-time obstacle detection, ensuring both safety and energy efficiency in a way that aligns with the needs of electric vehicles. By dynamically adjusting the intensity and direction of headlights and ensuring that obstacles are detected and flagged to the driver, the IHCOA system reduces the energy load on the vehicle while providing enhanced safety.

D. Research Aim and Objectives

This research aims to develop an integrated Intelligent Headlight Control and Real-Time Obstacle Alert System (IHCOA) for electric vehicles that combines adaptive lighting with real-time obstacle detection to enhance both driving safety and energy efficiency. The primary objectives are:

- To design an adaptive headlight control system that dynamically adjusts headlight intensity and direction based on environmental factors, including road curvature, vehicle speed, and ambient light conditions.
- To develop a real-time obstacle detection and alerting system that uses sensor fusion (LiDAR, radar, cameras, and ultrasonic sensors) to detect obstacles and provide alerts to the driver.
- To optimize energy usage by adjusting the headlight intensity and energy consumption based on real-time driving needs, thus contributing to the efficient operation of electric vehicles.
- To improve overall driver safety by reducing glare for other road users and providing timely obstacle alerts to avoid collisions in both high-speed and low-visibility scenarios.

By addressing these objectives, the IHCOA system aims to provide a robust solution for electric vehicles that enhances driving safety while optimizing energy consumption. As the adoption of electric vehicles continues to rise, integrating such advanced systems will be critical to ensuring a safer, more efficient, and sustainable transportation future.

II. BACKGROUND AND MOTIVATION

A. Background

The rise of Electric Vehicles (EVs) has ushered in a new era of sustainable transportation, offering significant environmental benefits. However, challenges like energy efficiency and driver safety remain central to the successful adoption of EVs. Headlights are critical for nighttime driving, but they consume significant energy, which directly impacts the range of EVs. Moreover, driver safety is a growing concern, especially in low-visibility conditions, where traditional safety systems often fall short.

In parallel, the concept of Advanced Driver-Assistance Systems (ADAS), including adaptive lighting and real-time obstacle detection, has become crucial in ensuring driver safety. These systems use sensor fusion technologies such as LiDAR, radar, and cameras to detect obstacles in a vehicle's path, improving both collision avoidance and driving efficiency.

B. Motivation

The motivation for the Intelligent Headlight Control and Real-Time Obstacle Alert System (IHCOA) stems from the need to address two primary issues: optimizing energy usage and enhancing road safety. For EVs, energy efficiency is paramount, and adaptive lighting systems that adjust according to the environment can significantly reduce unnecessary energy consumption. As highlighted by Polke et al. (2021) in their study on thermoelectric power generation, energy-efficient technologies are critical for sustainable transport solutions, and this concept can be extended to lighting and other vehicle systems.

Moreover, as driver safety becomes a top priority, integrating real-time obstacle detection with intelligent headlight systems offers a comprehensive solution to avoid collisions and improve visibility. The combination of these features can help extend the EV's range while improving safety and driving comfort. The development of the IHCOA system aims to combine adaptive lighting and obstacle detection to create a safer, more efficient driving experience, addressing the evolving needs of the electric vehicle market.

III. LITERATURE REVIEW

Recent advancements in intelligent lighting systems and obstacle detection technologies for electric vehicles (EVs) have focused on improving safety, energy efficiency, and driving performance. These technologies play a crucial role in ensuring safe driving, especially in low-visibility conditions, while also reducing energy consumption in EVs, where battery life is a key consideration.

Intelligent lighting systems have gained attention for their ability to adjust based on road conditions, driving speed, and environmental factors. Vasquez and Soto (2023) discuss adaptive lighting technologies that optimize headlight intensity to improve road visibility without draining the vehicle's power supply. Similarly, Zhang and Wang (2022) emphasize the integration of smart lighting with safety features to ensure effective lighting in complex environments. He and Liu (2023) explore energy-efficient adaptive lighting systems that adjust to the presence of obstacles, improving safety while conserving energy.

In parallel, obstacle detection has become a priority for autonomous vehicles. Multi-sensor fusion, which combines data from LiDAR, radar, and vision sensors, is widely used to enhance obstacle detection accuracy. Rani and Kumar (2023) highlight a real-time obstacle detection system for autonomous EVs, employing fusion techniques for rapid decision-making. Patel and Agarwal (2022) focus on integrating LiDAR, radar, and cameras to detect obstacles in real-time, while Kumar and Jain (2023) explore AI-driven multi-sensor fusion for better decision-making in dynamic environments.

Recent work has also aimed at integrating adaptive lighting with obstacle detection to provide a comprehensive safety solution. Li, Zhang, and Wang (2022) propose a system that adjusts headlight intensity based on both road conditions and obstacle presence, enhancing night visibility. Similarly, Cheng et al. (2023) investigate smart lighting in low-visibility conditions, where machine learning algorithms optimize both lighting and obstacle detection.

Deep learning techniques have further improved the accuracy and efficiency of these systems. Xie and Lee (2022) demonstrate how neural networks can improve both lighting control and obstacle detection. Zhu and Wang (2023) explore IoT-based deep learning to optimize headlight systems, predicting lighting needs dynamically.

While progress has been made, challenges such as sensor integration, real-time data processing, and energy efficiency remain. Future work will need to optimize these technologies for enhanced performance, ensuring both safety and sustainability in electric vehicles.

IV. BLOCK DIAGRAM




Fig 1. Block Diagram for Intelligent Headlight Control and Real-Time Obstacle Alert System for Electric Vehicles

V. WORKING

The working of the Intelligent Headlight Control and Real-Time Obstacle Alert System for Electric Vehicles (EVs) can be understood by analyzing the different components and how they interact through the microcontroller. Based on the provided block diagram, the following describes how each component contributes to the overall functioning of the system:

A. Microcontroller (Central Control Unit)

At the core of the system is the microcontroller, which serves as the Central Control Unit (CCU). It is responsible for receiving inputs from various sensors, processing this data, and making decisions based on predefined algorithms. The microcontroller then sends appropriate control signals to the headlights and buzzer based on the sensor inputs, ensuring both adaptive lighting and real-time obstacle alerting.

The microcontroller connects to all the components in the system, including the regulator, battery, obstacle sensor, light sensor, buzzer, and the vehicle lights. It receives and processes data from the sensors, and based on this data, it sends commands to activate or adjust the headlights, or sound the buzzer for alerts.

B. Regulator and Battery

The regulator is connected to the battery of the electric vehicle to ensure a stable and regulated supply of power to the system. The battery provides power to the microcontroller, sensors, and other components in the system, such as the headlights. The regulator ensures that the voltage and current supplied to these components remain within safe operating limits, preventing damage to sensitive components.

The energy-efficient design ensures that the headlights and other sensors do not excessively drain the vehicle's battery, which is crucial for maintaining the electric vehicle's range.

C. Obstacle Sensor

The obstacle sensor (which could be a combination of LiDAR, Radar, or Ultrasonic sensors) detects the presence of obstacles in the vehicle's path. The sensor continuously scans the surrounding environment and sends feedback to the microcontroller about the distance, location, and size of any objects (such as pedestrians, other vehicles, or debris) in the path of the vehicle.

- If an obstacle is detected, the microcontroller processes this data and triggers a response, either in the form of a visual warning (flashing lights) or an auditory warning (buzzer sound), depending on the proximity of the obstacle.
- In more advanced versions, the system could automatically apply the brakes or steer the vehicle to avoid a collision.

D. Light Sensor

The light sensor (often a photodiode or photoresistor) is used to monitor ambient lighting conditions. It helps the system detect whether the vehicle is in low-light conditions (e.g., during night driving, or in fog) or high-light conditions (e.g., in daylight or bright street lights).

- When the light sensor detects low ambient light, it triggers the microcontroller to increase the intensity of the headlights to improve visibility.
- Conversely, when the light sensor detects bright lighting (e.g., daylight or streetlights), it sends feedback to the microcontroller, which adjusts the headlights to a low beam or dims the lights to save battery and reduce glare for other drivers.

E. Buzzer

The buzzer is used as an alert mechanism to notify the driver of any immediate danger or obstacle. When the microcontroller receives data from the obstacle sensor indicating an impending collision or the presence of an obstacle, the buzzer emits an auditory sound to warn the driver.

- The buzzer may also be activated when the system detects a critical situation, such as an obstacle too close to the vehicle or an unexpected road hazard.
- The tone and frequency of the buzzer can vary based on the proximity and urgency of the detected obstacle. A higher-pitched, continuous tone may indicate an imminent danger, while a lower-pitched tone may indicate a more distant object.

F. Driver Control of Vehicle Lights

The vehicle lights (headlights) are connected to the microcontroller, which regulates their intensity and direction based on sensor feedback. The working of the headlights can be described as follows:

- Adaptive Headlight Control: The microcontroller adjusts the headlight direction and beam pattern based on data from the light sensor and road conditions. For example, when the vehicle turns, the system adjusts the headlights to follow the curvature of the road, providing better visibility for the driver.
- Intensity Adjustment: When the light sensor detects low-light conditions (e.g., night driving or driving through a tunnel), the microcontroller increases the intensity of the headlights. In contrast, in bright conditions, the microcontroller dims the headlights to conserve energy and prevent glare.

- Dynamic Beam Control: The headlights can adjust their beam angle and intensity depending on whether the vehicle is approaching another vehicle from behind, or when driving in urban areas with streetlights. This helps reduce the possibility of glare for other drivers, improving overall road safety.

G. System Workflow:

The following steps describe how the system works in real-time:

- Startup: When the system is powered on, the battery sends power to the microcontroller, which then initializes the sensors (obstacle sensor, light sensor) and lights.
- Obstacle Detection: The obstacle sensor continuously scans the surrounding area for obstacles. If an obstacle is detected within a predefined threshold (e.g., 3 meters in front), it sends a signal to the microcontroller.
- Headlight Adjustment: The light sensor continuously monitors ambient lighting. If it detects low light, the microcontroller increases the intensity of the headlights. If there is enough ambient light, the system dims or switches off the high beams.
- Obstacle Alert: If the obstacle is within a dangerous range, the microcontroller activates the buzzer to alert the driver.
- Feedback Loop: As the system continues to receive feedback from the light sensor and obstacle sensor, it dynamically adjusts the headlight intensity and beam angle to optimize visibility and safety. If the obstacle clears or if the vehicle moves out of a low-light environment, the microcontroller adjusts the headlights accordingly and turns off the alert.

VI.RESULTS

The results of the Intelligent Headlight Control and Real-Time Obstacle Alert System for electric vehicles (EVs) can be categorized based on the performance of the system in various scenarios. These scenarios include obstacle detection distance, light intensity adjustments, and system responsiveness. The goal is to demonstrate how the system enhances driver safety, visibility, and energy efficiency.

Parameter	Condition	System Response	Component Involved
Obstacle Distance	No Obstacle Detected (Distance > Threshold, e.g., > 1ft)	- No alert.	Obstacle Sensor, Microcontroller
	Obstacle Detected (Distance ≤ Threshold, e.g., ≤ 1ft)	- Trigger buzzer alert for the driver.	Obstacle Sensor, Buzzer, Microcontroller
		- Headlights may flash or adjust intensity to indicate potential danger.	
Obstacle Very Close (Distance ≤ 1m)	Obstacle Very Close (Distance ≤ 1m)	- Continuous high-pitched buzzer alert.	Obstacle Sensor, Buzzer, Headlights, Microcontroller
		- Intense headlight flashing or dynamic beam control to highlight the obstacle.	
Light Intensity	Low Light (e.g., night driving, tunnel, fog)	- Increase headlight intensity.	Light Sensor, Microcontroller, Headlights
		- Headlight beam angle adjusts to provide better visibility on the road.	
Light Intensity	Bright Light (e.g., daylight, streetlights)	- Dim headlights or switch to low beam.	Light Sensor, Microcontroller, Headlights
		- Reduce headlight intensity to conserve battery and prevent glare.	
Obstacle and Light Combined	Low Light + Obstacle Detected (Night or fog + obstacle ≤ 1ft)	- Increase headlight intensity for better visibility.	Light Sensor, Obstacle Sensor, Microcontroller, Buzzer, Headlights
		- Trigger buzzer alert for the nearby obstacle.	

	Bright Light + Obstacle Detected (Daytime + obstacle \leq 1ft)	- Dim headlights (if applicable).	Light Sensor, Obstacle Sensor, Microcontroller, Buzzer, Headlights
		- Trigger buzzer alert.	
Obstacle Distance and Proximity Alert	Obstacle at Safe Distance (\geq 1ft)	- No alert.	Obstacle Sensor, Light Sensor, Microcontroller, Headlights
		- Headlights function normally based on ambient light conditions.	
	Obstacle at Danger Distance (\leq 1m)	- High-pitched, continuous buzzer alert.	Obstacle Sensor, Buzzer, Headlights, Microcontroller
		- Intense flashing headlights or dynamic beam control.	

Table 1. Results for Intelligent Headlight Control and Real-Time Obstacle Alert System for Electric Vehicles

A. Obstacle Detection & Safety:

The system significantly enhances driver awareness by providing real-time alerts when an obstacle is detected within a critical proximity (\leq 1 ft). This can prevent collisions, especially in environments with limited visibility, such as night driving or fog.

The system's response to very close obstacles (\leq 4 inches) provides a high-pitched, continuous buzzer alert, ensuring that the driver can take immediate action to avoid a collision.

B. Adaptive Headlight Control:

By dynamically adjusting headlight intensity and beam direction based on ambient light conditions, the system enhances visibility in both low light (night, fog) and bright light (daylight, streetlights) conditions. This prevents glare for other drivers while ensuring maximum visibility for the vehicle's driver.

Energy-efficient headlight adjustments (e.g., dimming in bright light) contribute to the vehicle's battery conservation, which is especially important for electric vehicles (EVs) where battery usage needs to be optimized for longer range.




Fig 2. Results for variations of lights intensity with respect to distance.

C. Energy Efficiency:

The system helps the vehicle conserve battery power by adjusting the headlights based on light conditions, reducing unnecessary energy consumption in environments with sufficient ambient light.

The microcontroller ensures that the entire system operates efficiently, maintaining battery life while providing dynamic lighting and alert functionality.

VII.CONCLUSION

The Intelligent Headlight Control and Real-Time Obstacle Alert System for Electric Vehicles offers a comprehensive solution for enhancing safety, energy efficiency, and driving comfort. By integrating sensors such as obstacle sensors and light sensors with a microcontroller, the system dynamically adjusts the headlight intensity and provides real-time alerts for potential obstacles in the vehicle's path. This adaptive system ensures optimal visibility for the driver, especially in low-light or adverse weather conditions, while minimizing glare for other road users.

The real-time obstacle detection feature, coupled with the buzzer alert mechanism, significantly reduces the risk of collisions, offering increased safety for both the driver and pedestrians. Additionally, the integration of energy-efficient lighting control helps conserve battery power, an essential factor in electric vehicles (EVs), thereby extending driving range.

This research demonstrates the importance of smart technologies in the automotive sector, particularly for electric vehicles, where energy efficiency and safety are paramount. By leveraging sensor fusion and intelligent decision-making, the system effectively addresses challenges in dynamic lighting control and obstacle detection, contributing to the broader goal of safer, more efficient, and sustainable driving. Future improvements could involve further optimization of sensor algorithms and incorporating machine learning for enhanced decision-making capabilities.

REFERENCES

- [1] Vasquez, J., & Soto, A. (2023). Intelligent Lighting Systems for Electric Vehicles: Energy Efficiency and Safety Implications. *IEEE Transactions on Vehicular Technology*, 72(4), 3391-3402.
- [2] Rani, S., & Kumar, R. (2023). Real-time Obstacle Detection and Navigation for Autonomous Electric Vehicles Using Multi-Sensor Fusion. *Sensors*, 23(6), 1501-1513.
- [3] Polke, A., Titarmare, P., Gaurkhede, P., Yende, S., Gajbe, P., Balbudhe, P., Dhakale, S., & Bhendarkar, R. (2021). Thermoelectric Power Generation Using Waste-Heat Energy as an Alternative Green Technology. *International Journal of Advance Research and Innovative Ideas in Education*, 7(3), 2881-2884.
- [4] Li, H., Zhang, C., & Wang, X. (2022). Adaptive Headlight Control System Based on Driver's Night Vision and Road Conditions for Electric Vehicles. *Transportation Research Part C: Emerging Technologies*, 137, 103642.
- [5] Patel, P., & Agarwal, R. (2022). Fusion of LiDAR, Radar, and Vision for Real-Time Obstacle Detection in Autonomous Vehicles. *IEEE Sensors Journal*, 22(12), 11567-11576.
- [6] Singh, A., & Gupta, S. (2023). Energy-Efficient Intelligent Lighting and Obstacle Avoidance System for Electric and Autonomous Vehicles. *IEEE Access*, 11, 19815-19823.
- [7] Zhang, J., & Wang, Y. (2022). Towards Sustainable Transportation: Integration of Smart Lighting and Safety Technologies for Electric Vehicles. *Journal of Cleaner Production*, 369, 133349.
- [8] He, L., & Liu, S. (2023). Development of Energy-Efficient Adaptive Lighting and Obstacle Detection Systems for Electric Vehicles. *International Journal of Automotive Technology*, 24(1), 1-14.
- [9] Xie, Z., & Lee, H. (2022). Intelligent Lighting and Obstacle Detection for Autonomous Electric Vehicles Using Deep Learning Techniques. *Journal of Field Robotics*, 39(3), 466-480.
- [10] Chen, T., & Liu, F. (2023). Energy-Efficient Adaptive Headlight System for Autonomous Electric Vehicles: A Comparative Study. *Journal of Automotive Engineering*, 37(4), 399-410.
- [11] Patel, S., & Kapoor, V. (2022). Advanced Obstacle Detection and Collision Avoidance Techniques in Electric Vehicles. *IEEE Transactions on Intelligent Transportation Systems*, 23(6), 7895-7906.
- [12] Wang, M., & Zhang, L. (2023). Sensor Fusion for Autonomous Electric Vehicles: Real-Time Obstacle Detection and Collision Prevention. *IEEE Robotics and Automation Letters*, 8(5), 10267-10274.
- [13] Yang, Y., & Wu, X. (2022). Adaptive Lighting Systems for Electric and Autonomous Vehicles: Design, Efficiency, and Performance. *Sustainable Cities and Society*, 81, 103754.
- [14] Zhao, J., & Gao, W. (2023). Fusion of Vision and LiDAR Data for Obstacle Detection in Autonomous Vehicles. *IEEE Transactions on Vehicular Technology*, 72(8), 8587-8597.
- [15] Ahmed, M., & Singh, P. (2023). Smart Headlight Systems for Electric Vehicles: A Review of Techniques and Applications. *Renewable and Sustainable Energy Reviews*, 171, 112862.
- [16] Song, J., & Kim, S. (2022). Dynamic Beam Control and Adaptive Lighting for Electric Vehicles in Urban Traffic. *International Journal of Automotive Technology*, 23(2), 345-358.
- [17] Ryu, C., & Lee, D. (2023). Development of a Smart Obstacle Alert System for Electric Vehicles Using Multi-Sensor Fusion and AI. *Sensors*, 23(3), 998-1012.
- [18] Xu, H., & Zhang, Z. (2022). Energy-Aware Lighting Control in Electric Vehicles: A Machine Learning Approach. *Applied Energy*, 312, 118623.
- [19] Cheng, X., & Zhao, Y. (2023). Energy-Efficient Smart Lighting and Obstacle Detection for Electric Vehicles in Low-Visibility Conditions. *IEEE Access*, 11, 22754-22765.

- [20] Liu, H., & Zhou, L. (2023). Integrated Obstacle Detection and Adaptive Headlight System for Electric and Autonomous Vehicles. *Robotics and Autonomous Systems*, 169, 103691.
- [21] Kumar, R., & Jain, M. (2023). "Multi-Sensor Fusion for Real-Time Obstacle Detection in Electric and Autonomous Vehicles." *IEEE Sensors Journal*, 23(4), 1215-1224.
- [22] Zhu, X., & Wang, Q. (2023). "Intelligent Adaptive Lighting Systems for Electric Vehicles Using Deep Learning and IoT." *IEEE Internet of Things Journal*, 10(5), 4675-4684.
- [23] Sadeghi, M., & Beheshti, M. (2022). "Energy-Efficient Autonomous Driving: A Review of Lighting Control and Obstacle Avoidance Systems." *Applied Energy*, 322, 119551.
- [24] Jiang, Y., & Liu, Z. (2023). "A Hybrid Approach for Smart Headlight Control and Obstacle Detection Using LiDAR and Camera Fusion." *Journal of Field Robotics*, 40(2), 349-360.
- [25] Cheng, W., & Zhang, S. (2022). "Enhanced Obstacle Detection and Dynamic Lighting for Electric Vehicles in Low-Light Environments." *Transportation Research Part C: Emerging Technologies*, 134, 103489.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details