



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 10, October 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.524

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

3D Printing with Robotic Arms in Construction: Enhancing Precision and Speed

Yousef Eissa


Student, Sahara EdTech, United States

ABSTRACT: This research has focused on the transformative effect of 3D printing and robotic arms in the construction industry. With the enhancement of precision and reduction of material waste by approximately 60%, these technologies are becoming a faster construction process and initiating sustainability. The research has highlighted the ways in which automation has minimised human error and allowed for the execution of complicated designs that lead to safer and more effective building practices. In addition to this, the integration of these innovations has supported eco-friendly construction processes and addressed labour issues. Therefore, this research has finally underscored the potential of 3D printing and robotic arms to reshape the upcoming scenario of the construction industry leading towards effectiveness and sustainability.

KEYWORDS: 3D Printing, Robotic Arms, Sustainability

I. INTRODUCTION

Additive manufacturing or 3D printing has gained importance in different industries because of the ability to formulate complicated structures with bare minimum material waste. In the construction business, the technology has provided enhanced precision speed and cost efficiency (Ahmed, 2023). Integration of robotic arms with 3D printing has elevated this potential by developing automation and scalability. Based on the report published by Grand View Research in 2023, the international market for 3D printing in construction was around 2.1 billion US dollars and was expected to grow at a compound annual growth rate (CAGR) of 91.5% from 2024 to 2030 (grandviewresearch.com, 2021). The robotic arms in 3D construction printing have provided materials with skill tolerance as low as 0.1 mm which has essentially minimised human error.



Source: (grandviewresearch.com, 2021)

In addition to this, based on the research by the World Economic Forum, it has been indicated that 3D printing has the credibility to minimise construction time by around 70% by providing substantial cost-effectiveness in labour and materials (Barjuei et al., 2022). For example, in 2022 a 3D printing company in Texas was established within just 24 hours at a fraction of conventional construction expenses (Ahmed, 2023). This innovation also has supported sustainable construction strategies that are estimated to suggest 3D printing by minimising construction waste within 30 to 60%. Therefore, the integration of robotic arms with 3D printing is improving and bringing revolution to the industries by improving precision and speed (Puzatova et al., 2022).

II. RATIONALE AND OBJECTIVE

The construction industry is often affected by increasing labour expenses and material wastage that leads to the delay of project deadlines and cost overruns. The Conventional building methods are labour-intensive and prone towards human error that can make derogatory adjustments to the quality and accuracy of the structure (Bach, 2023). This research focuses on exploring the holistic approach of 3D printing with robotic arms as a strategy to solve these challenges. Robotic arms can initiate automation towards the deposition process of the materials, improve precision and minimise the construction time efficiently. In the era of urbanization, the desire for housing and infrastructure is increasing and 3D printing technology can provide swifter and more cost-efficient and sustainable construction processes (Guamán-Rivera et al., 2022). Based on the McKinsey Global Institute, the construction sector can boost productivity upto 50% with the help of automation. Furthermore, the examination of the ways through which 3D printing with robotic arms can deal with current ineffectiveness and construction is important to realise that these benefits can foster innovation in the sector.

Objectives:

The basic objective of this research is to examine the role of 3D printing combined with robotic arms to enhance the accuracy and speed in construction. Especially the research paper aims to:

1. Assess precision improvements: Examine the degree of accuracy of robotic arms to achieve 3D printed structures in comparison to the conventional Construction techniques.
2. Evaluate speed gains: Examine the time that can be saved in construction projects with the help of 3D printing optimisation and robotic automation.
3. Explore sustainability benefits: Identify the integration of robotic arms with 3D printing contribution towards reducing material waste and promoting of ecologically sustainable construction practices.
4. Case studies: Examples will be provided regarding Real-world projects that have been successfully applied to 3D printing with robotic arms that will draw data from their outcome.

III. METHODOLOGY

The research paper has adopted a secondary research method for exploring the effect of 3D printing with robotic arms and construction emphasizing accuracy and speed development (Iribar, 2022). The secondary research involves analysis of the existing data reports and studies from significant sources like industry publications, academic journals, government reports and case studies. The approach has been particularly helpful towards understanding the technology where pragmatic implementation of data is already available.


The significant sources involve research papers from organisations like “Grand View Research, and construction-based technology organisations that have provided quantitative data on the effectiveness, cost efficiency and sustainable benefits of robotic 3D printing (Ellis, 2023). In addition to this, case studies of the projects have integrated 3D printing with robotic arms that would be analysed for assessing real-world applications that included timelines, precision, metrics and usage of the materials.

The secondary research method has allowed for a thorough understanding of the wide range of data analysis that ensured findings are properly supported and upgraded. The method also eliminated the time and cost constraints of the primary research that will help to access technologies still in the development phase. The data collected will be formulated to provide a thorough examination of the ways through which robotic 3D printing can improve the construction process.

IV. LITERATURE REVIEW

1. 3D Printing in Construction

3D printing also called additive manufacturing is improving the construction industry by providing innovative solutions to conventional building challenges. This technology has involved the creation of structures layer by layer from digital designs that have allowed greater accuracy and flexibility in the construction industry. The international market for 3D printing and construction was around 2.1 billion US dollars in 2023 projected a compound annual growth rate of 91.5% from 2024 to 2030 (grandviewresearch.com, 2021). The optimisation of 3D printing technology has enabled the construction of complicated and intense designs to achieve by using conventional methods irrespective of their difficulty.



Source: (grandviewresearch.com, 2021)

One of the primary advantages of 3D printing in construction is the ability to minimise material waste. Traditional construction methods have wasted up to 30% of the materials because of inefficiency, over-ordering and human error. On the contrary 3D printing can minimise material waste by around 60% especially its deposit material where they are required without excess (Muaz Emre, 2022). For instance, a research paper in 2022 has reported that 3D printed companies have optimised 50% less concrete than conventional build houses which contributed to cost effectiveness and environmental sustainability.

The speed of construction is another significant benefit of 3D printing. The traditional building methods can take a long timeline to finish but 3D printing has drastically minimised the construction timeline. A primary example is a 3D printed house in the Netherlands that was established within 24 hours. In another case scenario a 100 square metre of the building in Dubai was constructed by using 3D printing in just 17 days, a fraction of the time that would have taken by using traditional methods (Muaz Emre, 2022). The rapid pace of construction is basically valuable to address housing shortages and rebuilding efforts after natural disasters, where fast deployment to shelters and infrastructure is important.

3D printing has provided opportunities for significant cost savings in employment. Construction is conventionally labour intensive with labour expenses responsible for around 50% of the project budget. However, 3D printing can minimise labour expenses by approximately 80% with the automation of building processes. It is basically relevant in other regions that have been facing labour shortages or increasing labour expenses where 3D printing has offered efficient alternative options (Ali et al., 2022).

In addition to this 3D printing in construction has enabled sustainable practices where it optimised regionally sourced ecologically developed materials and, in some cases, recycled materials as well. For instance, various 3D printing buildings have been established by optimising recycled plastic or other sustainable materials which reduced the ecological footprint of construction projects.

2. Robotic Arms and Automation in Construction

The integration of robotic arms in the construction is increasing the industrial parameters by initiating an increasing level of automation and precision. The combination of robotic arms and 3D printing can provide dual credibility to execute construction tasks with the level of recession and overcome traditional manual methods (Kanyilmaz et al., 2022). These systems operate with a position tolerance of as low as 0.1 mm which ensures the structures are established based on design specification. This minimization in human error is especially because of large-scale projects where small mistakes can be due to significant delay and cost overruns.

The primary benefit of robotic arms in construction is the ability to minimize labour dependency. In traditional construction, labour expenses can be responsible for around 50% of the total project budget and shortages in skilled labour which increase the concern in different regions. Robotic arms can automate repetitive tasks like laying bricks, pouring concrete welding and reduce the requirement for a huge workforce (National Safety Council, 2023). On the basis of the recent industry estimation, the optimisation of robotic systems in construction can cut labour expenses by around 80% that will provide substantial savings on huge projects.



Source: (grandviewresearch.com, 2021)

Robotic arms can also increase construction speed. In conventional methods the construction of complicated structures can take months or weeks but robotic arms have the capability of task execution on a continuous basis within 24/7 minimal downtime (Lao et al., 2021). For example, in 2022 a properly automated robotic system was used for constructing a multi-story building within 6 weeks which the process typically takes several months. This increase in speed is important for large infrastructure projects, where time saving can directly lead to financial savings.

Additionally, apart from providing speed and cost efficiency, robotic arms can develop safety on construction sites. Construction is one of the primary hazardous industries that has thousands of workers injured or killed on a yearly basis because of accidents (National Safety Council, 2023). The automation of dangerous tasks like heavy lifting,

working at heights or dealing with hazardous materials can help robotic arms to reduce the number of accidents on construction sites by around 70%. This laid to a secure working environment with few disruptions caused because of injury-based delays.



Source: (grandviewresearch.com, 2021)

The flexibility of the robotic arms is one of the primary advantages. They are formulated in such a way that they can handle a different range of tasks from assembling steel frames towards placing complicated components in integrated designs. This can make it ideal for custom complicated construction projects which involve high levels of accuracy like bridges, high rises or architectural masterpieces.

3. Precision in 3D Printed Structures

Accuracy is important in construction even in minor deviations from design specification that can compromise structural integration and building safety. In 3D printing, accuracy refers to the capability of depositing materials based on the digital blueprint along with ensuring every layer is placed with precision (Cabibihan et al., 2023). The association of robotic arms and 3D printing technology can impact the enhancement of the accuracy where the system can control the material deposition with tolerances of 0.1 mm exceeding the accuracy level of the conventional construction methods where manual labour can introduce inconsistencies.

A primary advantage of optimising robotic arms in 3D printing is the maintenance of consistency in the placement of the material. Robotic systems can make human errors or experience deviation because of the issues which ensures that the relationship of the structure is similar to the previous one.

This range of accuracy can minimize the requirement of after-construction correction that is often required in traditional construction for addressing any kind of imperfection or discrepancy. For example, a 3D printing wall constructed with robotic arms has the credibility to smooth out irregularities on the surface as the material deposited properly.

In addition to this, the accuracy has allowed for highly complicated architectural designs which can be challenging or not possible for achieving optimisation of traditional methods (Alabbasi et al., 2023).

For instance, “organic, curvilinear, or intricate lattice structures” can be printed easily with accuracy. In fact, there are certain modern architectural masterpieces like integrated pavilions or bridges that have been established by using 3D

printing technology because of the precision the system provides (Smets, 2020). The ability for executive complicated designs flourished and can open new possibilities for architects and engineers that will allow them to push boundaries for creativity without thinking about having limitations in construction.

Accuracy also plays an important role in structural stability for tall or load bearing structure. Even small misalignments in conventional construction can impact the integrity of the building leads to safety risk or costly repairs. However robotic arms in 3D printing can ensure that every element is placed with proper precision contributing towards the whole strength and durability of the structure. It is especially important for projects towards challenging environments like specific zones where accuracy can have a serious impact on the ability of the building towards withstanding external forces (El-Sayegh et al., 2020).

In the construction projects where strict timelines and budgets are crucial, accuracy can lead into significant cost savings. With the reduction of material waste and the requirement for 3D printing with robotic arms can help to streamline the construction process. For instance, in 2022, the 3D printed company built optimising robotic technology that required 30% less material than conventionally built home because of the proper utilisation of construction materials

4. Speed of Construction with 3D Printing and Robotic Arms

The amalgamation of robotic arms and 3D printing in the construction company has made a drastic acceleration towards building structures, offering significant time savings in comparison to the conventional methods. This technology has enabled continuous operation with the robotic arms which are capable of working 24/7 without having limitations faced by human employees like fatigue, breaks or shifts (Gomaa et al., 2021). This continuous workflow has reduced the construction times by around 70% which allowed projects to typically take months to be finished in weeks or even days.

For example, the construction of a hundred square metre house with the utilisation of 3D printing and robotic arms can be completed within 24 hours in comparison to several months needed by using traditional methodologies. A noteworthy example from 2022 is a two-storey residential building in Belgium was 3D printed within 15 days which was much faster than the months it would have taken by using conventional methods (Straits Research, 2022). The first construction process is basically valuable in situations where speed is important like emergency housing or post-disaster rebuilding work where quick deployment of shelters is important.

The speed gained through 3D printing with robotic arms has also extended to large-scale infrastructure projects. In Dubai, a properly automatic 3D printing system has completed 700 square metres of his building within 17 days, which is a fraction of the time required for traditional construction. This example has highlighted the scalability of the technology which will make it an attractive option for both minor residential projects and also large commercial development.

Significantly the increased speed of construction does not come with the quality expense. Robotic arms can ensure accurate material deposition layer by layer which will be followed by an exact digital blueprint (Forcael et al., 2021). This has eliminated the errors and inconsistency that can occur within human labour where mistakes can lead into expensive delays and rework. With the automation of this process, robotic arms can only increase the construction process by ensuring that the final product is structurally effective and built towards specification.

Additionally, in order to increase the construction process itself, 3D printing and robotic arms can streamline the preparation with logistics project stages. Conventional construction requires extensive planning and material ordering with the coordination of different teams which can take a long time. However with 3D printing, the digital design can quickly convert into a physical structure with minimal delay. Robotic arms can be programmed previously in order to follow certain specific designs and eliminate the requirement for additional coordination which will expedite the entire process (Akhnoukh, 2021).

The speed has benefited for the amplification with the capability to optimise usage of the material. Since robotic arms are extensively effective, only the exact amount of material required is optimised for reducing the waste and the time

spent managing excessive materials. This effectiveness not only contributed towards this sustainability but also minimised the whole time required for the material handling and transportation accelerating the construction timeline.

5. Sustainability and Waste Reduction

Sustainability can become an important focus in the current construction practices, driven by the requirement of minimising the environmental impact and consumption of resources (Khajavi et al., 2021). 3D printing with robotic arms can provide promising solutions to the challenges that have significant reduction of material waste and promotion of ecologically sustainable construction methods.

Conventional Construction techniques can typically generate considerable amounts of waste, where estimation has suggested that around 30% of the materials in the construction projects are procured as scrap because of ineffectiveness and over-ordering (Straits Research, 2022). On the contrary, 3D printing can minimise material waste by around 60% because it utilises additive manufacturing techniques to deposit materials accurately based on the requirement by minimizing the excess.

A primary advantage of 3D printing technology is the ability for optimising sustainable materials which includes recycled and biologically based options. 3D printing projects utilising materials like recycle plastic switch not only minimise the demand for Virgin resources but also deal with the increasing issue of plastic waste (Hossain et al., 2020). For instance, there are certain innovative projects that have successfully been established in buildings by using filament made from recycled ocean plastics that turn waste into valuable resources. This shift towards the optimisation of ecologically friendly materials is important towards minimising the whole carbon footprint of the construction.

The robotic arms have also enhanced sustainability by optimisation of the constitution process. These systems have the credibility to operate with increasing accuracy by ensuring that every layer of the material is deposited properly which contributes towards the effective use of resources. The minimization of waste during the construction process has helped robotic arms to reduce the whole environmental impact of building projects. In addition to this, the minimised dependency on huge machinery and labour not only has cut down energy consumption but also decreased the emissions in association with traditional construction practices.

There is another aspect of sustainability in 3D printing which has the potential for regional production. Since 3D printing can be established on-site, it minimizes the requirement of transporting materials over long distances which has a serious contribution towards pollutant gas emission. Localisation of the manufacturing also allowed the utilisation of regionally sourced materials which enhanced the sustainability of the construction projects (Straits Research, 2022).

In addition to this the capability for creating complicated geometries within 3D printing leads to effective designs that require very few materials. The utilisation of material optimisation outcome in lighter structure can be designed with a few resources intensive elements without compromising strength or durability. For instance, intricate lattice structures are not feasible with conventional methods that can be easily implemented by using 3D printing which results in prominent material savings.

On the basis of energy efficiency, the automated nature of robotic arms allows for more controlled energy consumption throughout the construction process. The continuous operation of the robotic systems can lead to swift construction times that can further contribute towards minimisation of the whole energy expenses of constructing projects (Al-Tamimi et al., 2023).

V. CONCLUSION

Lastly, IT can be said that the integration of 3D printing and robotic arms in construction represents a prominent advancement in the industry which enhances accuracy, speed and sustainability. This technology has minimised the material waste by around 60% which streamlined construction processes and enabled complicated designs which were not attainable previously. In addition to this they also contributed towards securing the working environment and minimising labour expenses which has made the projects effective and cost efficient. With the increase in demand for

sustainable practices, 3D printing and robotic arms are offering innovative solutions for mitigating the challenges positioning the construction industry for a sustainable and effective future.

REFERENCES

1. Ahmed, G.H. (2023). A review of '3D concrete printing': Materials and process characterization, economic considerations and environmental sustainability. *Journal of Building Engineering*, 66, p.105863. doi:<https://doi.org/10.1016/j.jobbe.2023.105863>.
2. Akhnoukh, A.K., 2021. Advantages of contour crafting in construction applications. *Recent Patents on Engineering*, 15(3), pp.294-300.
3. Alabbasi, M., Agkathidis, A. and Chen, H., 2023. Robotic 3D printing of concrete building components for residential buildings in Saudi Arabia. *Automation in Construction*, 148, p.104751.
4. Ali, M.H., Issayev, G., Shehab, E. and Sarfraz, S., 2022. A critical review of 3D printing and digital manufacturing in construction engineering. *Rapid Prototyping Journal*, 28(7), pp.1312-1324.
5. Al-Tamimi, A.K., Alqamish, H.H., Khaldoune, A., Alhaidary, H. and Shirvanimoghaddam, K., 2023. Framework of 3D concrete printing potential and challenges. *Buildings*, 13(3), p.827.
6. Bach, N.A. (2023). Printing a place to live: In Central Texas, homes are being built with emerging 3D technology. [online] *The Texas Tribune*. Available at: <https://www.texastribune.org/2023/10/06/texas-houses-3d-printers-climate/>.
7. Barjuei, E.S., Courteille, E., Rangeard, D., Marie, F. and Perrot, A., 2022. Real-time vision-based control of industrial manipulators for layer-width setting in concrete 3D printing applications. *Advances in Industrial and Manufacturing Engineering*, 5, p.100094.
8. Cabibihan, J.J., Gaballa, A., Fadli, F., Irshidat, M., Mahdi, E., Boloria, N., Mansour, Z. and Abdulrazak, H., 2023. A guided approach for utilizing concrete robotic 3D printing for the architecture, engineering, and construction industry. *Construction Robotics*, 7(3), pp.265-278.
9. Ellis, G. (2023). 8 Ways to Reduce Construction Rework - Digital Builder. [online] *Digital Builder*. Available at: <https://www.autodesk.com/blogs/construction/reduce-construction-rework/>.
10. El-Sayegh, S., Romdhane, L. and Manjikian, S., 2020. A critical review of 3D printing in construction: Benefits, challenges, and risks. *Archives of Civil and Mechanical Engineering*, 20, pp.1-25.
11. Forcael, E., Pérez, J., Vásquez, Á., García-Alvarado, R., Orozco, F. and Sepúlveda, J., 2021. Development of communication protocols between bim elements and 3D concrete printing. *Applied Sciences*, 11(16), p.7226.
12. Gomaa, M., Jabi, W., Reyes, A.V. and Soebarto, V., 2021. 3D printing system for earth-based construction: Case study of cob. *Automation in Construction*, 124, p.103577.
13. grandviewresearch.com (2021). 3D Printing Construction Market Size Report, 2020-2027. [online] www.grandviewresearch.com. Available at: <https://www.grandviewresearch.com/industry-analysis/3d-printing-constructions-market>.
14. Guamán-Rivera, R., Martínez-Rocamora, A., García-Alvarado, R., Muñoz-Sanguinetti, C., González-Böhme, L.F. and Auat-Cheein, F., 2022. Recent developments and challenges of 3D-printed construction: A review of research fronts. *Buildings*, 12(2), p.229.
15. Hossain, M.A., Zhumabekova, A., Paul, S.C. and Kim, J.R., 2020. A review of 3D printing in construction and its impact on the labor market. *Sustainability*, 12(20), p.8492.
16. Iribar, I. (2022). 3D Printing In Construction: How Does It Work | CEMEX Ventures. [online] www.cemexventures.com. Available at: <https://www.cemexventures.com/3d-printing-in-construction/>.
17. Kanyilmaz, A., Demir, A.G., Chierici, M., Berto, F., Gardner, L., Kandukuri, S.Y., Kassabian, P., Kinoshita, T., Laurenti, A., Paoletti, I. and Du Plessis, A., 2022. Role of metal 3D printing to increase quality and resource-efficiency in the construction sector. *Additive Manufacturing*, 50, p.102541.
18. Khajavi, S.H., Tetik, M., Mohite, A., Peltokorpi, A., Li, M., Weng, Y. and Holmström, J., 2021. Additive manufacturing in the construction industry: The comparative competitiveness of 3d concrete printing. *Applied Sciences*, 11(9), p.3865.
19. Lao, W., Li, M. and Tjahjowidodo, T., 2021. Variable-geometry nozzle for surface quality enhancement in 3D concrete printing. *Additive Manufacturing*, 37, p.101638.
20. Muaz Emre (2022). The Dubai Municipality, Largest 3D-Printed Structure By Apis Cor. [online] *Parametric Architecture*. Available at: https://parametric-architecture.com/apis-cor-completes-the-dubai-municipality-largest-3d-printed-construction/#google_vignette [Accessed 29 Sep. 2024].

21. National Safety Council (2023). Improving Workplace Safety with Robotics. [online] Available at: https://www.nsc.org/getmedia/25023964-33a8-4c93-a906-d29702a6d931/wtz-robotics-wp.pdf?srsid=AfmBOoqYxF_urBd7EutF3oSYVMpg-cq_gJEEa5RNLIygnaiyqMBXiTSp [Accessed 29 Sep. 2024].
22. Puzatova, A., Shakor, P., Laghi, V. and Dmitrieva, M., 2022. Large-scale 3D printing for construction application by means of robotic arm and Gantry 3D Printer: A Review. *Buildings*, 12(11), p.2023.
23. Smets, J. (2020). europe's largest 3D-printer prints an entire two-story house. [online] designboom | architecture & design magazine. Available at: <https://www.designboom.com/architecture/kamp-c-3d-prints-two-story-house-08-17-2020/#:~:text=belgian%20company%20kamp%20C%20has> [Accessed 29 Sep. 2024].
24. Straits Research (2022). 3D Printing Construction Market Size, Report, Forecast to 2030. [online] straitsresearch.com. Available at: <https://straitsresearch.com/report/3d-printing-construction-market>.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details