




International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 4, April 2025

VoltRanger – An Off-Road Electric Scooter

K. Lavanya

Assistant Professor, Dept. of EEE, CMR College of Engineering & Technology, Hyderabad, India

M. Vignesh, P. Anirudh, S. Naveena, G. Mahesh

UG Students, Dept. of EEE, CMR College of Engineering & Technology, Hyderabad, India

ABSTRACT: The VoltRanger serves as an electric off-road scooter built to operate on rough surfaces while providing outstanding efficiency as well as durable construction and improved performance. The project joins multiple subsystems including the frame alongside brakes and suspension elements and transmission components and wheel systems and electrical units. The project incorporates Arduino Uno as the primary microcontroller together with an innovative approach to unite motor and control systems. The development project prioritizes making an affordable electric vehicle that delivers both high durability and energy efficiency during off-road operations.

KEYWORDS: Off-Road Electric Vehicle, Energy Efficiency, Arduino Uno, Motor-Controller Integration, Sustainable Mobility

I. INTRODUCTION

Current transportation systems undergo major changes because electric vehicles (EVs) now compete against conventional fossil fuel-based vehicles to become environmentally sustainable options. Electric mobility has gained speed because of expanding environmental worries and fossil fuel shortages and the urgent requirement to decrease carbon emissions. Off-road electric scooters represent an emerging segment of EV development since they provide efficient power consumption alongside sustainable off-roading capabilities. The paper introduces VoltRanger which represents a novel off-road electric scooter that combines enhanced safety components with smart power-management systems and delivers strong performance and endurance.

The designers of VoltRanger dedicated its development to environmental sustainability and accessible pricing and technological improvements in electric transportation systems. The main elements of the vehicle consist of an electric powertrain together with a durable frame and an advanced suspension system and a control system running on Arduino Uno and microcontrollers. The design achieves efficiency and minimized power losses because the motor and controller combine as one compact unit. VoltRanger implements high-capacity lithium-ion battery packs in order to improve power efficiency and extend travel distance. Moreover the vehicle becomes more efficient regarding power utilization through its regenerative braking system.

Smart features enabled by IoT technology allow users to monitor the device and track its position and get immediate performance data to improve their control while enhancing operational efficiency. The developers executed extensive testing alongside simulations to create a VoltRanger system that remains durable under challenging off-road environments while supplying riders with quality reliability and comfort during their usage. The vehicle design features both optimized transmissions and rugged wheel assemblies that enable users to move effortlessly across multiple ground conditions.

The extensive investigation of electric mobility in the last decade has proven sustainable transportation methods to be vital according to researchers. Researchers have demonstrated that incorporating renewable energy into electric vehicles leads to environmental benefits and independent power supply separation from traditional sources [1]. Modern EVs benefit from substantial improvements brought by power electronics as well as battery management systems according to research in [2]. The VoltRanger project utilizes findings from these previous investigations to support current developments of innovative practical off-road electric mobility solutions as per market demands [3].

This paper examines the entire VoltRanger initiative starting from the design phase through development and ending with the implementation stages. The goal of this work is to deliver an applicable off-road electric scooter which

maintains performance quality alongside efficiency measures and environmentally friendly attributes to the field of electric mobility. The paper presents details about the technical specifications followed by a fabrication process description and experimental analysis then moves to the future scope evaluation of the project.

II. LITERATURE

2.1 Development of Advanced Electric Vehicle Prototypes by Organizations

Modern transportation development depends heavily on the creation of electric vehicle (EV) prototype models.[1] Numerous organizations developed advanced EV prototypes. Modern EV designs benefit from the developments in battery systems along with powertrain efficiency and optimized materials as the authors explain. Through innovative engineering Tesla and Rivian have made outstanding advancements in extending the operational distance of their electric vehicles and increasing their energy efficiency. The main emphasis in [1] is on employing carbon fiber combined with aluminum alloys as materials for weight reduction to boost battery performance. EVs that implement artificial intelligence systems excel in energy optimization thus maximize battery life span and improve their operational performance. The combination of government incentives together with research funding speeds up the development process of EV prototypes by powering technological breakthroughs. A comparative study [3] highlights the increasing preference for EVs over internal combustion engine (ICE) vehicles among college students. The transition toward electric vehicles occurs because of minimal operational expenses and rising environmental concerns along with official backing through EV promotion regulations. Analysts working for the National Electric Mobility Mission Plan [4] developed research for improving battery technology which specifically focused on solid-state batteries. The alternative battery technology provides improved energy density in addition to superior charging speed and better safety performances than standard lithium-ion technology. EV performance receives additional improvements from modern motor technologies featuring high torque capabilities and low resistance so the next stage of energy storage development and aerodynamic progress and charging system advancement continues. Aerodynamic design optimization stands crucial due to its recognized ability to boost energy efficiency according to the research conducted by Prof. Mahesh S. Khande and colleagues in 2020 [6]. The technology of regenerative braking systems starts to prevail in contemporary EV models because it minimizes energy waste while boosting vehicle operational efficiency.

2.2 High-Efficiency Bridgeless Battery Charger for Lightweight EVs

Presented research into a high-efficiency bridgeless battery charger for light electric vehicles (LEVs) to solve power-related and thermal inefficiencies in typical chargers [7]. PFC techniques and bridgeless topologies provide research evidence to demonstrate their ability to boost efficiency by decreasing conductive heat dissipation. The bridgeless charging design developed in [7] cuts down on power losses from rectifier diodes so it proves ideal for lightweight electric vehicles that need space-efficient and efficient charging systems.

2.3 Solar-Powered EV Charging with Bidirectional Operation (G2V & V2G)

EV charging powered by solar energy has become a developing substitute for electricity-based charging solutions. [8] Conducted research on bidirectional charging systems which allow G2V and V2G operations. The integration of PV panels alongside EV charging stations was classified in [8] as a program to decrease fossil fuel dependency and strengthen power networks. EVs equipped with V2G technology enable renewable energy users to feed solar-generated excess power into the grid which integrates these electric vehicles into the renewable energy infrastructure. Researchers [9] developed an upgraded AC/DC converter which enhances efficiency of power conversion between input sources at solar-powered charging stations. The converter provides superior efficiency in energy transfers together with quick charging capabilities by minimizing energy consumption throughout each charge cycle. The importance of energy storage for bidirectional charging systems stands strong according to the research [5]. The study demonstrates that vehicle batteries function as grid stabilization devices because they can both supply electricity during times of high demand and retrieve power from the grid at times of low demand thus decreasing the need for conventional power generation facilities.

2.4 The Concept of 'ePVscooter'

A portable photovoltaic charger system for electric scooters is introduced in the ePVscooter [2]. This innovative device provides sustainable transportation back-up when it collects solar power while the user moves about. The alternative design of ePVscooter allows travelers to maintain continuous charging through its body-installed flexible solar panels

which serve as mobile charging stations. The integration of maximum power point tracking technology enhances solar energy use which makes it suitable for urban commuters. This technology demonstrates its economic and environmental advantages according to the research presented in [2]. The ePVscooter reduces both electricity expenses and environmental pollution by decreasing its use of grid power. The book [12] introduces network-based management systems that improve energy distribution for electric mobility while making photovoltaic mobile charging solutions possible.

2.5 Design and Development of Advanced Electric Vehicle Prototype

Current EV prototype development requires the integration of futuristic technology advances to boost efficiency and performance. The study [4] outlines the importance of power electronics in modern EV architecture, enabling improved energy management and higher drivetrain efficiency. The article [6] explains how aerodynamics serves as an essential component in EV design to reduce drag and improve battery management. The research study strongly focuses on regenerative braking since it enables the conversion of kinetic energy into electricity which leads to better overall system efficiency. The paper [8] demonstrates how solar PV-battery hybrid systems can assist electric vehicle power needs by promoting sustainability through reduced fossil fuel consumption. Mendem Premchand and Satish Kumar Gudey (2020) [5] performed research on charging stations which allows efficient two-way energy flow between the electric vehicle network and electricity grid. The references in this paper demonstrate EV technological progress as well as efficient charging methods and sustainable transportation systems which will define the electric transportation landscape of the future.

III. METHODOLOGY

The manufacturing process of VoltRanger implements an organized approach that guarantees its off-road electric scooter operation achieves efficiency alongside reliability with sustainable performance. The development process includes four major phases: building initial designs followed by component planning then system combination and eventual testing. The electrical system architecture development builds robustness while the integration of auto fault detection systems aims to improve safety and reliability features.

3.1 Electrical System Architecture




Fig 3.1 Electrical System Architecture

VoltRanger implements an electrical system that improves power performance while facilitating easy energy flow and bolstering the overall vehicle capability. The system includes powerful lithium-ion battery packs and motor-controller units connected with distribution circuits that use multiple sensors for monitoring functions. The system maintains power delivery balance through its design which reduces energy losses.

The power management system includes a Battery Management System (BMS) which tracks battery condition while managing charging phases and stopping both overcharging and complete battery drainage. A combination of the Arduino Uno microcontroller embedded in the motor-controller unit delivers precise power to the motor which cuts down energy waste while enhancing performance in different terrain conditions.

Through incorporation of a regenerative braking system the energy utilization becomes better because the system captures usable energy during braking phases. The implemented system recaptures energy during braking phases to power the battery system thus boosting the overall system efficiency and increasing operational distance.

3.2 Electrical System Circuit Diagram




Fig 3.2 Electrical System Circuit Diagram

The VoltRanger Electrical System Circuit Diagram depicts the network of fundamental electricity components which include battery pack and controller and sensors along with regenerative braking unit and the fault detection system. The design of this circuit pathway achieves signal efficiency along with minimum power resistance that optimizes vehicle performance.

The Power Supply Unit functions as the system which distributes lithium-ion battery power to all components.

- The Power Supply Unit functions as the system which distributes lithium-ion battery power to all components.
- The Motor-Controller Circuit distributes power to the motor using a system allowing controlled torque delivery and motor speed management.
- During vehicle braking the Regenerative Braking Module retrieves kinetic energy to produce electricity, which recharges the battery.
- The Auto Fault Detection System functions to detect wire breaks or malfunctions which activate built-in notification systems.

IV. CONCLUSION



Fig 4.1 VoltRanger

Testing of the VoltRanger off-road electric vehicle involved thorough assessments in different terrains to determine its efficiency alongside performance and durability and safety aspects. The testing results proved the vehicle delivered high torque which produced smooth operation on steep hills as well as rocky terrain and mud paths. The power transmission functionality of the BLDC motor and sprocket chain drive system enabled efficient power transfer while simultaneously guaranteeing stability during operation. The 48V battery system showed stable power delivery which

allowed the vehicle to travel more distance before needing recharging. The implemented regenerative braking system allowed the conversion of kinetic energy into stored electrical energy while improving the operational effectiveness. The DC-DC converter operated auxiliary systems which included headlights, indicator system, display unit, USB charging port through its efficient operation thus minimizing effects on the primary battery's lifespan. Through the combination of helical springs and telescopic forks the suspension system minimized the impact of shocks for successful travel on uneven surfaces. Quick stops became possible through both front disc and rear drum brakes which demonstrated excellence in performance during rainy and slippery conditions. User awareness improved through the display system which showed the battery status combined with speed data alongside fault detection features. The stand sensor functioning as a safety measure prevented machine movement when parked and the rear camera and indicator system enhanced overall safety aspects. Energy use optimization occurred through an intelligent motor controller which modified power delivery according to operational terrain together with load specifications. The performance combined with efficiency and ruggedness makes VoltRanger establish itself as a dependable and energy-efficient electric off-road vehicle. VoltRanger appears as a progressive solution in off-road electric power via its advanced intelligence control system which combines durable construction with safety design functions.

REFERENCES

- [1] Sathyabama, Titus Raj K., and Sudhakar T. (2022) – Development of Advanced Electric Vehicle Prototypes by Organizations.
- [2] K. Srivallopp et al. (2022) – The concept of ePV Scooter, an electric scooter integrated with a portable photovoltaic charger system.
- [3] Praising Linijah N.L et al. (2021) – Comparative Study on Market Potential of Electric vs. ICE Scooters Among College Students.
- [4] Rakesh Kumar and Sanjeevikumar Padmanaban (2020) – Comprehensive Report on EVs under NEMMP 2020.
- [5] Mendem Premchand and Satish Kumar Gudey (2020) – Solar-Powered EV Charging with Bidirectional Operation (G2V & V2G).
- [6] Prof. Mahesh S. Khande et al. (2020) – Design and Development of Electric Scooters.
- [7] Bong-Hwan Kwon et al. (2018) – Bridgeless High-Efficiency Battery Charger for Light Electric Vehicles.
- [8] Bhim Singh et al. (2018) – Solar PV-Battery and Diesel Generator-Based EV Charging Station Implementation.
- [9] C. Li et al. (2017) – Single-Phase ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications.
- [10] R. Gadh (2011) – Network-Based Management System for Multiplexed EV Charging.
- [11] C. Chung, P. Chu, and R. Gadh (2013) – Smart Charging Infrastructure: Hardware and Firmware Design for Multiplexed Charging Systems.
- [12] K. Yao, Y. Wang, J. Guo, and K. Chen (2017) – Boost PFC Converter in Critical Conduction Mode with Fixed Switching Frequency Control.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details