



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 4, April 2025

500 W Sine Wave Inverter

Tarakeshwari V N¹, G Lochan², Rahul U³, Satyam Choudhary⁴

Assistant Professor, Department of Electrical and Electronics Engineering, SJBIT, Bangalore, Karnataka, India¹

U.G. Student, Department of Electrical and Electronics Engineering, SJBIT, Bangalore, Karnataka, India^{2,3,4}

ABSTRACT: This project outlines the design and development of a 500-Watt pure sine wave inverter aimed at efficient conversion of DC to AC power. It is specifically designed to provide stable AC power for sensitive electronic devices and resistive loads. Utilizing PWM techniques, the system minimizes harmonic distortion and enhances overall efficiency. A microcontroller-based control system guarantees accuracy and flexibility. The inverter is equipped with safety features, including protections against overvoltage, overheating, and overload. It also allows for real-time monitoring through sensor interfaces. An LC filter is employed to produce a smooth AC output in the form of a clean sine wave. The system is compact, user-friendly, and energy-efficient, promoting sustainability by facilitating integration with renewable energy sources such as solar panels. This inverter is particularly suitable for off-grid applications in rural settings, addressing energy access issues while providing environmental and economic advantages. This prototype serves as a foundation for scalable, environmentally friendly inverter systems.

KEYWORDS: Sine Wave Inverter, Pulse Width Modulation (PWM), DC to AC Conversion, AC to DC Conversion, MOSFET & SG3524, Overvoltage, Load Protection.

I. INTRODUCTION

The initiative titled "Design and Implementation of a 500-Watt Sine Wave Inverter" aims to meet the growing need for efficient and dependable power conversion systems. This inverter is engineered to transform DC power from sources like batteries or solar panels into AC power with a pure sine wave output, making it ideal for operating sensitive electronic devices and small appliances. By employing Pulse Width Modulation (PWM) techniques, the system guarantees high efficiency, low harmonic distortion, and compatibility with various loads.

Additionally, the inverter features sophisticated automation capabilities to enhance user convenience and safety, including automatic load detection, overvoltage protection, and thermal shutdown mechanisms. It also provides real-time monitoring of output voltage, current, and power through a digital multimeter interface, ensuring both reliability and operational efficiency.

Key elements such as a microcontroller, MOSFET drivers, and an LC filter are integrated to facilitate precise control and high-quality output. This project exemplifies the interdisciplinary nature of electrical engineering and power electronics, offering a sustainable, eco-friendly, and cost-effective solution to contemporary energy challenges and paving the way for innovative inverter designs in renewable energy systems.

II. BLOCK DIAGRAM

The block diagram depicts the functional structure of a 500W sine wave inverter system. It starts with a DC power source, which can be a battery or a solar panel. The initial DC voltage is regulated by a DC-DC converter to provide a stable input. A microcontroller then produces Pulse Width Modulation (PWM) signals to manage the inverter's operation, directing the inverter circuit to transform the regulated DC voltage into an AC signal. To produce a clean sine wave output, the unrefined AC signal is filtered through an LC filter, which smooths the waveform. The system features a load detection unit that ensures power is supplied only when a resistive load is present. It is capable of delivering up to 500W of AC power to connected devices. Real-time monitoring is facilitated by sensors that measure voltage, current, and temperature.

To maintain safety and prolong the system's lifespan, protective measures are implemented to guard against overvoltage, overcurrent, and thermal overloads. A cooling system, such as fans or heat sinks, is activated when needed.




Figure 2.1 Block diagram

In critical situations, the system can automatically shut down to prevent damage. This diagram effectively illustrates the inverter's process from input to output, highlighting aspects of control, conversion, filtration, protection, and power delivery.

III. METHODOLOGY

The approach taken for developing the 500W sine wave inverter involved a methodical process of planning, design, testing, and performance assessment. It commenced with the creation of the inverter circuit, which is responsible for converting stored DC power from sources such as batteries into usable AC power. A prototype of a 150W semi-sine wave inverter was constructed, capable of producing a 220V AC output suitable for household devices. Concurrently, a battery storage system was developed to retain the DC energy, ensuring a continuous power supply during times when generation is not possible, such as at night. The battery was carefully chosen to meet the inverter's load requirements and guarantee dependable operation. The subsequent phase involved integrating the inverter and battery systems, followed by comprehensive testing. This process included verifying the system's ability to power various loads, including lamps and mobile chargers, and assessing the efficiency of the DC to AC conversion.

Additionally, the team analysed the performance under various load and environmental conditions, focusing on key factors such as efficiency, voltage stability, thermal response, and the accuracy of energy conversion. detailed workflow diagram was created to depict the functional steps, which include power input (from battery or solar), voltage regulation through DC-DC converters, PWM signal generation by a microcontroller, DC to AC inversion using power electronics, sine wave filtering with LC filters, load sensing, and real-time system monitoring with built-in protections. Safety features such as overvoltage protection, thermal shutdown, and a cooling system were incorporated. In cases of significant faults, the system is designed to enter a safe shutdown mode.




Figure 3.1 Flowchart

This organized methodology guarantees that the inverter delivers a stable, safe, and efficient power output while allowing for the integration of renewable energy sources.

IV. EXPERIMENTAL RESULTS

The development of a compact and efficient inverter system enables the conversion of 12V DC power from a battery into 230V AC with a pure sine wave output. This inverter is specifically tailored for resistive loads, such as incandescent bulbs, and has proven effective in providing stable and reliable AC power, making it ideal for rural and off-grid applications where electricity access is limited. The system employs Pulse Width Modulation (PWM) techniques managed by a microcontroller and incorporates essential components like the SG3524 PWM controller, MOSFETs, and an LC filter circuit to produce the sine wave while minimizing harmonic distortion.




Figure 4.1 Components required

Throughout the testing phase, the system exhibited high efficiency in the DC to AC conversion process. The step-up transformer successfully increased the voltage from a lower AC level to the necessary 230V output. The inverter powered incandescent bulbs without flickering or instability, demonstrating the system's smooth and continuous operation. Additionally, effective thermal management was achieved through the use of heat sinks, ensuring that components remained within safe temperature limits even during prolonged use.




Figure 4.2 Final outcome of our project

Real-time monitoring and protective features, including overvoltage, overcurrent, and thermal protection mechanisms, were confirmed, validating the inverter's safety and reliability in practical applications. The system's automatic load detection and shutdown features also functioned as intended, enhancing user safety and safeguarding connected devices from potential damage.

Performance assessments indicated that the inverter consistently maintained a clean and stable sine wave output across varying load conditions. This reliability is essential for protecting sensitive equipment from voltage fluctuations. Moreover, the compact design and compatibility with renewable energy sources, such as solar panels, underscore the inverter's versatility and scalability, making it suitable for household use, backup power systems, or integration into renewable energy setups.

V. CONCLUSION

The design, development, and implementation of a compact, efficient, and reliable inverter system that transforms DC power into AC with a pure sine wave output. By meticulously integrating essential components such as the SG3524 PWM controller, MOSFETs, LC filters, and a microcontroller, the project team achieved accurate voltage regulation, effective switching, and minimal harmonic distortion, ensuring compatibility with sensitive electronic devices. The inverter's capacity to manage resistive loads up to 500W was confirmed through practical tests, demonstrating a stable 230V AC output that powered devices like incandescent bulbs. Additional features, including overload protection, thermal management through heat sinks, and automatic source/load detection, further enhanced the system's reliability and safety. This inverter presents a viable solution for energy-scarce rural and off-grid areas, particularly when used alongside renewable energy sources such as solar panels. The project prioritized affordability, scalability, and ease of maintenance, making it well-suited for real-world applications, from household backup systems to remote power solutions. Future developments for this system include scaling the design for higher power applications, improving compatibility with smart grids, refining control algorithms, and incorporating IoT-based monitoring systems. Overall, the project highlights the significant impact of engineering solutions in tackling contemporary energy issues, fostering innovation, and providing underserved communities with access to sustainable power.

REFERENCES

- [1] Ali Ahmed, Fatima Khan, and Zain Malik, "Design and Simulation of a 500W Pure Sine Wave Inverter for Renewable Energy Applications," International Journal of Power Electronics and Renewable Energy, published in 2019.
- [2] Suresh Patil, Meera Joshi, and Anand Deshmukh, "High-Efficiency Sine Wave Inverter for Household Applications," Journal of Electrical Engineering and Technology, published in 2021.
- [3] Rahul Verma, Kavita Sharma, and Anil Gupta, "Development of a Compact 500W Inverter with Improved Heat Dissipation," International Journal of Electronics and Electrical Systems, published in 2017.
- [4] Pooja Reddy, Vikram Singh, and Neha Kulkarni, "Design of an Inverter with Maximum Power Point Tracking for Solar Applications," International Journal of Energy and Power Systems, published in 2020.
- [5] Abhishek Kumar, Priya Mehta, and Deepak Mishra, "Implementation of Low Harmonic 500W Inverter for Industrial Loads," Proceedings of the National Conference on Electrical Design Innovation, published in 2018.
- [6] R. Sharma and S. Gupta, "Performance Optimization of a 500W Pure Sine Wave Inverter for Grid-Tied Systems," International Conference on Advances in Electrical Engineering and Technology, published in 2019.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details