



# International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

*(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)*



**Impact Factor: 8.699**

**Volume 14, Issue 4, April 2025**

# Implementing a Remainder System for Childhood Immunization Vaccinations

Elavarasi. R<sup>1</sup>, Sathya. N<sup>2</sup>

Associate Professor, Department of Electronics and Communication Engineering<sup>1</sup>, Er.Perumal Manimekalai College of  
Engineering, Hosur, Tamil Nadu, India<sup>1</sup>

PG Student, Department of Applied Electronics, Er.Perumal Manimekalai College of Engineering, Hosur,  
Tamil Nadu, India<sup>2</sup>

**ABSTRACT:** This System aims to provide a comprehensive overview of remainder/recall interventions implemented to enhance childhood immunization rates. The importance of timely and complete immunization in preventing infectious diseases is widely acknowledged, yet gaps persist in achieving optimal vaccination coverage. Various strategies, including reminders and recalls, have been employed to address these gaps. This review synthesizes existing literature to evaluate the effectiveness, challenges, and best practices associated with remainder/recall interventions. By examining diverse approaches, such as text messages, phone calls, and electronic health record reminders, the study aims to identify key factors influencing intervention success. Insights gained from this review can inform healthcare practitioners, policymakers, and researchers in optimizing strategies to improve childhood immunization rates and contribute to overall public health.

**KEYWORDS:** PHP, My SQL, NET Beans.

## I. INTRODUCTION

Childhood immunizations play a pivotal role in safeguarding the health of young populations by preventing the spread of infectious diseases. Despite the proven effectiveness of vaccines, achieving and maintaining high vaccination rates remains a global challenge. In this context, reminder and recall interventions have emerged as valuable tools to bridge the gap between vaccine recommendations and actual immunization coverage. This review explores the landscape of such interventions, seeking to analyze their impact, identify underlying factors influencing their success, and provide insights into optimizing strategies for childhood immunization promotion.

As the importance of timely and complete vaccination becomes increasingly evident, understanding the nuances of reminder/recall interventions becomes imperative.



Figure 1 Hypertext Preprocessor

This introduction sets the stage for a comprehensive exploration of the various strategies employed to remind and recall individuals for vaccinations, aiming to contribute valuable insights to the broader discourse on public health and

immunization practices. Effective childhood immunization programs are essential for reducing the burden of preventable diseases and ensuring community health. Despite advancements in vaccine development and accessibility, disparities persist in achieving optimal vaccination coverage. Reminder/recall interventions have gained prominence as proactive measures to address this challenge. These interventions utilize diverse communication channels, including electronic health records, text messages, and phone calls, to prompt caregivers and individuals about upcoming or overdue vaccinations.

### **1.1 Objective**

The primary objectives of this study are to evaluate and enhance childhood immunization practices through the implementation of a novel reminder and recall system. By assessing the effectiveness of advanced technologies, including electronic health records, and tele health platforms, the study seeks to improve the accuracy, security, and accessibility of immunization records. Additionally, the research aims to gauge the impact of personalized communication strategies on caregiver engagement and adherence to immunization schedules. Community engagement initiatives and educational campaigns will be evaluated to understand their influence on building awareness and trust within diverse communities.

## **II. LITERATURE SURVEY**

Childhood immunization is a critical aspect of public health, yet disparities in vaccination rates persist, leading to increased vulnerability to preventable diseases in certain areas. This literature survey explores the landscape of predictive models, with a specific focus on hybrid deep learning approaches, designed to identify and target regions with lower immunization rates. The survey begins by reviewing traditional statistical models employed for predicting vaccination coverage and the limitations they face in capturing complex patterns inherent in immunization data. It then delves into the emergence and adoption of deep learning techniques, showcasing their ability to handle intricate relationships within large datasets. The literature survey highlights various deep learning architectures, such as convolutional neural networks (CNNs), recurrent neural networks (RNNs), and their hybrids, demonstrating their efficacy in diverse healthcare domains. It also explores the integration of geographical and socio-economic features into deep learning models, recognizing the multifaceted factors influencing vaccination rates. Furthermore, the survey investigates the novel concept of hybrid deep learning models, combining the strengths of multiple architectures to create a more robust predictive tool.

### **2.1. Proposed methodology**

The proposed system for childhood immunization reminders and recalls represents a comprehensive and technologically advanced approach to enhancing vaccination coverage and improving public health outcomes.






Figure 2 Proposed Block Diagram

The Admin Login module serves as the entry point for system administrators, ensuring secure access. Administrators must provide valid credentials for authentication, including a username and password. This Module allows administrators to add new health centres to the system. Key information, such as the health centre’s name, location, and contact details, is collected during this process. Administrators can ensure that the network of health centres is accurately represented and up-to-date.

## 2.2. SOFTWARE DESCRIPTION

PHP: Hypertext Preprocessor (the name is a recursive acronym) is a widely used, general-purpose scripting language that was originally designed for web development to produce dynamic web pages. For this purpose, PHP code is embedded into the HTML source document and interpreted by a web server with a PHP processor module, which generates the web page document. As a general-purpose programming language, PHP code is processed by an interpreter application in command-line mode performing desired operating system operations and producing program output on its standard output channel. It may also function as a graphical application. PHP is available as a processor for most modern web servers and as standalone interpreter on most operating systems and computing platforms.

Because the server does processing, the output of PHP files changes when its input changes. For example, most of the pages on the Horticulture site have only two (2) PHP commands:

1. Include the header file that defines the links on the left, the banner, and the quick links at the top.
2. Include the footer file that displays the mission statement and Horticulture contact information.

Because including the files is performed every time the PHP file is accessed, when the header/footer files change, the new content will be immediately updated. In other words, if you add a new link, every page that includes the header will immediately display the new link.




Figure 3 Accessing a PHP Page

## 2.3 MODULES DESCRIPTION

### 2.3.1 ADMIN MODULE

#### Login:

The Admin Login module serves as the entry point for system administrators, ensuring secure access. Administrators must provide valid credentials for authentication, including a username and password.

#### Add Health Centres:

This Module allows administrators to add new health centres to the system. Key information, such as the health centre's name, location, and contact details, is collected during this process. Administrators can ensure that the network of health centres is accurately represented and up-to-date.

#### View Childs:

In the View Childs module, administrators gain access to a comprehensive list of all registered children in the system. This feature facilitates oversight and allows administrators to monitor the user base and the overall impact of the childhood immunization program.

#### Send Reminder Based on before 30 days:

This module automates the process of sending reminders to caregivers based on upcoming vaccinations due within the next 30 days. Administrators can schedule and customize reminders to ensure timely vaccinations and maintain a proactive approach to public health.

#### Vaccination Analyser:

The Vaccination Analyser module provides analytical tools for administrators to examine trends in vaccination data.

**2.3.2.USER MODULE:****Registration:**

The Registration module enables new users to join the system. Caregivers and parents provide essential information during registration, including their name, contact details, and consent preferences vaccination reminders.

**Add Child:**

In the Add Child module, caregivers and parents can add their children to the system. Information such as the child's name, date of birth, and existing health conditions can be entered, facilitating personalized and accurate vaccination reminders.

**2.3.3.HEALTH CENTRES MODULE:****Login:**

The Health Centers Login submodule provides secure access for healthcare professionals working in registered health centers..

**Child Details:**

In the Child Details submodule, healthcare professionals gain access to detailed information about registered children under their care. This includes the child's immunization history, upcoming vaccinations, and any specific health considerations, enabling informed decision-making during healthcare interactions.

**Update Vaccinations:**

The Update Vaccinations submodule allows health center staff to add and update vaccination records for children under their care. This ensures that the immunization information remains accurate, complete, and up-to-date within the healthcare facility's records.

**III. SYSTEM TESTING****3.1.TESTING**

The purpose of testing is to discover errors. Testing is the process of trying to discover every conceivable fault or weakness in a work product. It provides a way to check the functionality of components, sub assemblies, assemblies and/or a finished product.

**3.2.UNIT TESTING**

Unit testing involves the design of test cases that validate that the internal program logic is functioning properly, and that program inputs produce valid outputs. All decision branches and internal code flow should be validated. It is the testing of individual software units of the application. It is done after the completion of an individual software unit of the application

**Test objectives**

- All field entries must work properly.
- Pages must be activated from the identified link.
- The entry screen, messages and responses must not be delayed.

**Features to be tested**

- Verify that the entries are of the correct format
- No duplicate entries should be allowed
- All links should take the user to the correct page.
- Integration Testing

Software integration testing is the incremental integration testing of two or more integrated software components on a single platform to produce failures caused by interface defects.

The task of the integration test is to check that components or software applications, e.g. components in a software system or – one step up – software applications at the company level – interact without error.

### 3.3. INTEGRATION TESTING

Integration tests are designed to test integrated software components to determine if they actually run as one program. Testing is event driven and is more concerned with the basic outcome of screens or fields

### 3.4. FUNCTIONAL TESTING

Functional tests provide systematic demonstrations that functions tested are available as specified by the business and technical requirements, system documentation, and user manuals.

Functional testing is centered on the following items:

Valid Input : identified classes of valid input must be accepted.

Invalid Input : identified classes of invalid input must be rejected.

Functions : identified functions must be exercised.

Output : identified classes of application outputs must be exercised

Systems : interfacing systems or procedures must be invoked.

### 3.5. WHITE BOX TESTING

White Box Testing is a testing in which in which the software tester has knowledge of the inner workings, structure and language of the software, or at least its purpose. It is purpose. It is used to test areas that cannot be reached from a black box level.

### 3.6. BLACK BOX TESTING

Black Box Testing is testing the software without any knowledge of the inner workings, structure or language of the module being tested. Black box tests, as most other kinds of tests, must be written from a definitive source document, such as specification or requirements document, such as specification or requirements document.

## IV. RESULT AND CONCLUSION

### EXPERIMENTAL RESULT



FIGURE 4. SCHEDULE FOR VACCINATION




FIGURE 5. ADMIN DASHBOARD



FIGURE.6 HOMEPAGE




FIGURE.7.VACCINATION REMAINDER



### V. CONCLUSION

In conclusion, the proposed childhood immunization reminder and recall system presents a holistic and technologically advanced approach to addressing the challenges faced by the existing immunization frameworks.

The Admin Module equips system administrators with powerful tools, enabling efficient management of health centers, oversight of registered children, timely reminders, and data analytics for informed decision-making.

Caregivers and parents benefit from the User Module, allowing seamless registration, secure access, and personalized management of their child's immunization records.

The Health Centers Module enhances the capabilities of healthcare professionals through secure logins, detailed child information access, and the ability to update vaccination records within their facilities.

This system not only streamlines the immunization process but also leverages advanced technologies such as data analytics and blockchain to ensure data accuracy, security, and transparency.

The incorporation of multichannel communication strategies enhances caregiver engagement, while the community-focused initiatives contribute to increased awareness and trust.

By addressing the drawbacks of the current system, such as manual processes, communication gaps, and privacy concerns, the proposed system offers a comprehensive solution to optimize childhood immunization practices.

In future to explore the integration of emerging technologies, such as artificial intelligence (AI) and machine learning, to enhance the system's ability to predict vaccination patterns, personalize reminders, and optimize scheduling based on individual and community health data. Continuously improve data security measures, especially in the context of personal health information. Explore advanced encryption techniques and compliance with evolving data protection regulations to ensure the utmost privacy and security of immunization records.

### REFERENCES

- [1]. G.Mohanraj, VMohanraj, J Senthilkumar, Y Suresh, " A hybrid deep learning model for predicting and targeting the less immunized area to improve childrens vaccination rate ", *Intelligent Data Analysis* 24(6):1385-1402,2020
- [2]. Robert Davis, American Red Cross, Nairobi, Kenya , „Impat on child vaccination completion rates of short message services(SMS) reminders in developing countries ,,, 18 Feb 2020. : *The Pan African Medical Journal*. 2020;35 (Supp 1):12. DOI:10.11604/pamj.suppl.2020.35.1.19442.
- [3]. ZelekeAbewMekonnen, FedluNurhussienHussien, BinyamTilahun, KassahunGelaye and AdaneMamuyeDevelopment of automated text-message reminder system to improve uptake of child vaccination ,2019. *Online Journal of Public Health Informatics* ISSN 1947-2579 <http://ojphi.org> 11(2):e15,
- [4]. SitiNazazihahRahmat, Arshad Jamal, Mohammed HazimAlkawaz, Monica Sangaran , Parental remainder and planner for children vaccination , 21 November 2019. *IEEE 9THInternational Conference on system engineering and technology (ICSET)*, 7 October 2019, Shah Alam, Malaysia.
- [5]. Pejaver. Neonatology , IAP immunize India: SMS text-based vaccination reminder service program- An innovation, 25 OCTOBER 2020. *Arch Dis Child* 2020;105(Suppl 1):A1–A238.
- [6]. Seth R, Akinboyo I, ChhabraA, Qaiyum Y, Shet A, Gupte N et al. Mobile phone incentives for childhood immunizations in rural India. *Pediatrics*. 2018;141:4.
- [7] Kazi AM, Ali M, Zubair K, Kalimuddin H, Kazi AN, Iqbal SP et al. Effect of mobile phone text message reminders on routine immunization uptake in Pakistan: randomized controlled trial. *JMIR Public Health and Surveillance*. 2018;(4)1:e20.
- [8]. M Hema Kumar, V Mohanraj, Y Suresh, J Senthilkumar, G Nagalalli Trust aware localized routing and class based dynamic block chain encryption scheme for improved security in WSN *Journal Of Ambient Intelligence And Humanized Computing* ,Springer Heidelberg 2020/4/30 (SCI – Impact factor 1.91)

- [9]. Mekonnen ZA, Gelaye KA, Were MC, Gashu KD, Tilahun BC. Effect of mobile text message reminders on routine childhood vaccination: a systematic review and meta-analysis. *Syst Rev.* 2019 Jun 28;8(1):154.
- [10]. C. Elaine and A. D.-S. Matheson, "Increasing HPV Vaccination Series Completion Rates via Text Message ,Reminders", *Journal of Pediatric Health Care*, vol. 28, no. 4, pp. e35-e39, 2014.



INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details