



(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



### **Impact Factor: 8.699**

## Volume 14, Issue 4, April 2025

⊕ www.ijirset.com ⊠ ijirset@gmail.com 🖄 +91-9940572462 🕓 +91 63819 07438





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 4, April 2025

#### |DOI: 10.15680/IJIRSET.2025.1404519|

## Plant Leaf Disease Detection and Classification using ML&DL

K.Kotteeswari, Ganta Neeraj Vardhan, Padala Vamhsi Goud, Shanigarapu Akshay


Associate Professor, Department of CSE, Bharath Institute of Higher Education and Research, Selaiyur, Chennai,

Tamil Nadu, India

B. Tech Students, Department of CSE, Bharath Institute of Higher Education and Research, Selaiyur, Chennai,

Tamil Nadu, India

**ABSTRACT:** The Plant diseases pose a significant threat to agricultural productivity, causing substantial crop losses worldwide. Prompt and accurate detection of these diseases is crucial for effective disease management and to ensure food security. In this project, we propose a solution to automate the detection of plant leaf diseases using deep learning techniques. We leverage the power of deep convolutional neural networks (CNNs) implemented through the TensorFlow framework to build a robust disease detection model. By analyzing high-resolution images of plant leaves, our model can accurately identify and classify various diseases affecting crop plants. The utilization of TensorFlow enables efficient training and optimization of the CNN model, ensuring superior performance in terms of accuracy and computational efficiency.



#### I. INTRODUCTION

At the implementation level, we defined the detailed design of the software components and their interactions. For example, we defined the architecture of the deep learning model, which consists of several convolutional layers, followed by pooling layers and fully connected layers. We also defined the user interface design and the data preprocessing steps used to prepare the images for input to the model.

IJIRSET©2025





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 4, April 2025

#### |DOI: 10.15680/IJIRSET.2025.1404519|

#### II. LITERATURE REVIEW

Verma, Gaurav, Taluja, Charu, and Saxena, Abhishek Kumar. "Vision Based Detection and Classification of Disease on Rice Crops Using Convolutional Neural Network" (2019). The study by Verma, Taluja, and Saxena utilized a convolutional neural network (CNN) for the accurate detection and classification of diseases in rice crops It Their study aimed to develop an efficient system for identifying diseases in cotton crops based on leaf images. By training an ANN using features extracted from the images, the authors achieved satisfactory accuracy in disease detection.

#### **III. METHODOLOGY**

The plant leaf image dataset was preprocessed to ensure consistency and quality, including imageresizing, normalization, and augmentation techniques such as rotation, flipping, and shearing. The preprocessed dataset was split into training, validation, and testing sets with a ratio of 54:18:8, respective




Fig3.1.1.: Working of CNN phase-1

There are certain trickier cases where X can represent in these four forms as well as the right side, so these are nothing but the effects of the deformed images. Here, there are multiple presentations of X and O's. This makes it tricky for the computer to recognize. But the goal is that if the input signal looks like previous images it has seen before, the "image" reference signal will be convolved with the input signal. The resulting output signal is then passed onto the next layer. Consider the diagram shown below:

#### **IV. IMPLEMENTATION**

a specialized type of deep neural network designed to efficiently process data with a grid like topology, such as images. The architecture starts with an input layer, where an image (e.g., 224×224 pixels with 3 color channels) is fed into the network. The input is passed through a series of convolutional layers, each consisting of multiple filters (also called kernels) that slide across the image to extract local patterns such as edges, textures, or shapes, resulting in feature maps. These filters are learned during training, enabling the network to detect increasingly complex features in deeper layers. Each convolutional operation is typically followed by a non-linear activation function like ReLU (Rectified Linear Unit), which adds non-linearity and helps the network model complex relationships. After one or more convolutional layers, the network often includes pooling layers, such as max pooling, which reduce the spatial dimensions of the





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 4, April 2025


#### |DOI: 10.15680/IJIRSET.2025.1404519|

feature maps while preserving the most important features, thus lowering computation and controlling overfitting. This sequence of convolution, activation, and pooling can be repeated several times to form a deep architecture that progressively captures more abstract and semantic features.

C  O localho	t 6888/notebooks/modal-training_1 ipynb	167	\$2 5	W 🗖	3	-
📁 jupyter	modal-training_1 Last Checkpoint: 04/15/2023 (autosaved)	-		tuogo.		
File Edit	View Inset Cell Kernel Widgets Help NotTrusted	Python	3 Opyker	nel) O		
m + s< 6	Ks ★ ↓ ▶ Run ■ C ₩ Code ~ □					
In [78]:	import tensorflow as tf from tensorflow.keras import models, layers import metplotils pyplot as plt					
In [71]:	BATCH_SIZE= 32 PANNE_SIZE= 256 CHANNELS=3 EPOCHS=50					
In [72]:	<pre>datast - tf:lsrss.greprocessing.image_dataset_from_directory(</pre>					
	Found 2152 files belonging to 3 classes.					
In [73]:	class_names = dataset.class_names class_names					
Ovt[73]:	['Potato Early blight', 'Potato Late blight', 'Potato healthy']					
MG-20230225-WA0				Show	1.00	

#### V. RESULTS AND CONCLUSION

In conclusion, the Plant Leaf Disease Detection project successfully achieved its objective of developing a deep learning-based system for automated identification of plant diseases. The system has been designed to help farmers identify plant diseases quickly and accurately, which in turn can lead to better crop management and improved yield. The project utilized various techniques and technologies such as image processing, machine learning, and deep learning to develop the system. The accuracy of the system was evaluated using a dataset of plant leaf images, and the results showed an overall accuracy of 99%, with some diseases having an accuracy of 98%.



This Fig 3 gives information about The results of our project demonstrated a high level of accuracy in detecting and classifying different types of plant diseases. We achieved an accuracy of 99% on average, with the accuracy ranging between 95% to 100%. Specifically, the accuracy for identifying early blight was 98%. To evaluate the performance of





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 4, April 2025

#### |DOI: 10.15680/IJIRSET.2025.1404519|

the model, we used confusion matrices, precision, recall, and F1-score techniques. The model's performance on the test set, which was separate from the training and validation sets, showed that it was highly effective in real-world situations. We also conducted a comparative analysis of our model with other state-of-the-art models.

#### VI. LIMITATIONS AND FUTURE WORK

In conclusion, Finally, we could consider implementing a real-time monitoring and alert system, which would enable farmers to quickly identify and respond to potential plant diseases before they spread and cause significant damage to their crops. These are just a few examples of what you could write in the "Future Work" section. The goal is to identify potential areas of improvement or expansion for the project, and to demonstrate your understanding of the potential impact of the system on the broader agricultural community

#### REFERENCES

[1] Gaurav Verma, CharuTaluja, Abhishek Kumar Saxena "Vision Based Detection and Classification of Disease on Rice Crops Using Convolutional Neural Network", 2019

[2] NikhilShah1, Sarika Jain2 "Detection of Disease in Cotton Leaf using Artificial Neural Network",2019

[3] Ch. Usha Kumari "Leaf Disease Detection: Feature Extraction with K-means clustering and Classification with ANN",2019

[4] S.D.M., Akhilesh, S. A. Kumar, R. M.G. and P. C., "Image based Plant Disease Detection in Pomegranate Plant for Bacterial Blight," 2019 International Conference on Communication and Signal Processing (ICCSP), 2019, pp. 0645-0649, doi: 10.1109/ICCSP.2019.8698007.

[5] H.Al-Hiary, S.Bani-Ahmad, M.Reya

[6] lat, M. BraikandZ. AL Rahamneh "Fast and Accurate Detection and Classification of Plant Diseases", 2011

[7] Kumar, M., Gupta, P., Madhav, P., & Sachin, "Disease Detection in Coffee Plants Using Convolutional Neural Network", 2020

[8] R. M. Haralick, K. Shanmugam and I. Dinstein, "Textural Features for Image Classification," in IEEE Transactions on Systems, Man, and Cybernetics, vol. SMC- 3, no. 6, pp. 610-621, Nov. 1973, doi: 10.1109/TSMC.1973.4309314.

[9] Francis, J., AntoSahayaDhas D, & Anoop B K.," Identification of leaf diseases in pepper plants using soft computing techniques.",2016









# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com