



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 4, April 2025

Enhancing Agricultural Productivity through Deep Learning based Plant Disease Detection and Diagnosis

Dr. S. Maruthuperumal, Pebbili Jayanth Nikhil, Pendli Ajay Kumar, Putta Sai Swaroop

Professor, Department of CSE, Bharath Institute of Higher Education and Research, Selaiyur, Chennai, India

B. Tech Students, Department of CSE, Bharath Institute of Higher Education and Research, Selaiyur, Chennai, India

ABSTRACT: By Agriculture plays a major role in developing countries like India, however the food security still remains a vital issue. Most of the crops get wasted due to lack of storage facility, transportation, and plant diseases. More than 15% of the crops get wasted in India due to diseases and hence it has become one of the major concern to be resolved. There is a need of automatic system that can identify these diseases and help farmers to take appropriate steps to get rid of crop loss.

Farmers have followed the conventional method of identifying the plant disease with their naked eyes, and it not possible for all the farmers to identify these diseases the same way. With the advance in Artificial Intelligence, there is a need to incorporate the facilities of the computer vision in the field of agriculture. Deep Learning rich libraries and user as well as developer friendly environment to work with, all these qualities make Deep Learning as the favorable method to get started with this problem. In this paper we have used Deep Learning because of the advantages it offers to work with images especially in image classification to get improvised results.

The methodology includes taking leaves of infected crops and label them as per the disease pattern. The images of infected leaves are processed pixel based operations are applied to improve the information from the image. As a next step feature extraction is done followed by image segmentation and at the last classification of crop diseases based on the patterns extracted from the diseased leaves. The CNN (Convolutional Neural Network) is used for the classification of diseases, for the demonstration purpose the public dataset is used consisting of around 87 K images (RGB type images) including healthy as well as diseased leaves.

KEYWORDS: Computer vision, precision agriculture, plant disease identification, convolutional neural networks (CNN), deep learning, image classification, transfer learning.

I. INTRODUCTION

Image based plant disease identification is the recently explored area by many researchers. As the crop waste is increasing due to diseases, it is becoming crucial to identify the diseases accurately and timely. In developing countries, especially in South Asia most of the population is dependent on agriculture directly or indirectly, in such countries it is becoming important to use the application based plant disease identification which can help farmers to know the cause of diseases and get the precaution to treat them. Initial identification of the plant diseases on the basis of size of leaf, color of leaf, and growth of the pattern etc can be helpful to the farmers.

With the boom in the usage of smart phones all over the world it is easy to get the picture image of the leaves, also many people around the globe have access to basic internet facility available to them. More than 300 million people access the internet for their convenience and use various applications. changes over time. By combining these two methods, we can build a system that learns from past machine behavior and predicts failures in advance. This helps industries take action before problems occur, improving efficiency and safety.



Figure 1: Stages of Leaf

II. LITEARTURE SURVEY

INTRODUCTION

The literature survey aims to explore the existing research on the plant disease detection has emerged as a critical area of research in precision agriculture. With the growing demand for food and the impact of plant diseases on crop yield, it has become essential to develop reliable and efficient methods for early disease identification. Traditional approaches rely on manual inspection by agricultural experts, which is time-consuming, labor-intensive, and prone to human error. Moreover, these methods are not scalable for large agricultural fields and often result in delayed diagnosis and treatment.

To overcome these limitations, researchers have turned to artificial intelligence, particularly **deep learning** and **image processing**, which offer powerful tools for automatic plant disease detection through leaf image analysis. Deep learning models, especially Convolutional Neural Networks (CNNs), have shown excellent performance in image classification tasks due to their ability to automatically extract relevant features from images. When combined with image preprocessing techniques, these models can accurately classify various plant diseases, often outperforming traditional machine learning methods.

This chapter presents a review of existing literature related to plant disease detection using deep learning and image processing. It highlights the methodologies, datasets, tools, and techniques used by researchers to develop intelligent systems for agricultural applications. Understanding past research provides a solid foundation for the current project and helps identify gaps and opportunities for further improvement.

Agriculture is the backbone of many economies, particularly in developing countries where a large percentage of the population depends on farming for their livelihood. One of the major challenges in modern agriculture is the early and accurate detection of plant diseases, which can severely affect crop yield and quality if not addressed promptly. Traditionally, farmers have relied on manual inspection and consultation with agricultural experts to identify diseases. However, this method is not only time-consuming and costly but also subjective and error-prone, especially in rural areas where expert guidance may not be readily available.

[1] Dr. A. Patel (2022) developed a Convolutional Neural Network (CNN)-based model for detecting tomato leaf diseases. The model achieved over 90 percent accuracy and highlighted the potential of deep learning in agricultural image classification. Patel's work proved that CNNs can effectively identify plant diseases with high precision and minimal human intervention.

[2] Dr. M. Sladojevic (2023) proposed one of the earliest deep learning models for plant disease recognition using CNNs. His system was capable of classifying 13 different plant diseases directly from leaf images without the need for manual feature extraction. This innovation demonstrated the capability of deep learning to automate the entire disease identification process.

[3] Dr. S. Kaur and Dr. G. Kaur (2021) focused their research specifically on guava leaf disease detection using traditional machine learning methods such as Support Vector Machines (SVM) and K-Nearest Neighbors (KNN).

Although their model achieved moderate accuracy, it underscored the need for more robust and scalable methods like deep learning to improve classification performance.

[4] Dr. R. Ferentinos (2023) conducted an extensive study on deep learning applications for plant disease detection across various crops. He employed CNNs and achieved high classification accuracy across 58 different classes of plant diseases, showcasing the versatility and scalability of deep learning in agriculture.

[5] Dr. T. Kamilaris and Dr. F. Prenafeta-Boldu (2022) published a comprehensive review on the use of deep learning in agriculture. Their study emphasized the advantages of CNNs over traditional methods, such as automatic feature learning, improved accuracy, and adaptability. They also encouraged future research in applying these techniques to underexplored crops like guava.

III. EXISTING SYSTEM

The Existing systems for The existing Plant disease detection plays a vital role in maintaining crop health and ensuring agricultural productivity. Traditionally, farmers and agricultural experts rely on visual inspection and experience to identify diseases in crops. However, this manual approach is often inaccurate, slow, and labor-intensive. To improve efficiency, various computer-based systems have been developed that use basic image processing and machine learning techniques.

The existing systems mainly focus on analyzing plant leaf images using methods such as color analysis, texture features, and pattern recognition. These systems use classical algorithms like Support Vector Machines (SVM), k-Nearest Neighbors (k-NN), and Decision Trees to classify different types of plant diseases. While these approaches have shown some success in controlled environments, they often fail when deployed in real-world farming conditions due to limitations like varying light, background noise, and overlapping symptoms.

Despite these efforts, current systems still lack the accuracy, speed, and adaptability needed for practical use. This opens up the need for more advanced solutions such as deep learning models, which can automatically learn complex patterns from large image datasets and offer improved performance in plant disease detection.

IV. METHODOLOGY

The guava disease detection using deep learning begins with data collection, where images of guava leaves—both healthy and diseased—are gathered using cameras or smartphones. These images then undergo data preprocessing, which includes steps like resizing, normalization, and augmentation to enhance their quality and prepare them for model training. The preprocessed images are fed into a Convolutional Neural Network (CNN), which automatically extracts important features such as texture, color, and shape patterns. The extracted features are passed to a classification layer, typically using fully connected layers and softmax activation, to categorize the image into specific disease classes or as healthy

The interaction between the Farmer and the Image Processing System. The farmer captures an image of a guava leaf and submits it to the system. The system then performs image preprocessing to prepare the input for analysis. Finally, the system applies a deep learning model to detect any disease present in the leaf. This diagram highlights the key functional steps involved in the guava disease detection process.

A. Image Acquisition and Preprocessing

This module serves as the foundation of the system by handling the collection and preparation of guava leaf images. The images are obtained from various sources such as agricultural fields using smartphone cameras or sourced from publicly available plant disease datasets. Once collected, these images often vary in quality, size, and orientation. Hence, preprocessing techniques are applied, which include resizing all images to a fixed dimension (e.g., 224×224), normalizing pixel values to a common scale (usually 0 to 1), and applying data augmentation methods like rotation, flipping, zooming, and cropping. These operations not only standardize the inputs but also help in expanding the dataset artificially, thereby reducing overfitting and improving the model's ability to generalize across diverse conditions.

B. CNN Model Training and Feature Extraction

This module is the core of the system, where a Convolutional Neural Network (CNN) is built and trained using the preprocessed images. The CNN architecture is composed of multiple layers such as convolutional layers (to extract spatial features), pooling layers (to reduce dimensionality), and activation functions (like ReLU to introduce non-linearity). These layers work together to learn and extract key features from guava leaf images such as texture patterns, color distributions, and edge structures, which are indicative of different diseases. The dataset is split into training and validation sets to monitor performance during training

C. Classification and Result Prediction

In this module, the trained CNN model is used to classify new, unseen images of guava leaves. The system takes an input image from the user, preprocesses it using the same methods as in Module 1, and feeds it into the trained CNN model. Based on the extracted features, the model predicts the class label of the leaf whether it is healthy or affected by a specific disease such as Anthracnose or Rust. The classification is accompanied by a confidence score indicating the certainty of the prediction. The results are displayed through a simple graphical or web-based user interface, making it accessible for farmers and agricultural experts to identify diseases early and take appropriate action for treatment.

D. Collaboration

The main workflow of the guava disease detection process. It begins with the Farmer capturing a guava image. The image is then passed to the ImageProcessingSystem, which first preprocesses the image to enhance its quality and suitability for analysis. After preprocessing, the system proceeds to detect any disease present in the image. The diagram ends once the detection process is complete. This visual representation highlights the sequential flow of actions in the system.

F. Implementation

The input design for the guava disease detection system is crucial for ensuring accurate and efficient processing of data. The primary input consists of images of guava leaves and fruits, captured using high-resolution cameras or smartphones. These images should be taken under consistent lighting conditions to minimize variability. Each image will be labeled according to the health status of the plant: healthy, leaf spot, blight, or wilt. To enhance the dataset, data augmentation techniques such as rotation, scaling, and horizontal flipping will be applied, increasing the model's robustness against overfitting.

V. SYSTEM ARCHITECTURE

The system architecture of the proposed project forms the backbone of how various components interact to detect and classify plant diseases accurately and efficiently. A well-designed architecture ensures the **smooth flow of data**, **efficient processing**, and **real-time feedback** to the user. It also defines the **hardware and software layers**, along with the **functional modules** such as image acquisition, preprocessing, deep learning model application, and result output.

The proposed system uses a **modular architecture** consisting of different stages, each responsible for a specific function. It begins with capturing the image of the plant leaf, followed by preprocessing the image to enhance its quality and remove noise. The cleaned image is then passed through a **Convolutional Neural Network (CNN)** which analyzes its features and predicts the disease class. The output is displayed to the user via a simple and user-friendly interface.

This architecture is designed to support **scalability, flexibility, and portability**, making it suitable for a range of deployment environments—from mobile applications to web platforms and IoT-based agricultural systems. It allows integration with real-time image capturing devices and supports both **online and offline processing**, depending on the availability of resources and network connectivity.

ARCHITECTURE OVERVIEW

The architecture of the proposed plant disease detection system is designed to ensure a **seamless flow of data from image capture to disease classification and result display**. It is composed of several interconnected modules, each performing a specific task to enable accurate and automated disease detection.

1. Image Acquisition Module:

This is the first stage of the system where images of plant leaves are captured using digital cameras, smartphones, or IoT-enabled devices. The system supports static image upload as well as real-time camera input. The quality of the image plays a crucial role in overall performance, so clear and focused images are preferred.

2. Image Preprocessing Module :

In this stage, the captured image undergoes a series of preprocessing steps such as: **Resizing and cropping** the image


- **Noise reduction**
- **Contrast enhancement**
- **Color space conversion (RGB to grayscale/HSV)**

These steps are essential for standardizing the input and improving the performance of the deep learning model.

3. Feature Extraction Using CNN

A trained **Convolutional Neural Network (CNN)** is used to extract important visual features from the leaf image such as:

- ✦ Shape of affected regions
 - ✦ Color variations
 - ✦ Texture patterns
- CNNs automatically learn these features during training and are capable of recognizing complex patterns that are difficult for traditional algorithms



4. Disease Classification :

The extracted features are passed through the final layers of the CNN to classify the image into different categories such as:

- Healthy
- Early-stage disease
- Specific disease types (e.g., bacterial blight, powdery mildew, etc.) The model outputs the predicted class along with the confidence score.

5. Result Display and Recommendations

Based on the classification, the system displays the name of the disease along with actionable insights such as:

- Brief description of the disease
- Suggested treatment or control measures
- Alerts if the disease is highly infectious

FUNCTIONAL REQUIREMENTS

- **Image Acquisition:** The system should support the acquisition of plant leaf images through digital cameras or mobile devices.
- **Image Preprocessing:** The system must preprocess images by resizing, noise reduction, contrast enhancement, and background removal to improve image clarity.
- **Feature Extraction:** The system should extract relevant visual features (color, texture, shape) using image processing techniques to aid in disease classification.
- **Model Training:** The system should allow for the training of deep learning models (e.g., CNN) using labeled datasets of plant diseases to enable accurate classification.
- **Prediction and Classification:** The trained model should classify input images as "healthy" or assign them to specific disease categories, based on learned features.
- **User Interface:** The system must provide a simple interface for users (e.g., farmers or researchers) to upload images and view classification results.
- **Result Visualization:** The system should display disease names, affected areas, and suggested remedies or precautions for detected diseases.
- **Performance Logging:** The system should log model performance metrics (accuracy, precision, recall) and keep log track of prediction histories.

VI. RESULT AND DISCUSSION

The efficiency of the proposed guava disease detection system was rigorously evaluated through various performance metrics. The model achieved an impressive accuracy rate exceeding 90 in classifying images into healthy and diseased categories. This high level of precision indicates that the deep learning algorithm effectively captures the distinguishing features of various diseases, making it a reliable tool for farmers and agricultural experts. Furthermore, the system demonstrated rapid processing speeds, averaging less than three seconds per image analysis. This quick turnaround is crucial for farmers who require timely information to take appropriate actions and minimize crop damage. In addition to accuracy and speed, user experience played a significant role in the system's overall efficiency. The output interface was designed to be user-friendly, featuring intuitive navigation and visual feedback that highlighted affected areas in the uploaded images. User feedback mechanisms indicated a high level of satisfaction, with many appreciating the actionable insights provided, such as treatment suggestions and preventive measures. While some challenges were encountered such as misclassifications in cases of mild symptoms ongoing training with additional data is expected to enhance the model's robustness. Overall, the proposed system shows considerable promise in improving agricultural practices through efficient disease detection, ultimately contributing to better crop health and increased yield. In addition to accuracy and speed, user experience played a significant role in the system's overall efficiency. The output interface was designed to be userfriendly, featuring intuitive navigation and visual feedback that highlighted affected areas in the uploaded images. This not only enhanced user comprehension but also empowered them to make informed decisions based on the model's recommendations.

VII. CONCLUSION

In conclusion, the proposed guava disease detection system, leveraging the EfficientNet CNN architecture, demonstrates significant improvements over traditional methods. With an accuracy rate exceeding 90 percent the system effectively identifies various diseases in guava plants, providing timely and reliable information to farmers. The integration of real-time processing capabilities ensures that users receive instant feedback, enabling swift intervention to mitigate potential crop damage. Additionally, the user-friendly interface, complete with visual annotations and actionable recommendations, empowers farmers to make informed decisions based on the model's predictions. This comprehensive approach not only enhances diagnostic accuracy but also promotes better agricultural practices, ultimately contributing to improved crop health and yield. Looking ahead, several enhancements could further improve the system's capabilities. Future developments may include expanding the dataset to encompass a broader range of diseases and environmental conditions, thereby increasing the model's robustness and adaptability. Implementing more advanced techniques such as ensemble learning could also enhance accuracy by combining predictions from multiple models. Additionally, incorporating user feedback mechanisms will allow continuous learning and improvement of the model based on real-world applications. Exploring mobile application development could make the system even more

accessible, enabling farmers to use the technology directly in the field. These enhancements aim to create a more versatile and effective tool for disease management in guava cultivation, ultimately benefiting the agricultural sector as a whole.

REFERENCES

1. Li, S. Zhang, and B. Wang, "Plant disease detection and classification by deep learning—A review," *IEEE Access*, vol. 9, pp. 56683–56698, 2021.
2. K. P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," *Comput. Electron. Agricult.*, vol. 145, pp. 311–318, Feb. 2018.
3. M. H. Saleem, J. Potgieter, and K. M. Arif, "Plant disease detection and classification by deep learning," *Plants*, vol. 8, no. 11, p. 468, 2019.
4. N. Nigar, M. Umar, M. K. Shahzad, S. Islam, and D. Abalo, "A deep learning approach based on explainable artificial intelligence for skin lesion classification," *IEEE Access*, vol. 10, pp. 113715–113725, 2022.
5. M. Tan and Q. Le, "EfficientNet: Rethinking model scaling for convolutional neural networks," in *Proc. Int. Conf. Mach. Learn.*, 2019, pp. 6105–6114.
6. N. Nigar, A. Jaleel, S. Islam, M. K. Shahzad, and E. A. Affum, "IoT meets machine learning: From edge to cloud chronic diseases diagnosis system," *J. Healthcare Eng.*, vol. 2023, no. 1, 2023, Art. no. 9995292. [7] K. O'Shea and R. Nash, "An introduction to convolutional neural networks," 2015, arXiv:1511.08458.
7. Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, "A survey of convolutional neural networks: Analysis, applications, and prospects," *IEEE Trans. Neural Netw. Learn. Syst.*, vol. 33, no. 12, pp. 6999–7019, Dec. 2022.
8. K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Jun. 2016, pp. 770–778.
9. Sinha and M. El-Sharkawy, "Thin MobileNet: An enhanced MobileNet architecture," in *Proc. IEEE 10th Annu. Ubiquitous Comput., Electron. Mobile Commun. Conf. (UEMCON)*, Oct. 2019, pp. 0280–0285.
10. Sonule, H. Jagtap and V. Mendhe, "Weighted Hybrid Recommendation System", *Int. J. Res. Anal. Rev.*, vol. 11, no. 1, pp. 402-409, 2024.
11. M. T. Ribeiro, S. Singh, and C. Guestrin, "'Why should i trust you?' Explaining the predictions of any classifier," in *Proc. 22nd ACM SIGKDD Int. Conf. Knowl. Discovery Data Mining*, 2016, pp. 1135–1144.
12. M. H. K. Mehedi, A. K. M. S. Hosain, S. Ahmed, S. T. Promita, R. K. Muna, M. Hasan, and M. T. Reza, "Plant leaf disease detection using transfer learning and explainable AI," in *Proc. IEEE 13th Annu. Inf. Technol., Electron. Mobile Commun. Conf. (IEMCON)*, Oct. 2022, pp. 0166–0170.
13. S. Bhattarai. New Plant Diseases Dataset. [Online]. Available: <https://www.kaggle.com/datasets/vipooool/new-plant-diseases-dataset>



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details