



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 4, April 2025

Smart Factory Setup Using PLC and SCADA

Om Shelke, Sanket Chaudhari, Mayur Bhosale, Nirbhay Tribhan, Abhijit Gawali

Final Year Students, Department of Mechatronics, Sanjivani K.B.P. Polytechnic, Kopergaon, Maharashtra, India

Final Year Students, Department of Mechatronics, Sanjivani K.B.P. Polytechnic, Kopergaon, Maharashtra, India

Final Year Students, Department of Mechatronics, Sanjivani K.B.P. Polytechnic, Kopergaon, Maharashtra, India

Final Year Students, Department of Mechatronics, Sanjivani K.B.P. Polytechnic, Kopergaon, Maharashtra, India

Project Guide, Lecturer, Department of Mechatronics, Sanjivani K.B.P. Polytechnic, Kopergaon, Maharashtra, India

ABSTRACT: It is to use intelligent automation to increase productivity, decrease downtime, and enable predictive maintenance. Conveyor control, automated sorting, process control, and other industrial processes were automated and visualized in a simulated factory environment. With the help of SCADA, a potent human-machine interface, processes could be monitored and managed centrally. The results highlight the efficiency, reliability, and scalability of smart manufacturing systems based on PLC and SCADA integration, paving the way for Industry 4.0 applications

KEYWORDS: Smart Factory, Industrial Automation, PLC, SCADA, Industry 4.0, Real-Time Monitoring, Predictive Maintenance, HMI, Process Control, Digital Manufacturing.

I. INTRODUCTION

The implementation of Industry 4.0 principles, which prioritize automation, interconnectivity, and data-driven decision-making, is significantly altering the manufacturing sector. Despite their effectiveness, traditional manufacturing systems frequently lack the adaptability and intelligence needed to satisfy the demands of contemporary production. By incorporating cutting-edge technologies like PLCs and SCADA systems, smart factories seek to get around these restrictions. PLCs are high-end digital computers made specifically for manufacturing process control. Their robustness, dependability, and real-time capabilities make them popular for automation. On the other hand, SCADA systems offer extensive control and visualization features that let operators oversee and manage numerous processes from a single interface. This project investigates the use of PLC and SCADA technologies in the setup and configuration of a smart factory. Design is the main focus. a dependable, scalable, and effective automation system that can adjust to changing production needs. Manufacturers can increase operational transparency, decrease errors, and boost productivity by utilizing these technologies.

II. LITERATURE SURVEY

The smart factory represents the convergence of traditional industrial automation with digital technologies such as IoT, big data, and AI. At the core of this transformation lie Programmable Logic Controllers (PLCs) and Supervisory Control and Data Acquisition (SCADA) systems, which enable real-time automation and data monitoring. The following literature review explores significant studies and technological advancements in the domain of PLC-SCADA integration and their role in smart manufacturing

1. S. Singh, R. Kumar (2020) – “PLC-SCADA Integration for Predictive Maintenance in Industrial Automation”

This study focused on implementing predictive maintenance using SCADA systems integrated with PLCs. The authors developed a model where the SCADA continuously monitored machine performance, and historical data was analyzed to predict equipment failure. The study concluded that predictive maintenance reduces unplanned downtime by over 30%, improving productivity and cost-efficiency.

2. M. R. Patel, K. Shah (2019) – “Automated Conveyor Belt System Using PLC and SCADA”

This research illustrated a real-time automated conveyor system where PLC controlled motors and sensors, while SCADA provided real-time monitoring and interface control. The project showed how automation using PLC and SCADA reduced material handling time and minimized human error, making the system ideal for high-volume manufacturing plants.

3. J. Chen, W. Li (2021) – “Smart Bottling Plant Using SCADA and PLC: A Case Study”

The authors developed a bottling plant controlled by Siemens PLCs and monitored via WinCC SCADA. The study highlighted the advantage of SCADA in visualizing bottling rates, fluid levels, and temperature, and controlling valves and pumps. It was concluded that SCADA integration significantly improved bottling accuracy and reduced wastage.

4. S. Bhosale, A. Jadhav (2022) – “Design of a Smart Warehouse Using PLC and SCADA”

This paper presented a model of a warehouse system where robotic arms, conveyor belts, and storage units were automated through PLC. SCADA provided a dashboard that displayed stock levels, robotic arm activity, and error alerts. The integration increased order fulfillment speed and inventory accuracy, demonstrating a practical smart factory model.

5. R. M. Tripathi et al. (2020) – “PLC and SCADA-Based Industrial Automation in Process Industries”

The study presented a comprehensive analysis of SCADA applications in chemical and pharmaceutical industries. It showed how SCADA can manage multiple processes (temperature control, pressure regulation, mixing operations) with centralized visualization and control. Integration with PLC allowed precise process control, reduced energy consumption, and ensured product quality.

6. K. Kundu, P. Dey (2018) – “Role of PLC-SCADA in Industry 4.0 Smart Manufacturing Systems”

This paper contextualized PLC and SCADA within the framework of Industry 4.0. It argued that PLC-SCADA integration is a foundational element for cyber-physical production systems (CPPS), enabling automation, machine-to-machine communication, and data-centric decision-making. The authors also stressed the importance of real-time data analytics for operational excellence.

III. METHODOLOGY

These phases were followed in the creation of the smart factory setup:

System Design: To replicate standard factory operations, such as conveyor movement, sorting, packaging, and temperature/humidity monitoring, a process flow was established.

PLC Programming: A variety of control functions, including motor start/stop, sensor inputs, actuator control, and alarm handling, were programmed into the PLC using ladder logic.

SCADA Development: Wonderware InTouch and Siemens WinCC were two examples of the software used to create a SCADA interface. The interface showed control options, process visuals, and real-time data.

Communication Setup: Modbus or OPC protocols were used to connect the PLC and SCADA and enable smooth data exchange.

Testing and Simulation: To replicate actual factory conditions, the setup was tested with virtual inputs and outputs.

Data Analysis and Logging: SCADA was set up to record historical data for analysis and performance enhancement.

1. Requirement analysis and system design

Process Flow Design: To begin, an automated factory process was selected. Using block diagrams and flowcharts to illustrate the order of operations, a simulated production line (including material handling, sorting, and packaging) was created. **Functional Requirements:** Important features were identified, including fault detection, real-time monitoring, sensor interface, motor control, emergency stop, and data logging.

I/O Mapping: In order to integrate with the PLC, all inputs (such as temperature sensors, proximity sensors, and limit switches) and outputs (such as motors, solenoids, and alarms) were mapped.

2. PLC Hardware Selection and Setup: A small PLC unit (such as the Allen-Bradley MicroLogix, Siemens S7-1200, or Delta DVP series) was chosen for compatibility and adequate I/O capacity. **Actuators and Sensors:** Stepper motors, temperature sensors, infrared sensors, proximity sensors, and actuators were interfaced

Communication Interface: The PLC and SCADA were able to communicate with each other using either Ethernet, Modbus, or RS-485 protocols.

Power Supply and Relay Modules: For motor and relay control, appropriate isolation and protection circuits were used.

3. Programming PLCs

Ladder Logic Development: To carry out real-time control operations, ladder logic was used to program the PLC.

Modules that are functional:

Start/Stop Sequences: For machines and conveyor belts.

Sorting logic (metal vs. non-metal, for example) is based on sensor feedback.

Fault Handling: Emergency Stop and Start Procedure.

Timer/Counter: For counting units, process timing, and delay control.

Simulation Environment Testing: Software was tested using simulation tools such as RSLogix 500, WPLSoft, and TIA Portal.

4. Development of SCADA

SCADA Software Selection: The interface was developed using software such as Siemens WinCC, Wonderware InTouch, or Ignition.

IV. EXPERIMENTAL RESULTS

A controlled environment that mimicked a smart manufacturing line was used to test the system. Among the main outcomes were:

Real-Time Monitoring: With little delay, SCADA showed precise process parameters and status updates.

Decreased Human Intervention: By successfully automating manual tasks, safety was increased and error rates were decreased.

System Response Time: The PLC ensured seamless operation by executing control commands in milliseconds.

Data Analysis: Performance analysis and the identification of irregularities or inefficiencies were made possible by logged data.

Fault Detection: By accurately identifying and reporting simulated faults (such as sensor failure or overload conditions), the system was able to set off alarms and take corrective action.

Overall, the experimental results confirmed that the smart factory design based on PLC and SCADA was effective as shown in Fig.1




Fig. 1:



Fig. 2:

V. CONCLUSION

The implementation of a Smart Factory using PLC and SCADA marks a significant milestone in the evolution of industrial automation. This project successfully demonstrates how the synergy of programmable logic controllers and supervisory control systems can transform conventional manufacturing units into intelligent, interconnected, and highly efficient production environments. Through the integration of real-time process control (via PLCs) and centralized monitoring and visualization (via SCADA), the smart factory prototype developed in this project embodies the core principles of Industry 4.0.

One of the primary achievements of this project was the design and deployment of an automated process line capable of performing various industrial tasks—such as material handling, sorting, and packaging—with minimal human intervention. The use of ladder logic programming enabled precise, deterministic control of physical operations, while SCADA allowed operators to supervise, interact with, and analyze system performance remotely and efficiently. The modular design ensured that the system could be easily scaled or modified to accommodate new processes or operational changes without major reengineering.

The integration of sensors and actuators with the PLC provided real-time data about the system's physical environment, enabling the SCADA to visualize operational states and generate alarms when deviations occurred. This real-time feedback loop ensured rapid response to anomalies, improving safety and reducing unplanned downtimes. Furthermore, the inclusion of data logging capabilities allowed for trend analysis, performance optimization, and predictive maintenance, further emphasizing the system's intelligence and adaptability.

From an educational and developmental perspective, the project has served as a robust foundation for understanding the complex interplay between hardware and software in industrial systems. It reinforces the importance of clean system architecture, proper I/O mapping, fault tolerance, and responsive HMI design. This knowledge is directly transferable to real-world industrial environments, where such systems are critical to operational continuity and competitiveness.

Beyond its immediate technical outcomes, this project highlights the broader implications of smart factories in modern manufacturing ecosystems. It showcases how digital transformation in manufacturing can lead to improved resource utilization, lower operational costs, enhanced product quality, and greater agility in meeting market demands. As industries worldwide transition towards intelligent automation, systems such as the one developed in this project will form the backbone of future factories—ones that are not only automated, but also self-optimizing, self-learning, and resilient. In conclusion, the successful implementation of this PLC and SCADA-based smart factory system not only meets the objectives set forth at the beginning of the project but also paves the way for future enhancements. These could include integration with IoT devices for remote monitoring, AI algorithms for adaptive control, cloud-based SCADA for multi-site supervision, and cybersecurity frameworks to protect critical infrastructure. The foundation laid by this project

has immense potential to be developed into a full-scale industrial solution that contributes significantly to the next generation of digital manufacturing.

REFERENCES

- [1] J. Chen, W. Li (2021) – “Smart Bottling Plant Using SCADA and PLC: A Case Study”
- [1] S. Singh, R. Kumar (2020) – “PLC-SCADA Integration for Predictive Maintenance in Industrial Automation”
- [2] M. R. Patel, K. Shah (2019) – “Automated Conveyor Belt System Using PLC and SCADA”
- [3] S. Bhosale, A. Jadhav (2022) – “Design of a Smart Warehouse Using PLC and SCADA”
- [4] R. M. Tripathi et al. (2020) – “PLC and SCADA-Based Industrial Automation in Process Industries”
- [5] K. Kundu, P. Dey (2018) – “Role of PLC-SCADA in Industry 4.0 Smart Manufacturing Systems”
- [6] S. Sharma, V. Bansal (2021) – “Energy Monitoring in Smart Factories Using SCADA”
- [7] T. Goyal, N. Mahapatra (2022) – “Development of SCADA-Based Automated Packaging Line Using Siemens S7-1200 PLC”
- [8] International Journal of Engineering Research & Technology (IJERT, 2021) – “PLC and SCADA Based Smart Factory Prototype”
- [9] M. R. Tavakoli (2019) – “Challenges and Solutions in SCADA-Based Smart Factory Systems”



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details