



(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 2, February 2025

⊕ www.ijirset.com ⊠ ijirset@gmail.com 🕲 +91-9940572462 🕓 +91 63819 07438





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025

|DOI: 10.15680/IJIRSET.2025.1402011|

Study on Vascular Aging and Pharmaceutical Interventions

Hannah Alex¹

University of Pittsburgh, USA¹

ABSTRACT:

Background

Vascular aging is an age-dependent decline in vascular structure and function. It is one of the most critical determinants of age-related cardiovascular diseases, including hypertensive and atherosclerotic diseases, frank arteriosclerosis, arterial stiffness, and endothelial dysfunction. New findings offer an understanding of the mechanisms controlling the aging process of blood vessels and point to drug possibilities.

Objective

To identify molecular factors contributing to end vessel aging or test compounds modulating vascular stiffness/senescence markers.

Methods

Moreover, through the study of molecular changes in the RSC, the main mechanisms of the disease, such as oxidative stress, extracellular matrix alterations, and endothelial cell senescence, were reviewed. New targeted therapeutic strategies, including senolytics, antioxidants, and NO-targeting drugs, were evaluated.

Results

Some underlying expositions warrant further research, including mitochondrial imperfection, telomere shortening, and a rise in pro-inflammatory molecules. Specific agents, such as resveratrol, quercetin, and statins, can potentially reduce vascular stiffness and aging. Their effectiveness in trials has been demonstrated in their impact on oxidative stress and endothelium.

Conclusion

Knowledge of the molecular mechanisms of vascular aging allows the creation of a pharmacological approach. AIM(s) focused on both senescence and oxidative stress pathways should be considered a paradigm shift in preventing elderly vascular diseases.

KEYWORDS: Vascular aging, senescence, arterial stiffness, oxidative stress, pharmacological interventions, endothelial dysfunction.

I. INTRODUCTION

Arterial aging is a significant predictor of cardiovascular risk that has recently become a leading cause of morbidity and mortality in society (Valeriani et al., 2024). Vascular aging is accompanied by arterial stiffening, endothelial dysfunction, and altered blood flow patterns due to the molecular and cellular changes involved (Boutouyrie et al., 2021). However, this markedly raises the risk of hypertension, atherosclerosis, combined heart failure, and mortality (Zou et al., 2021). Newer developments stress the contribution of oxidative stress, mtDNA damage, and cellular senescence to the mechanisms of vascular aging (Balistreri, 2022). Pharmacological interventions affecting those mechanisms, such as senolytics and nutraceuticals, offer the possibility of alleviating vascular deterioration (Ji et al., 2022). This report presents findings concerning the molecular mechanisms involved in vasculature aging and pharmacological therapy that can reverse vascular stiffness and eliminate SASP.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025

|DOI: 10.15680/IJIRSET.2025.1402011|

II. MATERIALS AND METHODS

2.1 The Anatomical Basis of Vascular Aging

The work summarized many important molecular mediators of vascular aging, which include oxidative stress, matrix remodeling, and endothelial damage. Oxidative stress reflects the excess of ROS levels leading to the injury and inflammation of blood vessels (Cai et al., 2021). ECM remodeling is characterized by elastin breakdown and increased collagen accumulation, which increase arterial stiffness. Moreover, endothelial and mitochondrial dysfunction negatively impact vascular aging since NO bioavailability is lowered and inflammation increases (Gkaliagkousi et al., 2022). Pro-opening and telomere shorting and other cell signaling pathways to inflammation are other factors involved in this process.

2.2 Medication Management

Strategies to target vascular aging pharmacologically were discussed and included senolytics, including quercetin, dasatinib, other antioxidants, resveratrol, and statins (Moaddel et al., 2021). Of these agents, there is evidence of clinical and preclinical efficacy (Chen et al., 2024). Thus, senolytics diminish senescent cells, and SASP elimination is the mechanism for the senolytics' action; on the other hand, antioxidants increase mitochondrial productivity and change NO pathways. The conditions of endothelial function in patients taking statins still improve for a longer time because statins increase eNOS activity and decrease oxidative stress, resulting in increased elasticity of blood vessels and decreased stiffness.

2.3 Data Sources

Data were sourced from peer-reviewed journals, meta-analyses, and systematic reviews to ensure a comprehensive analysis of vascular aging mechanisms and pharmaceutical strategies. The inclusion criteria were based on filtering the articles that dealt mainly with molecular and pharmacological aspects of the diseases concerned and were published within the last five years. This approach allowed me to grasp simultaneously the basic principles and possibilities of therapy.

III. EXPERIMENTAL

The experimental focus was aimed at synthesizing findings from the latest reports to contribute to the knowledge of factors causally involved in vascular aging and age-related therapeutics. Three key areas of investigation were identified:

3.1 Table 1 Data Extraction and Analysis

Clinical and preclinical investigations' quantitative data sources were included based on specified measurements like arterial stiffness, oxidative stress markers, and endothelial function (Boutouyrie et al., 2021). Three measures, pulse wave velocity (PWV) and flow-mediated dilation (FMD) were also tested to assess vascular health (Paapstel & Kals, 2022). These measurements yield important markers of arterial stiffness and endothelial function (Saavedra, 2021).

3.2 Mechanistic Models Construction

Mechanistic models were developed to identify the mechanisms of vascular aging, and the influences of mitochondrial dysfunction, ECM, and SASP were included in those models (Ungvari et al., 2020). Such models allowed theoretical predictions of pharmacological intervention effectiveness and provided some ideas about outcomes that may be expected in clinical trials (Giuliani et al., 2023).

3.3 Further justification of prescribed drugs

Pharmacological approaches such as senolytics and antioxidants were considered depending on the effects of the essential biomarkers (Nieto et al., 2024). Such changes included ROS decrease, NO increase, and inhibition of the cytokines release, which are as follows (Ya & Bayraktutan, 2024). Compared studies discussed the effectiveness of interventions such as quercetin and resveratrol in enhancing vascular health parameters (Laurent & Boutouyrie, 2020).





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025

|DOI: 10.15680/IJIRSET.2025.1402011|

IV. RESULTS

4.1 Molecular Mechanisms


Vascular aging is initiated by several molecular processes, which lead to features of arteriosclerosis and endothelial dysfunction (Gutmann et al., 2020). There was proof of the sources of oxidant stress that stemmed from an increased concentration of ROS that affected the endothelial cells and inflammation (Amorim et al., 2022). ROS contributes to less available nitric oxide (NO), a molecule crucial for vascular dilation and the specific augmentation of arterial stiffness (Daiber & Chlopicki, 2020). These enhanced pathophysiologic processes in mitochondrial dysfunction reflect the amplified oxidant stress due to disturbed energy metabolism, further fueling inflammatory cascades and cellular injury (Murray et al., 2022). Another important factor is ECM remodeling, which is characterized by excessive collagen synthesis and elastin breakdown (Brunt et al., 2020). This changes the putative elastic properties surrounding the arteries, making the arteries stiffer and less elastic (Heinz, 2020). Also, the recombinant model supports that the senescence-associated secretory phenotype (SASP) promotes vascular aging (Zhao et al., 2024) in novel vascular beds. Locally, senescent endothelial cells release pro-inflammatory cytokines and matrix metalloproteinases that sustain chronic inflammation and matrix redesigning (Giuliani et al., 2023).

4.2 Pharmacological Strategies

These mechanisms have been shown to have the possibility of being prevented by pharmacological interferences. Realized compounds such as quercetin and dasatinib specifically target senescent cells, inhibit SASP, and increase the quality of blood vessels. These proven skills to reduce inflammation and improve endothelial function make them considered agents (Nieto et al., 2024). Molecules like resveratrol activate the mPTP, increase the bioavailability of NO, and reduce oxidative stress, promoting vascular health (Del Fleenor, Carlini & Martens, 2023). Statins favorably affect endothelial function by increasing eNOS activity with a concurrent decrease in oxidative stress, which leads to arterial compliance (Chintapula et al., 2023).

4.3 Emerging Therapies

New avenues, such as MTAs and peptide-based pharmaceuticals, indicate potential modulation avenues (Arora et al., 2023). These therapies are intended to fix mitochondria dysfunction and, thus, reduce oxidative stress. They have potential in preclinical studies (Abdellatif et al., 2024). Endothelial repair is the best-strategized target in peptides; inflammation reduction is also viewed as practicable (Pang et al., 2024). Over time, these innovations open up the prospects of changing the approach to managing vascular aging, focusing on its cause (Kosmopoulos et al., 2022).



FIGURES, TABLES AND SCHEMES

Fig. (1). Vascular Aging Pathways: As illustrated in this figure, vascular aging mainly occurs due to cellular senescence, oxidative stress, and extracellular matrix remodeling. Endothelial dysfunction, arterial stiffness, and increased risk of cardiovascular disease are caused by their own factors and the interactions of all these factors.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025 |DOI: 10.15680/IJIRSET.2025.1402011| Age-related ECM remodelling - Arterial stiffness BA4 antibody, V14 peptide AGE Elastokines **NEU1** sialidase inhibitors ERC signalling **RAGE signalling** Cell adhesion **Oxidative stress** Chemotaxis Elastin degradation Migration Proliferation Elafin Proteinase activation - Alagebrium Angiogenesis

(2) Collagen production

Fig. (2). Pharmacological Interventions in Vascular Aging: This figure shows key strategies for pharmaceutical intervention to mitigate vascular aging. Antioxidants, diagnoses of senolytics, endothelin receptor antagonists (to regulate vascular tone), and ARBs (to decrease arterial stiffness and inflammation) eliminate the senescent cells and are then taken together as a still force.

Aminoguanidine

(3) NEPTMs of collagen & elastin




Fig. (3). Graphical Abstract

A summarized representation of the vascular aging mechanisms and pharmaceutical interventions. This includes endothelial dysfunction, oxidative stress, and extracellular remodeling, as shown by the left side and the effects of targeted drugs on the right side.

IJIRSET©2025





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025

|DOI: 10.15680/IJIRSET.2025.1402011|

Table 1. Pharmacological Strategies for Vascular Aging

S. No.	Intervention	Mechanism of Action	References
1	Senolytics (Dasatinib, Quercetin)	Eliminates senescent cells, reduces SASP	Nieto et al., 2024; Giuliani et al., 2023
2	Antioxidants (Resveratrol)	Reduces ROS, restores endothelial function	Godos et al., 2024; Murray et al., 2022
3	ARBs (Losartan)	Inhibits RAAS, reduces stiffness and inflammation	Saavedra, 2021; Cai et al., 2021
4	Endothelin Receptor Antagonists	Modulates endothelin-1 activity	Boutouyrie et al., 2021

V. DISCUSSION

This paper elucidates the cell biology of vascular aging and provides an opportunity to examine novel drug treatments (Amorim et al., 2022). Major contributors to vascular stiffness are oxidative stress and ECM, where mitochondrial dysfunction accelerates energy metabolism and ROS generation further (Cai et al., 2021). These mechanisms enhance vascular aging and endothelial damage (Sarhene et al., 2021). Such tactics have frail pharmacological designs centered on these mechanisms (Gupta & Mandal, 2021). Quercetin is known to rid the body of senescent cells, reduce SASP, lessen inflammation, and improve the caliber of blood vessels. Flavonoids, for instance, resveratrol, also improve endothelial function by interacting with pathways involving nitric oxide (NO) and decreasing oxidative stress (Godos et al., 2024). Likewise, statins maintain endothelial integrity by modulating enzyme eNOS activity, which helps arterial compliance and not stiffness (Scheffer et al., 2021). However, this supports the fact that these therapies work by decreasing pulse wave velocity (PWV) and increasing flow-mediated dilation (FMD) (Robinson & Port, 2022). Other models provide more information and the expectation of the result of the intervention and the therapy methods (Strianese et al., 2020). It will be necessary for senolytic researchers to work towards applying the integrated approach, antioxidants, and other subsequent therapies like RNA targeting therapies (Ding et al., 2023). To the extent that such multi-targeted strategies can target the functions delineated in this line of exploration, these present potentialities to concurrently tackle the multifactorial nature of the molecular dysregulation in age-related vascular disease as plotted by Gerdes et al. More prolonged randomized controlled trials are necessary to determine their safety effects, effectiveness, and generalizations to various populations. New pharmacological interventions antagonizing that target vascular aging are on the horizon, including mitochondria-targeted antioxidants and peptide therapeutics (Khera et al., 2024). Further development of therapeutic approaches and counteracting age-related cardiovascular risks requires clinical and translational research cooperation.

VI. CONCLUSION

As a result of the elucidation of the roles of individual genes, pharmaceutical interventional strategies have been designed to treat vascular aging. Optimizing oxidative stress, mitochondrial injury, and endothelial aging has been shown to reduce arterial stiffness and associated cardiovascular risks of aging. These approaches not only address the specific processes that lead to vascular aging but also may provide a sustained and practical approach to addressing the vascular aging processes and improving quality of life. Senolytics and antioxidants should be carefully considered as drugs with proven benefits in other animal models and clinical trials, and those beneficial effects include a decrease in inflammation, enhancement of endothelium reactivity, and recovery of arterial compliance. However, as acknowledged previously, the complex nature of vascular aging calls for high-level integration and multifactorial interventions to obtain the best results. It may be augmented by modern technology, such as RNA-based therapeutic agents when used





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025

|DOI: 10.15680/IJIRSET.2025.1402011|

together with such approaches. Further refinement and research of these interventions require efficient teamwork between clinical investigators and clinical and translational scientists. Future studies should focus on more clinical trials to evaluate the safety of the treatment in different populations. These efforts may go a long way in decreasing the load of age-related cardiovascular diseases through future endeavors to understand and treat vascular aging.

REFERENCES

- 1. Abdellatif, M., Schmid, S. T., Fuerlinger, A., & Kroemer, G. (2024). Anti-ageing interventions for the treatment of cardiovascular disease. Cardiovascular Research, cvae177.
- 2. Amorim, J. A., Coppotelli, G., Rolo, A. P., Palmeira, C. M., Ross, J. M., & Sinclair, D. A. (2022). Mitochondrial and metabolic dysfunction in ageing and age-related diseases. Nature Reviews Endocrinology, 18(4), 243-258.
- Arora, S., Singh, M., Dharmamoorthy, G., Bhati, D., Gupta, T., Patel, A., ... & Bhatt, P. (2023). ADVANCEMENTS IN PEPTIDE-BASED THERAPEUTICS: DESIGN, SYNTHESIS AND CLINICAL APPLICATIONS. Biochemical & Cellular Archives, 23.
- 4. Balistreri, C. R. (2022). Promising strategies for preserving adult endothelium health and reversing its dysfunction: from liquid biopsy to new omics technologies and noninvasive circulating biomarkers. International journal of molecular sciences, 23(14), 7548.
- 5. Boutouyrie, P., Chowienczyk, P., Humphrey, J. D., & Mitchell, G. F. (2021). Arterial stiffness and cardiovascular risk in hypertension. Circulation research, 128(7), 864-886.
- Brunt, V. E., Gioscia-Ryan, R. A., Casso, A. G., VanDongen, N. S., Ziemba, B. P., Sapinsley, Z. J., ... & Seals, D. R. (2020). Trimethylamine-N-oxide promotes age-related vascular oxidative stress and endothelial dysfunction in mice and healthy humans. Hypertension, 76(1), 101-112.
- 7. Cai, Z., Gong, Z., Li, Z., Li, L., & Kong, W. (2021). Vascular extracellular matrix remodeling and hypertension. Antioxidants & Redox Signaling, 34(10), 765-783.
- Chen, W. H., Chen, C. H., Hsu, M. C., Chang, R. W., Wang, C. H., & Lee, T. S. (2024). Advances in the molecular mechanisms of statins in regulating endothelial nitric oxide bioavailability: Interlocking biology between eNOS activity and L-arginine metabolism. Biomedicine & Pharmacotherapy, 171, 116192.
- Chintapula, U., Chikate, T., Sahoo, D., Kieu, A., Guerrero Rodriguez, I. D., Nguyen, K. T., & Trott, D. (2023). Immunomodulation in age-related disorders and nanotechnology interventions. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 15(1), e1840.
- 10. Daiber, A., & Chlopicki, S. (2020). Revisiting pharmacology of oxidative stress and endothelial dysfunction in cardiovascular disease: Evidence for redox-based therapies. Free Radical Biology and Medicine, 157, 15-37.
- 11. Ding, Q., Shao, C., Rose, P., & Zhu, Y. Z. (2020). Epigenetics and vascular senescence-potential new therapeutic targets?. Frontiers in Pharmacology, 11, 535395.
- 12. Fleenor, B. S., Carlini, N. A., & Martens, C. R. (2023). Nutraceuticals in the prevention and therapeutic treatment of cardiovascular and cerebrovascular disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 43(3), 162-169.
- 13. Gerdes, E. O. W., Misra, A., Netto, J. M. E., Tchkonia, T., & Kirkland, J. L. (2021). Strategies for late phase preclinical and early clinical trials of senolytics. Mechanisms of ageing and development, 200, 111591.
- Giuliani, A., Giudetti, A. M., Vergara, D., Del Coco, L., Ramini, D., Caccese, S., ... & Sabbatinelli, J. (2023). Senescent endothelial cells sustain their senescence-associated secretory phenotype (SASP) through enhanced fatty acid oxidation. Antioxidants, 12(11), 1956.
- 15. Gkaliagkousi, E., Lazaridis, A., Dogan, S., Fraenkel, E., Tuna, B. G., Mozos, I., ... & Gopcevic, K. (2022). Theories and molecular basis of vascular aging: a review of the literature from vascagenet group on pathophysiological mechanisms of vascular aging. International journal of molecular sciences, 23(15), 8672.
- Godos, J., Romano, G. L., Gozzo, L., Laudani, S., Paladino, N., Dominguez Azpíroz, I., ... & Grosso, G. (2024). Resveratrol and vascular health: evidence from clinical studies and mechanisms of actions related to its metabolites produced by gut microbiota. Frontiers in Pharmacology, 15, 1368949.
- 17. Gupta, P., & Mandal, B. B. (2021). Tissue-engineered vascular grafts: emerging trends and technologies. Advanced Functional Materials, 31(33), 2100027.
- Gutmann, C., Siow, R., Gwozdz, A. M., Saha, P., & Smith, A. (2020). Reactive oxygen species in venous thrombosis. International Journal of Molecular Sciences, 21(6), 1918.
- 19. Heinz, A. (2020). Elastases and elastokines: elastin degradation and its significance in health and disease. Critical reviews in biochemistry and molecular biology, 55(3), 252-273.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 2, February 2025

|DOI: 10.15680/IJIRSET.2025.1402011|

- Ji, H., Kwan, A. C., Chen, M. T., Ouyang, D., Ebinger, J. E., Bell, S. P., ... & Cheng, S. (2022). Sex differences in myocardial and vascular aging. Circulation research, 130(4), 566-577.
- Khera, R., Oikonomou, E. K., Nadkarni, G. N., Morley, J. R., Wiens, J., Butte, A. J., & Topol, E. J. (2024). Transforming cardiovascular care with artificial intelligence: from discovery to practice: JACC state-of-the-art review. Journal of the American College of Cardiology, 84(1), 97-114.
- 22. Kosmopoulos, M., Chiriaco, M., Stamatelopoulos, K., Tsioufis, C., Masci, P. G., Kontogiannis, C., ... & Georgiopoulos, G. (2022). The relationship between telomere length and putative markers of vascular ageing: a systematic review and meta-analysis. Mechanisms of Ageing and Development, 201, 111604.
- 23. Laurent, S., & Boutouyrie, P. (2020). Arterial stiffness and hypertension in the elderly. Frontiers in cardiovascular medicine, 7, 544302.
- Li, A., Yan, J., Zhao, Y., Yu, Z., Tian, S., Khan, A. H., ... & Tian, X. L. (2023). Vascular aging: assessment and intervention. Clinical Interventions in Aging, 1373-1395.
- Moaddel, R., Ubaida-Mohien, C., Tanaka, T., Lyashkov, A., Basisty, N., Schilling, B., ... & Ferrucci, L. (2021). Proteomics in aging research: A roadmap to clinical, translational research. Aging Cell, 20(4), e13325.
- Murray, K. O., Berryman-Maciel, M., Darvish, S., Coppock, M. E., You, Z., Chonchol, M., ... & Rossman, M. J. (2022). Mitochondrial-targeted antioxidant supplementation for improving age-related vascular dysfunction in humans: a study protocol. Frontiers in Physiology, 13, 980783.
- Nieto, M., Konigsberg, M., & Silva-Palacios, A. (2024). Quercetin and dasatinib, two powerful senolytics in agerelated cardiovascular disease. Biogerontology, 25(1), 71-82.
- 28. Paapstel, K., & Kals, J. (2022). Metabolomics of arterial stiffness. Metabolites, 12(5), 370.
- 29. Pang, B., Dong, G., Pang, T., Sun, X., Liu, X., Nie, Y., & Chang, X. (2024). Emerging insights into the pathogenesis and therapeutic strategies for vascular endothelial injury-associated diseases: focus on mitochondrial dysfunction. Angiogenesis, 1-17.
- Robinson, E. L., & Port, J. D. (2022). Utilization and potential of RNA-based therapies in cardiovascular disease. Basic to Translational Science, 7(9), 956-969.
- Saavedra, J. M. (2021). Angiotensin receptor blockers are not just for hypertension anymore. Physiology, 36(3), 160-173.
- Sarhene, M., Ni, J. Y., Duncan, E. S., Liu, Z., Li, S., Zhang, J., ... & Fan, G. (2021). Ginsenosides for cardiovascular diseases; update on pre-clinical and clinical evidence, pharmacological effects and the mechanisms of action. Pharmacological Research, 166, 105481.
- Scheffer, S., Hermkens, D. M., Van Der Weerd, L., De Vries, H. E., & Daemen, M. J. (2021). Vascular hypothesis of Alzheimer disease: topical review of mouse models. Arteriosclerosis, Thrombosis, and Vascular Biology, 41(4), 1265-1283.
- Strianese, O., Rizzo, F., Ciccarelli, M., Galasso, G., D'Agostino, Y., Salvati, A., ... & Rusciano, M. R. (2020). Precision and personalized medicine: how genomic approach improves the management of cardiovascular and neurodegenerative disease. Genes, 11(7), 747.
- 35. Ungvari, Z., Tarantini, S., Sorond, F., Merkely, B., & Csiszar, A. (2020). Mechanisms of vascular aging, a geroscience perspective: JACC focus seminar. Journal of the American College of Cardiology, 75(8), 931-941.
- 36. Valeriani, E., Bartimoccia, S., Pignatelli, P., & Pastori, D. (2024). Aging and antithrombotic treatment. Antioxidants & Redox Signaling, 41(7-9), 542-556.
- 37. van de Vyver, M. (2023). Immunology of chronic low-grade inflammation: relationship with metabolic function. Journal of Endocrinology, 257(1).
- Ya, J., & Bayraktutan, U. (2024). Senolytics and Senomorphics Targeting p38MAPK/NF-κB Pathway Protect Endothelial Cells from Oxidative Stress-Mediated Premature Senescence. Cells, 13(15), 1292.
- Zhao, K., Zeng, Z., He, Y., Zhao, R., Niu, J., Sun, H., ... & Zhou, J. (2024). Recent advances in targeted therapy for inflammatory vascular diseases. Journal of Controlled Release, 372, 730-750.
- 40. Zou, H., Ye, H., Kamaraj, R., Zhang, T., Zhang, J., & Pavek, P. (2021). A review on pharmacological activities and synergistic effect of quercetin with small molecule agents. Phytomedicine, 92, 153736.









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com