




International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 2, February 2025

Edible Water Bubbles as a Sustainable Alternative to Single-Use Plastic Bottles

Alekhya U*, Anushka Komirelli*, Dr. Uma Swadimath*

MBA (Core Finance) Students, Faculty of Management Studies, CMS Business School, Jain Deemed to be University,
Bengaluru, India

Professor, Department of General Management, Faculty of Management Studies, CMS Business School, Jain Deemed
to be University, Bengaluru, India

ABSTRACT: The escalating crisis of plastic waste, intensified by the annual disposal of billions of plastic bottles, has prompted the urgent need to investigate sustainable alternatives to single-use plastics. This systematic review examines edible water bubbles—biodegradable pouches crafted from seaweed-derived membranes—as a viable solution to alleviate plastic pollution. The primary aims of this study are to assess the current technological landscape surrounding edible water bubbles, pinpoint significant research deficiencies related to scalability, shelf life, and market feasibility, and suggest future research pathways to promote the adoption of this novel packaging option. A thorough literature review was performed, incorporating peer-reviewed studies, scientific reports, and industry white papers published between 2014 and 2024, with a focus on three key areas: consumer acceptance, scalable production methods, and seaweed-based membrane technology.

The findings indicate that edible water bubbles offer considerable environmental benefits compared to traditional plastic bottles, such as diminished carbon emissions, reduced water usage, and the capacity to biodegrade within 4-6 weeks. Analysis of consumer sentiment reveals a rising acceptance, with approximately 70% of respondents indicating a willingness to try these bubbles, primarily motivated by environmental considerations. Nevertheless, challenges persist regarding sensory qualities and the need for market education. The review highlights critical technological obstacles in achieving manufacturing scalability and the essential improvements required to extend product shelf life, which is currently restricted to 1-2 hours.

The implications of these findings suggest that edible water bubbles present a potential solution to the plastic waste crisis; however, their successful commercialization necessitates a comprehensive strategy. This strategy should include advancements in production methods, initiatives aimed at educating consumers, and collaborative efforts within the industry. By addressing current research deficiencies and technological challenges, edible water bubbles can transition from an innovative idea to a widely accepted sustainable packaging option, thereby making a substantial impact on global waste reduction and environmental sustainability efforts.

KEYWORDS: Plastic Pollution, Seaweed-Based Membranes, Sustainability, Eco-Friendly Packaging, Market Strategies

I. INTRODUCTION

With billions of plastic bottles thrown away annually, the global plastic waste crisis has escalated to previously unheard-of proportions, seriously harming ecosystems, landfills, and oceans. In 2021 alone, an astounding 583.3 billion plastic bottles were consumed; if current trends continue, it is predicted that worldwide plastic output would treble by 2040 and quadruple by 2050 (Thompson et al., 2022). This concerning trend emphasizes how urgently sustainable substitutes for single-use plastic packaging are needed. One potential remedy is edible water bubbles, which are made of a membrane that contains water and is made from seaweed and other biodegradable materials. A possible solution to plastic pollution, these water bubbles are made to provide a zero-waste substitute that may be eaten right away or break down in the environment without causing any harm.

Compared to plastics, seaweed-based membranes have a smaller environmental impact and biodegrade quickly, which makes them very appealing. These membranes have the potential to be environmentally friendly packaging because

recent research show that they may successfully hold water while decomposing naturally in a variety of environmental circumstances. Despite their potential, there are still several obstacles in the way of expanding the technology for broad commercial application. For edible water bubbles to become a competitive alternative in the consumer market, there is a dearth of study on the technological and commercial factors needed to scale production, maximize product shelf life, and obtain regulatory clearances.

This study examines the main gaps impeding the development and uptake of edible water bubbles by doing a thorough evaluation of the body of previous research. This study's three main goals are to: (1) assess the state of edible water bubble technology as it stands today; (2) pinpoint important research gaps in the areas of production scalability, shelf-life enhancement, and market viability; and (3) suggest future research avenues that can tackle these issues. This research aims to solve a significant worldwide environmental issue and contribute to the development of sustainable packaging solutions by methodically evaluating the possibilities and limitations of edible water bubbles. This will provide an alternative to single-use plastics.

II. LITERATURE REVIEW

Due to the substantial environmental damage caused by the growing usage of single-use plastic bottles, research into biodegradable substitutes has begun. Edible water blobs, which are encapsulated water sachets created from calcium salts and sodium alginate obtained from brown algae, are a promising option that has surfaced in recent years. Key findings from numerous studies on edible water blobs, their manufacturing processes, and their potential to reduce plastic pollution are summarized in this overview of the literature.

Sheikh et al. (2018) highlight the significant implications of their innovative product, emphasizing that the increasing issue of plastic pollution has led to the development of creative alternatives such as edible water blobs. These items, which resemble water balloons and are intended for consumption, utilize spherification methods typically found in culinary practices. The authors argue that edible water blobs serve as a refreshing substitute for water contained in plastic packaging while also offering nutritional advantages, especially in terms of calcium content. This dual benefit addresses both environmental and health issues associated with the use of single-use plastic bottles (Sheikh et al., 2018).

Sa et al. (2019) used sodium alginate to create flavored sweet water balls, examining the creative use of fundamental spherification techniques. In order to achieve desired physical qualities, including an increase in gel membrane thickness, the study focuses on improving sodium alginate content and gelling duration. In order to successfully introduce edible water blobs to the market, the researchers argue that improving sensory qualities through flavoring may further increase customer acceptance.

Edible water blobs were first shown by Arbaan et al. (2020) as a clear, biodegradable sachet that holds roughly 60 mL of water, depending on the size that is desired. The production method complies with drinking water regulations, which include turbidity and pH tests. Ice Molds are used to produce the blobs, and the melting ice forms a waterproof seal around the water. This creative strategy makes edible water blobs a viable substitute for plastic bottles, especially when considering the environmental effect and life cycle assessment of their production. According to their research, edible water blobs use fewer resources to produce than conventional plastic bottles, which makes them a good choice for big events that want to cut down on plastic waste.

Kharate (2020) emphasizes the two benefits of edible water blobs in the Indian market: they reduce plastic pollution and have positive effects on the environment and human health. Edible water blobs are a short-term but significant solution, the author observes, even though they cannot completely undo the harm done by plastic garbage. Effective marketing techniques that emphasize environmental sustainability and corporate social responsibility are essential to the success of edible packaging because they increase consumer acceptance of the product.

By examining the physical characteristics of the water within and the edible gel membrane, Kadhim et al. (2020) investigates more changes in the fabrication of edible water bubbles with different calcium chloride concentrations. According to genetic studies, a 5% calcium chloride content is the ideal formulation for compost in terms of texture and degradation time. These results support the possibility of customisation in edible water blob production, which could lead to improved customer preferences and experiences.

In their exploration of the technical features of edible water blobs, Prabha et al. (2021) concentrate on the spherification process, which uses polymerization to encapsulate water in a thin alginate membrane. According to their research, spherified items have the potential to reduce pollution since single-use plastics can be significantly reduced through the appropriate use of alternative packaging. The authors concluded that further education and outreach are crucial in promoting these sustainable alternatives after conducting thorough surveys to gauge consumer knowledge of plastic pollution and acceptance of edible packaging.

Dalal (2022) highlights how urgent it is to solve plastic pollution, pointing out that large amounts of non-biodegradable packaging pollute ecosystems and waterways. Edible water blobs and other biodegradable materials are promoted by the author as a novel and sustainable way to address this issue. The edible water blob idea has the potential to drastically cut down on plastic waste and carbon emissions linked to the production of conventional bottled water, even though opinions on this innovative product may differ.

In conclusion, the research shows that edible water blobs have the potential to be a sustainable way to reduce the waste from single-use plastics. Numerous studies have demonstrated the need for ongoing research and development into the physical characteristics, production processes, and customer acceptance of these biodegradable substitutes. While tackling the urgent problem of plastic pollution, this cumulative body of research offers a basis for furthering the commercialization of edible water blobs. The long-term feasibility of these alternatives in various market contexts, consumer education tactics, and large-scale production methods should be the main topics of future research.

III. RESEARCH GAP

The exploration of edible water blobs as a potential substitute for single-use plastic bottles has yielded encouraging results; however, notable research deficiencies persist within the current body of literature. Although investigations have been conducted on the production methodologies (Kharate, 2020; Prabha et al., 2021) and the physical properties (Kadhim et al., 2020) of these edible blobs, there remains a critical lack of thorough research examining the long-term environmental consequences of their widespread use, particularly in relation to biodegradation rates and their impacts on various ecosystems. Moreover, while the importance of consumer acceptance is recognized (Dalal, 2022; Sheikh et al., 2018), there is a dearth of studies analyzing demographic differences in acceptance levels and the potential obstacles to market penetration across different cultural settings. Additionally, although sensory attributes have been highlighted as vital for consumer approval (Sa et al., 2019), further investigation is warranted to identify optimal flavor profiles and marketing approaches that effectively convey the health and environmental advantages of edible water blobs. Addressing these research gaps could significantly improve the understanding and commercialization of this innovative approach to mitigating plastic pollution.

Research Objectives

1. **To analyse** the concept and technological advancements in edible water bubble production.
2. **To identify** research gaps in the current understanding of edible water bubble formation.
3. **To propose** future research directions to improve the development and adoption of this sustainable technology.

IV. METHODOLOGY

A thorough evaluation of edible water bubble technology was achieved by conducting a systematic literature study that covered articles from 2014 to 2024. Peer-reviewed publications, scientific reports, and industry white papers are among the sources used, with an emphasis on three main areas: consumer acceptance, scalable manufacturing techniques, and seaweed-based membrane technology.

Data Analysis

Evaluation of the Environmental Impact

Compared to conventional single-use plastic bottles, edible water bubbles, which are manufactured from biodegradable ingredients such as sodium alginate from seaweed, have a far smaller environmental impact. In contrast to plastic bottles, which can take hundreds of years to degrade, these bubbles completely break down in a matter of weeks under a variety of environmental circumstances (Prabha et al., 2021). Comparing edible water bubbles to plastic bottles, life cycle

assessment data show that the former uses less energy and raw materials, especially in terms of raw materials (Arbaan et al., 2020). Furthermore, creating these water bubbles results in significantly lower carbon emissions, boosting international efforts to minimize greenhouse gas emissions. This benefit to the environment emphasizes how edible water bubbles could be a viable substitute in areas where plastic waste generation is considerable.

TABLE1: Environmental Comparison Between Plastic Bottles and Edible Water Bubbles

Metric	Plastic Bottles	Edible Water Bubbles
Decomposition Time	450 years	4-6 weeks
Carbon Emissions (kg CO ₂ per ton)	1,850	850
Water Usage in Production (Liters per ton)	2,000	700
Annual Global Waste Contribution (tons)	300 million	15,000 (projected)
Energy Consumption in Production (kWh per ton)	5,000	2,500

(Source: The better India, Prabha et al.)

Market viability and consumer acceptance


For edible water bubbles to be widely used, customer acceptance is essential. According to surveys by Prabha et al. (2021), primarily due to environmental concerns, about 70% of participants are open to trying edible water bubbles as a substitute for plastic bottles. Sa et al. (2019) pointed out that flavor and texture are still possible obstacles to acceptability, pointing out that some consumers may be put off by the gel-like texture, especially in Western countries where conventional packaging is favoured. Studies have recommended adding tastes and improving the bubbles' sensory qualities to increase customer adoption (Sa et al., 2019). As Kharate (2020) points out, consumer education about the environmental advantages could further increase market adoption, particularly among younger demographics that are typically more open to sustainable alternatives.

Demographic-Based Consumer Willingness to Accept Edible Water Bubbles

The possibility for edible water bubbles to be adopted varies by industry. Retail and food services are more hesitant due to customer handling concerns and higher price points, but the event industry (such as festivals and marathons) has considerable potential due to its widespread usage of single-use plastic.

TABLE 2: Projected Plastic Reduction Across Various Industry Sectors

Industry Sector	Current Plastic Usage (tons annually)	Projected Adoption Rate (%)	Estimated Plastic Reduction (tons annually)
Events (Festivals, Sports)	5,00,000	80	4,00,000
Retail and Grocery	12,00,000	30	3,60,000
Food Services (Restaurants, Cafes)	8,00,000	40	3,20,000
Airlines and Hospitality	3,00,000	50	1,50,000
Office and Corporate Events	2,00,000	70	1,40,000



(Source: Statista)
(Compiled by authors)

Because edible water bubbles are a sustainable substitute for plastic bottles in environments where convenience and disposability are valued, the events industry is expected to embrace them at the maximum rate of 80%. Due in large part to consumer concerns regarding price and durability, the adoption rate in the retail sector is lower at 30%. The predicted yearly decrease in plastic waste across all industries could exceed 1 million tons, underscoring the possible environmental impact of widespread adoption.


Practicality and Usability

The simplicity of edible water bubbles is one of its greatest practical benefits. They are easy to eat, frequently come in single servings, and produce no waste at all. They don't need lids or other throwaway components, in contrast to plastic

bottles. Nonetheless, they are best suited for particular situations, such as sporting events, marathons, festivals, and other locations where they can be swiftly consumed, due to their perishable nature.

Table 3: Usability Rating and Advantages

Activity Type	Suitability Rating (1-5)	Key Advantages
Marathons and Races	5	Lightweight, quick hydration
Festivals and Concerts	4	Easy distribution, reduces litter
Schools and Colleges	3	Sustainable, promotes eco-awareness
Office Spaces	3	Eco-friendly, promotes company values



(Compiled by authors)

Technological Difficulties and Production Scalability

There are many technical obstacles in producing edible water bubbles on a large scale. Water bubbles produced by current production methods, such as the basic spherification process, have a short shelf life and necessitate exact control over membrane thickness (Kadhim et al., 2020). According to research, the structural integrity of the bubbles can be improved by maximizing calcium chloride concentrations during the spherification process, enabling longer storage and transit times (Prabha et al., 2021). However, additional innovation in automated manufacturing processes is needed to scale these methods to satisfy high-demand applications, such as mass events and retail. Research highlights the

necessity of industry cooperation in order to create equipment that can produce edible water bubbles on a big scale without sacrificing quality. The spherification process, which requires exact control over membrane thickness and the use of calcium chloride to improve structural integrity, is the main technological issue associated with scaling up the manufacturing of edible water bubbles. By varying the calcium chloride content, the current production methods that produce bubbles with a short shelf life of one to two hours can be improved to increase shelf life to up to 72 hours. However, considerable automation breakthroughs are needed to scale these methods for high-demand applications like mass events and retail.

V. FINDINGS

- The market potential, environmental effect, and production feasibility of edible water bubbles are highlighted by a comprehensive review of the literature.
- According to life cycle evaluation, trash generation has decreased by 95%, water consumption has decreased by 65%, and CO₂ emissions have decreased by 54%.
- Unlike plastic bottles, which take more than 450 years to degrade, edible water bubbles break down in 4-6 weeks thanks to their seaweed-based barrier.
- Research shows that consumer demand is increasing, especially among those who care about the environment.
- According to surveys, 70% of respondents are open to using edible water bubbles because they are worried about plastic pollution.
- Particularly in Western markets used to conventional packaging, taste and texture continue to be possible obstacles.
- Because of their sustainability and ease of use, corporate environments, hospitality, and events have the most potential for adoption.
- One of the biggest technological challenges is increasing output while preserving product quality and shelf life.
- Precise control over variables like as cure time and calcium chloride concentration is necessary for the spherification process.
- Process improvements are required for up to 72-hour longevity and large-scale commercialization.

VI. CONCLUSION

The results of this systematic review offer a thorough grasp of edible water bubble technology's present status and its potential to alleviate the world's plastic waste problem. With notable decreases in carbon emissions, water consumption, and waste production when compared to traditional plastic bottles, the environmental assessment amply illustrates the novel packaging solution's strong sustainability benefits.

To enable the widespread use of edible water bubbles, the study also identifies a number of crucial obstacles that need to be addressed. The main areas that need more research and development are increasing manufacturing capacity to satisfy high-demand applications and improving customer acceptance through improved sensory qualities and price tactics.

A multifaceted strategy is required to successfully commercialize edible water bubbles. This should include focused consumer education efforts to increase knowledge of the environmental benefits, strategic partnerships between university and industry partners, and ongoing research and innovation in manufacturing methods. Edible water bubbles can evolve from a promising idea to a practical, widespread substitute for single-use plastics by filling in the gaps and removing the obstacles that have been found. This would give consumers a sustainable packaging choice that is in line with the growing environmental consciousness.

All things considered, this comprehensive assessment reaffirms the edible water bubbles' enormous potential to upend the plastic packaging sector and support international initiatives to address the growing waste problem. Edible water bubbles have the potential to become a game-changing product that strikes a balance between customer preferences, environmental sustainability, and financial viability with coordinated efforts to maximize production, improve consumer appeal, and increase market awareness.

REFERENCES

1. Dalal, P. (2022). Stop Plastic Bottle Pollution with Homemade Edible Water. *International Journal of Current Science (IJCS PUB)*, 12(4), 1–4.
2. Gvelesiani, A., & Chiabrishvili, N. (2014). Additional experiments on the study of peculiarities of clear s of clear water, H₂O, and both water sugar, C₁₂H₂₂O₁₁, and edible, and edible salt, NaCl, solutions of maximal densities by means salt, NaCl, solutions of maximal densities by means of original fluids of original fluids bubble boiling method. *Journal of Georgian Geophysical Society*, 17a(A), 132–139.
3. Kadhim, H. J., Braihi, A., Braihi, A. J., Jawad, H., & Rashid, A. (2020). Eatable Water Bubbles Via Sodium Alginate and Calcium Chloride by Simple Chemical Reaction Method Higher Education Ministry Eatable Water Bubbles Via Sodium Alginate And Calcium Chloride By Simple Chemical Reaction Method. <https://www.researchgate.net/publication/342510014>
4. Mistry, U., & P. Kharate, S. (2021). A STUDY OF EDIBLE WATER BALLS IN INDIAN MARKET CONTEXT. *JournalNX- A Multidisciplinary Peer Reviewed Journal*, 51–55.
5. Prabha, H. P., Aravind, A., Surekha, J. A., & Professor, A. (2021). Development of Edible Water Bubbles by Spherification. In *International Journal of Creative Research Thoughts (Vol. 9)*. www.ijert.org
6. Rameshaiah, G. N. (2015). PREPARATION OF EDIBLE WATER BUBBLE. *Certified Journal | 968 Rameshaiah et al. World Journal of Pharmacy and Pharmaceutical Sciences*, 10. <https://doi.org/10.17605/OSF.IO/KB49E>
7. Sa, G., Aa, K., & Tr, S. (2019). Characterization of flavoured sweet water balls prepared by basic spherification technique. ~ 1714 ~ *International Journal of Chemical Studies*, 7(1), 1714–1718.
8. Sheikh, Z., Nahata, U., Annam, P., Belgaonkar, P., Tapadia, P., Telkar, S., & Nagnath, V. (2018). Edible Water-Bottles. *International Journal of Management, Technology and Engineering*, 8(IX), 1577–1580.
9. Amann, A. (2017, May 5). Meet Ooho water™ - A sustainable edible water bottle | CBS. *Management Studium in Köln, Mainz, Potsdam, Aachen, Hamburg & Hannover*. <https://www.cbs.de/en/blog/ooho-a-sustainable-water-bottle-you-can-eat-and-drink-declares-war-on-plastic-bottles>
10. Edible water bubble Ooho to replace plastic bottles. (2017, August 25). *MaterialDistrict*. <https://materialdistrict.com/article/edible-water-bubble-ooho-plastic-bottles/>
11. Edible water bubble set to replace plastic bottles. (2023, June 15). *CGTN Africa*. <https://africa.cgtn.com/edible-water-bubble-set-to-replace-plastic-bottles/>
12. How to make an edible water bottle. (2015, August 15). *ThoughtCo*. <https://www.thoughtco.com/make-an-edible-water-bottle-607470>
13. Kooser. (2017, April 13). Are edible bubbles the future of packaged water? *CNET*. <https://www.cnet.com/culture/edible-water-bubble-ooho-skipping-rocks-lab-crowdcube-plastic-bottles/>
14. The London marathon gave out these water bubble pods, replacing 200,000 water bottles. (2020, September 25). *upworthy science.com*. <https://upworthy science.com/you-can-eat-this-water-bubble-the-environment-will-thank-you/>
15. Marie, L. (2023, March 29). ‘Edible water bottles’ is it a solution to plastic pollution? *FoodYaari*. <https://foodyaari.co.in/edible-water-bottles-is-it-a-solution-to-plastic-pollution-ooho-seaweed-water-pods/>
16. The ooho! edible water bubble gets set to replace plastic bottles. (2018, October 23). *designboom |architecture & design magazine*. <https://www.designboom.com/technology/skipping-rocks-lab-ooho-edible-water-bottle-04-12-2017/>
17. Patel, T. (2019, May 3). Exclusive: Meet the Bengaluru startup making edible water pods from seaweed! *The Better India*. <https://thebetterindia.com/180797/bengaluru-innovation-edible-water-pod-seaweed-plastic-free-india/>



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details