




International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 3, March 2025

Harnessing Data Science for Predictive Climate Change Modeling

Mohammad Mahin Shekh, Mrs. Praptiba Parmar

U.G. Student, Department of Computer Science and Engineering, Parul University, Vadodara, Gujarat, India

Assistant Professor, Department of Computer Science and Engineering, Parul University, Vadodara, Gujarat, India

ABSTRACT: Climate change is one of the most critical global challenges faced today, with far-reaching consequences for ecosystems, economies, and human well-being. Accurate modeling of climate data is crucial for predicting future trends and guiding effective environmental policy. This research paper presents a machine learning-based approach for climate change modeling, analyzing historical climate data and predicting future patterns related to temperature, carbon dioxide (CO₂) levels, and humidity. The project leverages several machine learning algorithms, including Linear Regression, Random Forest, and XGBoost, to identify trends and anomalies in climate data. Additionally, the system integrates a user-friendly interface via Streamlit for easy visualization and interaction with the model. The findings of this study underscore the importance of data-driven insights in tackling climate change and offer a foundation for future advancements in predictive environmental analytics.

KEYWORDS: Climate Change, Machine Learning, XGBoost, Data Science, Predictive Modeling, Streamlit

I. INTRODUCTION

The ever-increasing concerns about climate change and its effects on global ecosystems and human society necessitate more accurate and sophisticated methods of climate prediction. Traditional climate models often struggle with the scale and complexity of modern environmental datasets, leading to less reliable predictions. The advent of machine learning has opened new possibilities for improving climate change modeling, offering powerful tools for processing large datasets, identifying complex patterns, and making more accurate predictions. This research focuses on developing a system that uses machine learning techniques to model and predict climate change trends based on historical data, such as temperature fluctuations, CO₂ levels, and humidity.

The primary aim of this study is to create a robust predictive modeling system that integrates climate data from multiple sources, processes it efficiently, and provides valuable insights into future climate trends. By using algorithms such as Linear Regression, Random Forest, and XGBoost, this paper explores the potential of machine learning to enhance the accuracy of climate forecasts. Additionally, the project integrates a real-time data visualization platform via Streamlit, providing an interactive interface for users to explore the results of the model.

II. LITERATURE SURVEY

The importance of climate change modeling has been widely recognized in the scientific community. A variety of studies have explored the use of machine learning techniques to improve the accuracy and reliability of climate predictions. For instance, Breiman's (2001) Random Forest model has been shown to effectively predict environmental variables by using ensemble methods to improve the robustness of predictions. Similarly, XGBoost, an algorithm known for its high performance in prediction tasks, has been applied to environmental data in several studies (Pal & Mahapatra, 2020). These studies highlight the potential of machine learning techniques to enhance the predictive capabilities of climate models, especially when dealing with large and complex datasets.

Furthermore, machine learning models have been integrated into predictive systems for early warning signs of extreme weather events. For example, algorithms such as support vector machines (SVM) and neural networks have been used for anomaly detection in climate data, which can help forecast extreme events like heat waves and floods (McMichael et al., 2006). However, many traditional systems still face challenges related to scalability, real-time data processing,

and the integration of new data sources. This research seeks to overcome these limitations by combining advanced machine learning techniques with a scalable, cloud-based infrastructure.

III. METHODOLOGY

This research employs a comprehensive approach to climate change modeling, utilizing machine learning algorithms to analyze historical climate data and predict future trends. The methodology can be divided into several key stages: data collection, data preprocessing, model development, and deployment.

1. Data Collection

The dataset for this research was sourced from reputable climate data repositories, including NASA's Open Data API and NOAA climate datasets. These sources provide historical climate data, including temperature records, CO₂ levels, and humidity measurements. The data was collected over a period of several decades to ensure a comprehensive understanding of long-term climate trends.

2. Data Preprocessing

Before the data could be used for modeling, it was subjected to rigorous preprocessing. This included handling missing values, encoding categorical variables, and normalizing numerical features to ensure consistency across different data sources. Data cleaning techniques such as outlier detection and data imputation were applied to maintain data integrity. Feature engineering was performed to identify the most relevant variables for predicting climate trends, ensuring that the models would be trained on high-quality data.

3. Model Development

The machine learning models employed in this study include Linear Regression, Random Forest, and XGBoost. Each algorithm was trained on the preprocessed climate data, with the goal of predicting future climate trends such as temperature rise and changes in CO₂ levels.

- Linear Regression was used as a baseline model to understand the linear relationships between different climate variables.
- Random Forest was chosen for its ability to handle large datasets with multiple variables, and its robustness against overfitting.
- XGBoost was selected for its high performance in predictive tasks, particularly for regression problems involving large datasets.

The models were evaluated using standard performance metrics such as Root Mean Squared Error (RMSE), Mean Absolute Error (MAE), and R-squared (R²) values to assess their accuracy and predictive power.

4. Model Deployment

Once trained, the models were deployed in an interactive environment using Streamlit, a Python-based tool for building data-driven applications. Streamlit allows users to upload their own climate datasets, train the models, and visualize the predictions in real time. The system was designed to be user-friendly, providing intuitive visualizations of climate trends and model performance.

IV. EXPERIMENTAL RESULTS

The machine learning models were tested on a variety of climate datasets to assess their performance in predicting climate trends. The results demonstrate the robustness and effectiveness of the models in accurately forecasting key climate parameters. Among the models tested, XGBoost stood out as the most accurate, yielding the lowest RMSE (Root Mean Squared Error) and highest R² (Coefficient of Determination) values, significantly outperforming the other models. This indicates XGBoost's superior ability to handle complex relationships in climate data and its capacity for precise predictions.

The Random Forest model also performed admirably, particularly in capturing the non-linear interactions between various climate variables such as temperature, CO₂ levels, and humidity. While it demonstrated strong performance, it was slightly less accurate than XGBoost, particularly in terms of predictive power. This comparison highlights the importance of selecting the right model for different types of climate prediction tasks, depending on the complexity and

relationships of the data. The integration of the Streamlit interface allowed for easy exploration of the results, providing users with dynamic visualizations of the predicted climate trends. The interface featured graphs, heatmaps, and interactive sliders, making it easy for users to analyze the relationships between different climate variables and explore various predictive scenarios.

Figure 1 shows the dashboard of the Climate Change Modeling System:




Figure 1

Figure 2 shows how the system predicts:




Figure 2

Figure 3 shows the feedback page:




Figure 3

Additionally, the Feedback page plays a crucial role in the iterative development of the system. It allows users to submit feedback directly through the interface, ensuring that the platform continuously evolves based on user suggestions and real-world needs. By collecting insights from various stakeholders, including environmental researchers and policymakers, the platform is able to integrate valuable suggestions, making it more tailored to user needs.

V. CONCLUSION

This research demonstrates the potential of machine learning techniques, particularly XGBoost and Random Forest, in improving the accuracy of climate change modeling. The system successfully predicts climate trends based on historical data, offering valuable insights for researchers, policymakers, and environmental organizations. The integration of real-time data and cloud-based deployment ensures that the system is scalable and can be updated with new data as it becomes available. However, several areas for future improvement exist. First, incorporating deep learning models, such as recurrent neural networks (RNNs), could further enhance the system's predictive accuracy, especially for long-term climate forecasting. Additionally, integrating real-time data streams from IoT sensors and satellite feeds could provide more accurate and up-to-date predictions, enabling more responsive climate policy. Another area for future research is the development of a mobile application that would allow users to access climate predictions and visualizations on the go. This would make the system more accessible to a broader audience, including policymakers and environmental advocates.

REFERENCES

- 1) Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5-32.
- 2) McMichael, A. J., Woodruff, R. E., & Hales, S. (2006). Climate change and human health: Present and future risks. *The Lancet*, 367(9513), 859-869.
- 3) Pal, S., & Mahapatra, S. K. (2020). Machine learning approaches for climate change prediction. *IEEE Transactions on Geoscience and Remote Sensing*.
- 4) Stocker, T. F., Qin, D., Plattner, G. K., et al. (2013). *Climate Change 2013: The Physical Science Basis. Intergovernmental Panel on Climate Change (IPCC) Report*.
- 5) Schmidhuber, J. (2015). Deep learning in neural networks: An overview. *Neural Networks*, 61, 85-117.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details